








Adaptable Furniture Selection Chart

	Patriot Table	Heavy Duty Table	Envision 3.0
			
Features:			
Adjustable Height	Yes	No	Yes
Leveling Glides	Nylon Leveling Glides (Standard)	Nylon Leveling Glides (Standard)	Nylon Leveling Glides (Standard)
Casters	Locking Swivel Casters or Vibration Isolation Casters (Option)	Locking Swivel Casters or Vibration Isolation Casters (Optional)	Leveling Casters (Option, only for 3" uprights)
Electrical Location	Plug Bar (Option)	N/A	Cross Member (Option)
Data Location	N/A	N/A	Cross Member (Option)
Upright Type	1 5/8" thick uprights attached to table frame	N/A	3" or 6" uprights
Leg Type	Square Tube	Square Tube	Round Tube
Turret Options	Ball Valve	N/A	Ball Valve or Instrument Valve
Configuration	Single Sided (with uprights)	N/A	3" Upright, Single Sided or 6" Upright, Double Sided
Work Surface Weight Capacity	1,000 lbs	1,000 lbs	1,200 lbs
Suspended Cabinet Compatible	Yes - Work Surface must be greater than 24" deep	Yes	Yes - Work Surface must be greater than 24" deep
SEFA	SEFA 10 - Class 7, Category 4 (Compliant)	SEFA 10 - Class 7, Category 4 (Compliant)	SEFA 10 - Class 7, Category 4 (Certified)
UL Listed	N/A	N/A	UL 962
Task Lighting	Yes (Option)	N/A (Option)	Yes (Option)
Work Surface Height Range	29" - 37" (1" increments)	N/A	30 1/4" -36 1/4" (2" increments)


Note: All images are shown with multiple options.

Adaptable Furniture Selection Chart


Envision 3.5	Envision 4.0	Envision 4.5	FlexCore Mobile Cart
			
Yes	Yes	Yes	Yes
Nylon Leveling Glides (Standard)	Nylon Leveling Glides (Standard)	Nylon Leveling Glides (Standard)	Standard Casters (Option) Standard Casters with Levelers (Option) Leveling Casters (Option)
N/A	Leveling Casters (Option, only for 3" uprights)	N/A	Plug Bar (Option)
Upright (Option)	Cross Member (Option)	Upright (Option)	N/A
Upright (Option)	Cross Member (Option)	Upright (Option)	
6" Uprights	3" or 6" Uprights	6" Uprights	3 1/4" Upright
Round Tube	Square Tube	Square Tube	N/A
Ball Valve or Instrument Valve	Ball Valve or Instrument Valve	Ball Valve or Instrument Valve	N/A
6" Upright, Double Sided	3" Upright, Single Sided or 6" Upright, Double Sided	6" Upright, Double Sided	3 1/4" Flex Upright
1,200 lbs	1,200 lbs	1,200 lbs	Weight Capacity of Cantilever Frame up to 600 lbs UDL (includes weight of work surface or suspended cabinets)
Yes - Work Surface must be greater than 24" deep	Yes - Work Surface must be greater than 24" deep	Yes - Work Surface must be greater than 24" deep	Yes
SEFA 10 - Class 7, Category 4 (Certified)	SEFA 10 - Class 7, Category 4 (Certified)	SEFA 10 - Class 7, Category 4 (Certified)	SEFA 10 - Class 7, Category 4 (Compliant)
UL 962	UL 962	UL 962	N/A
Yes (Option)	Yes (Option)	Yes (Option)	Yes (Option)
30 1/4" -36 1/4" (2" increments)	30 1/4" -36 1/4" (2" increments)	30 1/4" -36 1/4" (2" increments)	29"-37" (1" increments)

Note: All images are shown with multiple options.


Patriot Table




Heavy Duty Table



Envision 3.0





Envision 4.0
Undermount Bracket
and Shelves

Envision 4.0
Bookend Bracket
and Shelves

Envision 4.0 Cross
Bar. Optional
Electrical and Data

Envision 4.0
Retaining Rods

Envision 4.0
Plumbing Fixtures


Envision 4.0
Work Surface
in Epoxy or
Phenolic

Envision 4.0
Uprights


Envision 4.0
Bolt-On Frame

Optional Mobile
or Suspended
Cabinet

Non-marring Nylon
Leveling Feet



FlexCore Mobile Cart



FlexCore Frame Assembly

FlexCore Laboratory Solutions


In business since 1943, ICI is a recognized leader in the laboratory furniture industry; and now, our FlexCore adaptable furniture system allows almost limitless possibilities. From traditional modular casework, to docking mobile instrument carts, FlexCore can provide a unique working environment tailored to individual needs. With durable, rugged construction designed specifically for today's industrial, research and university laboratories - and, at an affordable price point - FlexCore is an exciting alternative. Perhaps more importantly, FlexCore is designed to easily connect to almost all competitor units, at a more affordable price.

FlexCore instrument carts can be assembled from a wide array of components to create mobile benches, bookcases, computer support or docking desk environments. Services can be easily managed through simple access panels, while not interrupting operations.

FlexCore is a spine and core based system, utilizing the benefits of true service management while allowing virtually unlimited choices for personal layouts. The ICI solution is really a flex-light approach, making the ability to reconfigure the laboratory affordable.

Features include:

- 14 gauge dual channel uprights
- Integral cable chase-ways
- Sized from 24" - 72" in 6" increments
- Easily removed covers
- Inner and outer shelving
- Depths in 3.25", 6", 8.75" and 12"
- Built-in pipe supports
- Static service panel allows desk height accessibility for both electrical and data
- Knock-down design reduces costly freight & eases job site handling
- Made in the USA



FlexCore Frame Assembly

