

Envision 4.0
Undermount Bracket
and Shelves

Envision 4.0
Bookend Bracket
and Shelves

Envision 4.0 Cross
Bar. Optional
Electrical and Data

Envision 4.0
Retaining Rods

Envision 4.0
Plumbing Fixtures


Envision 4.0
Work Surface
in Epoxy or
Phenolic

Envision 4.0
Uprights

Envision 4.0
Bolt-On Frame


Optional Mobile
or Suspended
Cabinet

Non-marring Nylon
Leveling Feet



Envision 4.0

Envision 4.0 - 3" Uprights with Plumbing Cutouts Only



E4U3B-48R


- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on the noted side

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3B-42L	E4U3B-42R	42"
E4U3B-48L	E4U3B-48R	48"
E4U3B-60L	E4U3B-60R	60"
E4U3B-72L	E4U3B-72R	72"
E4U3B-84L	E4U3B-84R	84"
E4U3B-96L	E4U3B-96R	96"

Envision 4.0 - 3" Uprights with Plumbing and Data Cutouts Only



E4U3D-48R


- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on the noted side
- (1) data cutout on cross bar on same side as plumbing cutouts

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3D-42L	E4U3D-42R	42"
E4U3D-48L	E4U3D-48R	48"
E4U3D-60L	E4U3D-60R	60"
E4U3D-72L	E4U3D-72R	72"
E4U3D-84L	E4U3D-84R	84"
E4U3D-96L	E4U3D-96R	96"

Envision 4.0 - 3" Uprights with Plumbing, Data, and Standard Electric Cutouts Only



E4U3DE-48R


- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on the noted side
- (1) data cutout on cross bar on same side as plumbing cutouts
- 42" - 48" wide uprights have (2) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (3) standard electric cutouts on cross bar
- (1) standard electric cutout on post opposite plumbing

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3DE-42L	E4U3DE-42R	42"
E4U3DE-48L	E4U3DE-48R	48"
E4U3DE-60L	E4U3DE-60R	60"
E4U3DE-72L	E4U3DE-72R	72"
E4U3DE-84L	E4U3DE-84R	84"
E4U3DE-96L	E4U3DE-96R	96"

Envision 4.0 - 3" Uprights with Plumbing, Data, and Standard & GFI Electric Cutouts Only



E4U3DEG-48R

- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative


Includes:

- (3) plumbing cutouts on the noted side
- (1) data cutout on cross bar on same side as plumbing cutouts
- 42" - 48" wide uprights have (2) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (3) standard electric cutouts on cross bar
- (1) GFI electric cutout on post opposite plumbing

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3DEG-42L	E4U3DEG-42R	42"
E4U3DEG-48L	E4U3DEG-48R	48"
E4U3DEG-60L	E4U3DEG-60R	60"
E4U3DEG-72L	E4U3DEG-72R	72"
E4U3DEG-84L	E4U3DEG-84R	84"
E4U3DEG-96L	E4U3DEG-96R	96"

Envision 4.0

Envision 4.0 - 3" Uprights with Plumbing, and Standard Electric Cutouts Only



E4U3E-48R


- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on the noted side
- 42" - 48" wide uprights have (2) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (3) standard electric cutouts on cross bar
- (1) standard electric cutout on post opposite plumbing

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3E-42L	E4U3E-42R	42"
E4U3E-48L	E4U3E-48R	48"
E4U3E-60L	E4U3E-60R	60"
E4U3E-72L	E4U3E-72R	72"
E4U3E-84L	E4U3E-84R	84"
E4U3E-96L	E4U3E-96R	96"

Envision 4.0 - 3" Uprights with Plumbing, and Standard & GFI Electric Cutouts Only



E3U3E-48R


- Uprights are 3" Deep Envision 4.0, Single Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on the noted side
- 42" - 48" wide uprights have (2) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (3) standard electric cutouts on cross bar
- (1) GFI electric cutout on post opposite plumbing

Cat. No.		Width
Left Hand Plumbing	Right Hand Plumbing	
E4U3EG-42L	E4U3EG-42R	42"
E4U3EG-48L	E4U3EG-48R	48"
E4U3EG-60L	E4U3EG-60R	60"
E4U3EG-72L	E4U3EG-72R	72"
E4U3EG-84L	E4U3EG-84R	84"
E4U3EG-96L	E4U3EG-96R	96"

Envision 4.0 - 6" Uprights with Plumbing Cutouts Only



E4U6B-48


- Uprights are 6" Deep Envision 4.0, Double Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on one side

Cat. No.	Width
E4U6B-42	42"
E4U6B-48	48"
E4U6B-60	60"
E4U6B-72	72"
E4U6B-84	84"
E4U6B-96	96"

Envision 4.0 - 6" Uprights with Plumbing, and Data Cutouts Only



E4U6D-48

- Uprights are 6" Deep Envision 4.0, Double Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative


Includes:

- (3) plumbing cutouts on one side
- (1) data cutout on cross bar on same side as plumbing cutouts

Cat. No.	Width
E4U6D-42	42"
E4U6D-48	48"
E4U6D-60	60"
E4U6D-72	72"
E4U6D-84	84"
E4U6D-96	96"

Envision 4.0

Envision 4.0 - 6" Uprights with Plumbing, Data, and Standard Electric Cutouts Only




E4U6DE-48

- Uprights are 6" Deep Envision 4.0, Double Sided
 - Heights is 84"
 - Upright with a width greater than 48" has a center upright
 - For Stainless Steel contact your ICI representative
- Includes:**
- (3) plumbing cutouts on one side
 - (1) data cutout on cross bar on same side as plumbing cutouts
 - 42" - 48" wide uprights have (4) standard electric cutouts on cross bar
 - 60" - 96" wide uprights have (6) standard electric cutouts on cross bar
 - (2) standard electric cutout on opposite post as the plumbing cutouts

Cat. No.	Width
E4U6DE-42	42"
E4U6DE-48	48"
E4U6DE-60	60"
E4U6DE-72	72"
E4U6DE-84	84"
E4U6DE-96	96"

Envision 4.0 - 6" Uprights with Plumbing, Data, and Standard & GFI Electric Cutouts Only




E4U6DEG-48

- Uprights are 6" Deep Envision 4.0, Double Sided
 - Heights is 84"
 - Upright with a width greater than 48" has a center upright
 - For Stainless Steel contact your ICI representative
- Includes:**
- (3) plumbing cutouts on one side
 - (1) data cutout on cross bar on same side as plumbing cutouts
 - 42" - 48" wide uprights have (4) standard electric cutouts on cross bar
 - 60" - 96" wide uprights have (6) standard electric cutouts on cross bar
 - (2) GFI electric cutout on opposite post as the plumbing cutouts

Cat. No.	Width
E4U6DEG-42	42"
E4U6DEG-48	48"
E4U6DEG-60	60"
E4U6DEG-72	72"
E4U6DEG-84	84"
E4U6DEG-96	96"

Envision 4.0 - 6" Uprights with Plumbing, and Standard Electric Cutouts Only



E4U6E-48


- Uprights are 6" Deep Envision 4.0, Double Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative

Includes:

- (3) plumbing cutouts on one side
- 42" - 48" wide uprights have (4) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (6) standard electric cutouts on cross bar
- (2) standard electric cutout on opposite post as the plumbing cutouts

Cat. No.	Width
E4U6E-42	42"
E4U6E-48	48"
E4U6E-60	60"
E4U6E-72	72"
E4U6E-84	84"
E4U6E-96	96"

Envision 4.0 - 6" Uprights with Plumbing, and Standard & GFI Electric Cutouts Only



E4U6EG-48

- Uprights are 6" Deep Envision 4.0, Double Sided
- Heights is 84"
- Upright with a width greater than 48" has a center upright
- For Stainless Steel contact your ICI representative



Includes:

- (3) plumbing cutouts on one side
- 42" - 48" wide uprights have (4) standard electric cutouts on cross bar
- 60" - 96" wide uprights have (6) standard electric cutouts on cross bar
- (2) GFI electric cutout on opposite post as the plumbing cutouts

Cat. No.	Width
E4U6EG-42	42"
E4U6EG-48	48"
E4U6EG-60	60"
E4U6EG-72	72"
E4U6EG-84	84"
E4U6EG-96	96"

Envision 4.0


Envision 4.0 - Bolt-on Frame - 3" Upright Single Sided



- Envision 4.0 Bolt-On Frames are to be attached to any Envision 4.0 uprights
- Only (1) Bolt-On Frame can be attached to a 3" upright
- (2) Bolt-On Frames can be attached to 6" uprights to make a double sided workstation
- Adjustable Height work surface frame from 30 1/4" - 36 1/4", in 2" increments
- For Stainless Steel, contact your ICI Representative
- Work Surface ordered separately
- Work Surface depth details listed below see page 72 for work surface part numbers

Bolt-on Frame Cat. No.	Depth of Bolt-on Frame (D1)	Nominal Depth of Bolt-on Frame (D2)	Depth of Work Surface with 3" Notch (D3)	Width
Nominal 21" Deep				
E4CTFB-2142	20"	21"	24"	42"
E4CTFB-2148	20"	21"	24"	48"
E4CTFB-2160	20"	21"	24"	60"
E4CTFB-2172	20"	21"	24"	72"
E4CTFB-2184	20"	21"	24"	84"
E4CTFB-2196	20"	21"	24"	96"
Nominal 24" Deep				
E4CTFB-2442	23"	24"	27"	42"
E4CTFB-2448	23"	24"	27"	48"
E4CTFB-2460	23"	24"	27"	60"
E4CTFB-2472	23"	24"	27"	72"
E4CTFB-2484	23"	24"	27"	84"
E4CTFB-2496	23"	24"	27"	96"
Nominal 27" Deep				
E4CTFB-2742	26"	27"	30"	42"
E4CTFB-2748	26"	27"	30"	48"
E4CTFB-2760	26"	27"	30"	60"
E4CTFB-2772	26"	27"	30"	72"
E4CTFB-2784	26"	27"	30"	84"
E4CTFB-2796	26"	27"	30"	96"
Nominal 30" Deep				
E4CTFB-3042	29"	30"	33"	42"
E4CTFB-3048	29"	30"	33"	48"
E4CTFB-3060	29"	30"	33"	60"
E4CTFB-3072	29"	30"	33"	72"
E4CTFB-3084	29"	30"	33"	84"
E4CTFB-3096	29"	30"	33"	96"
Nominal 33" Deep				
E4CTFB-3342	32"	33"	36"	42"
E4CTFB-3348	32"	33"	36"	48"
E4CTFB-3360	32"	33"	36"	60"
E4CTFB-3372	32"	33"	36"	72"
E4CTFB-3384	32"	33"	36"	84"
E4CTFB-3396	32"	33"	36"	96"

Envision 4.0 - Bolt-On and Table - 3" Uprights Double Sided




Example of Envision 4.0, 3" Upright Double Sided Workstation

- Envision 4.0 Tables are to be used to make a double sided workstation with a 3" or 6" upright
- Envision 4.0 Tables can also be free standing tables
- Adjustable Height work surface frame from 30 1/4" - 36 1/4", in 2" increments
- For Stainless Steel, contact your ICI Representative
- Work Surface ordered separately
- Work Surface depth details for Side A listed on previous page
- Work Surface depth details for Side B listed below see page 74 for work surface part numbers


Bolt-on Frame Cat. No.	Depth of Frame/Table (D4)	Depth of Work Surface with No Notch (D5)	Width	Bolt-on Frame Cat. No.	Depth of Frame/Table (D4)	Depth of Work Surface with No Notch (D5)	Width
Nominal 15" Deep				Nominal 27" Deep			
E4CTFT-1542	14"	15"	42"	E4CTFT-2742	26"	27"	42"
E4CTFT-1548	14"	15"	48"	E4CTFT-2748	26"	27"	48"
E4CTFT-1560	14"	15"	60"	E4CTFT-2760	26"	27"	60"
E4CTFT-1572	14"	15"	72"	E4CTFT-2772	26"	27"	72"
E4CTFT-1584	14"	15"	84"	E4CTFT-2784	26"	27"	84"
E4CTFT-1596	14"	15"	96"	E4CTFT-2796	26"	27"	96"
Nominal 18" Deep				Nominal 30" Deep			
E4CTFT-1842	17"	18"	42"	E4CTFT-3042	29"	30"	42"
E4CTFT-1848	17"	18"	48"	E4CTFT-3048	29"	30"	48"
E4CTFT-1860	17"	18"	60"	E4CTFT-3060	29"	30"	60"
E4CTFT-1872	17"	18"	72"	E4CTFT-3072	29"	30"	72"
E4CTFT-1884	17"	18"	84"	E4CTFT-3084	29"	30"	84"
E4CTFT-1896	17"	18"	96"	E4CTFT-3096	29"	30"	96"
Nominal 19" Deep				Nominal 33" Deep			
E4CTFT-1942	18"	19"	42"	E4CTFT-3342	32"	33"	42"
E4CTFT-1948	18"	19"	48"	E4CTFT-3348	32"	33"	48"
E4CTFT-1960	18"	19"	60"	E4CTFT-3360	32"	33"	60"
E4CTFT-1972	18"	19"	72"	E4CTFT-3372	32"	33"	72"
E4CTFT-1984	18"	19"	84"	E4CTFT-3384	32"	33"	84"
E4CTFT-1996	18"	19"	96"	E4CTFT-3396	32"	33"	96"
Nominal 21" Deep				Nominal 36" Deep			
E4CTFT-2142	20"	21"	42"	E4CTFT-3642	35"	36"	42"
E4CTFT-2148	20"	21"	48"	E4CTFT-3648	35"	36"	48"
E4CTFT-2160	20"	21"	60"	E4CTFT-3660	35"	36"	60"
E4CTFT-2172	20"	21"	72"	E4CTFT-3672	35"	36"	72"
E4CTFT-2184	20"	21"	84"	E4CTFT-3684	35"	36"	84"
E4CTFT-2196	20"	21"	96"	E4CTFT-3696	35"	36"	96"
Nominal 24" Deep							
E4CTFT-2442	23"	24"	42"				
E4CTFT-2448	23"	24"	48"				
E4CTFT-2460	23"	24"	60"				
E4CTFT-2472	23"	24"	72"				
E4CTFT-2484	23"	24"	84"				
E4CTFT-2496	23"	24"	96"				

Envision 4.0

Envision 4.0 - Bolt-On Frame - 6" Uprights Double Sided




Example of Envision 4.0, 6" Upright Double Sided Workstation with (2) Bolt-on Frames




- Envision 4.0 Bolt-On Frames are to be attached to any Envision 4.0 uprights
- Only (1) Bolt-On Frame can be attached to a 3" upright
- (2) Bolt-On Frames can be attached to 6" uprights to make a double sided workstation
- Adjustable Height work surface frame from 30 1/4" - 36 1/4", in 2" increments
- For Stainless Steel, contact your ICI Representative
- Work Surface depth details for Side A listed below see page 72 for work surface part numbers

Bolt-on Frame Cat. No.	Depth of Bolt-on Frame (D1)	Nominal Depth of Bolt-on Frame (D2)	Depth of Work Surface with 3" Notch (D3)	Width
Nominal 21" Deep				
E4CTFB-2142	20"	21"	24"	42"
E4CTFB-2148	20"	21"	24"	48"
E4CTFB-2160	20"	21"	24"	60"
E4CTFB-2172	20"	21"	24"	72"
E4CTFB-2184	20"	21"	24"	84"
E4CTFB-2196	20"	21"	24"	96"
Nominal 24" Deep				
E4CTFB-2442	23"	24"	27"	42"
E4CTFB-2448	23"	24"	27"	48"
E4CTFB-2460	23"	24"	27"	60"
E4CTFB-2472	23"	24"	27"	72"
E4CTFB-2484	23"	24"	27"	84"
E4CTFB-2496	23"	24"	27"	96"
Nominal 27" Deep				
E4CTFB-2742	26"	27"	30"	42"
E4CTFB-2748	26"	27"	30"	48"
E4CTFB-2760	26"	27"	30"	60"
E4CTFB-2772	26"	27"	30"	72"
E4CTFB-2784	26"	27"	30"	84"
E4CTFB-2796	26"	27"	30"	96"
Nominal 30" Deep				
E4CTFB-3042	29"	30"	33"	42"
E4CTFB-3048	29"	30"	33"	48"
E4CTFB-3060	29"	30"	33"	60"
E4CTFB-3072	29"	30"	33"	72"
E4CTFB-3084	29"	30"	33"	84"
E4CTFB-3096	29"	30"	33"	96"

Envision 4.0 - Bolt-On and Frame/Table - 6" Uprights Double Sided



Example of Envision 4.0, 6" Upright Double Sided Workstation with (1) Bolt-on and (1) Frame/Table




- Envision 4.0 Tables are to be used to make a double sided workstation with a 3" or 6" upright
- Envision 4.0 Tables can also be free standing tables
- Adjustable Height work surface frame from 30 1/4" - 36 1/4", in 2" increments
- For Stainless Steel, contact your ICI Representative
- Work Surface ordered separately
- Work Surface depth details for Side C listed on next page
- Work Surface depth details for Side B listed below see page 74 for work surface part numbers


Bolt-on Frame Cat. No.	Depth of Frame/Table (D4)	Depth of Work Surface with No Notch (D5)	Width	Bolt-on Frame Cat. No.	Depth of Frame/Table (D4)	Depth of Work Surface with No Notch (D5)	Width
Nominal 15" Deep				Nominal 27" Deep			
E4CTFT-1542	14"	15"	42"	E4CTFT-2742	26"	27"	42"
E4CTFT-1548	14"	15"	48"	E4CTFT-2748	26"	27"	48"
E4CTFT-1560	14"	15"	60"	E4CTFT-2760	26"	27"	60"
E4CTFT-1572	14"	15"	72"	E4CTFT-2772	26"	27"	72"
E4CTFT-1584	14"	15"	84"	E4CTFT-2784	26"	27"	84"
E4CTFT-1596	14"	15"	96"	E4CTFT-2796	26"	27"	96"
Nominal 18" Deep				Nominal 30" Deep			
E4CTFT-1842	17"	18"	42"	E4CTFT-3042	29"	30"	42"
E4CTFT-1848	17"	18"	48"	E4CTFT-3048	29"	30"	48"
E4CTFT-1860	17"	18"	60"	E4CTFT-3060	29"	30"	60"
E4CTFT-1872	17"	18"	72"	E4CTFT-3072	29"	30"	72"
E4CTFT-1884	17"	18"	84"	E4CTFT-3084	29"	30"	84"
E4CTFT-1896	17"	18"	96"	E4CTFT-3096	29"	30"	96"
Nominal 19" Deep				Nominal 33" Deep			
E4CTFT-1942	18"	19"	42"	E4CTFT-3342	32"	33"	42"
E4CTFT-1948	18"	19"	48"	E4CTFT-3348	32"	33"	48"
E4CTFT-1960	18"	19"	60"	E4CTFT-3360	32"	33"	60"
E4CTFT-1972	18"	19"	72"	E4CTFT-3372	32"	33"	72"
E4CTFT-1984	18"	19"	84"	E4CTFT-3384	32"	33"	84"
E4CTFT-1996	18"	19"	96"	E4CTFT-3396	32"	33"	96"
Nominal 21" Deep				Nominal 36" Deep			
E4CTFT-2142	20"	21"	42"	E4CTFT-3642	35"	36"	42"
E4CTFT-2148	20"	21"	48"	E4CTFT-3648	35"	36"	48"
E4CTFT-2160	20"	21"	60"	E4CTFT-3660	35"	36"	60"
E4CTFT-2172	20"	21"	72"	E4CTFT-3672	35"	36"	72"
E4CTFT-2184	20"	21"	84"	E4CTFT-3684	35"	36"	84"
E4CTFT-2196	20"	21"	96"	E4CTFT-3696	35"	36"	96"
Nominal 24" Deep							
E4CTFT-2442	23"	24"	42"				
E4CTFT-2448	23"	24"	48"				
E4CTFT-2460	23"	24"	60"				
E4CTFT-2472	23"	24"	72"				
E4CTFT-2484	23"	24"	84"				
E4CTFT-2496	23"	24"	96"				

Envision 4.0

Envision 4.0 - Bolt-On and Table - 6" Uprights Double Sided




Example of Envision 3.0, 6" Upright Double Sided Workstation with (1) Bolt-on and (1) Table



- Envision 4.0 Tables are to be used to make a double sided workstation with a 3" or 6" upright
- Envision 4.0 Tables can also be free standing tables
- Adjustable Height work surface frame from 30 1/4" - 36 1/4", in 2" increments
- For Stainless Steel, contact your ICI Representative
- Work Surface ordered separately
- Work Surface depth details for Side B listed on previous page
- Work Surface depth details for Side C listed below see page 73 for work surface part numbers

Bolt-on Frame Cat. No.	Depth of Bolt-on Frame (D1)	Nominal Depth of Bolt-on Frame (D2) Nominal 21" Deep	Depth of Work Surface with 6" Notch (D3)	Width
E4CTFB-2142	20"	21"	27"	42"
E4CTFB-2148	20"	21"	27"	48"
E4CTFB-2160	20"	21"	27"	60"
E4CTFB-2172	20"	21"	27"	72"
E4CTFB-2184	20"	21"	27"	84"
E4CTFB-2196	20"	21"	27"	96"
Nominal 24" Deep				
E4CTFB-2442	23"	24"	30"	42"
E4CTFB-2448	23"	24"	30"	48"
E4CTFB-2460	23"	24"	30"	60"
E4CTFB-2472	23"	24"	30"	72"
E4CTFB-2484	23"	24"	30"	84"
E4CTFB-2496	23"	24"	30"	96"
Nominal 27" Deep				
E4CTFB-2742	26"	27"	33"	42"
E4CTFB-2748	26"	27"	33"	48"
E4CTFB-2760	26"	27"	33"	60"
E4CTFB-2772	26"	27"	33"	72"
E4CTFB-2784	26"	27"	33"	84"
E4CTFB-2796	26"	27"	33"	96"
Nominal 30" Deep				
E4CTFB-3042	29"	30"	36"	42"
E4CTFB-3048	29"	30"	36"	48"
E4CTFB-3060	29"	30"	36"	60"
E4CTFB-3072	29"	30"	36"	72"
E4CTFB-3084	29"	30"	36"	84"
E4CTFB-3096	29"	30"	36"	96"

Envision 4.0 - 3" Upright Notched Work Surface




- This work surface is to be used with Envision 4.0, 3" upright

Epoxy	Cat. No. Phenolic	Stainless Steel	Width
24" Deep Top			
E4CT1ER3-2442	E4CT1PH3-2442	E4CT1SS3-2442	42"
E4CT1ER3-2448	E4CT1PH3-2448	E4CT1SS3-2448	48"
E4CT1ER3-2460	E4CT1PH3-2460	E4CT1SS3-2460	60"
E4CT1ER3-2472	E4CT1PH3-2472	E4CT1SS3-2472	72"
E4CT1ER3-2484	E4CT1PH3-2484	E4CT1SS3-2484	84"
E4CT1ER3-2496	E4CT1PH3-2496	E4CT1SS3-2496	96"
27" Deep Top			
E4CT1ER3-2742	E4CT1PH3-2742	E4CT1SS3-2742	42"
E4CT1ER3-2748	E4CT1PH3-2748	E4CT1SS3-2748	48"
E4CT1ER3-2760	E4CT1PH3-2760	E4CT1SS3-2760	60"
E4CT1ER3-2772	E4CT1PH3-2772	E4CT1SS3-2772	72"
E4CT1ER3-2784	E4CT1PH3-2784	E4CT1SS3-2784	84"
E4CT1ER3-2796	E4CT1PH3-2796	E4CT1SS3-2796	96"
30" Deep Top			
E4CT1ER3-3042	E4CT1PH3-3042	E4CT1SS3-3042	42"
E4CT1ER3-3048	E4CT1PH3-3048	E4CT1SS3-3048	48"
E4CT1ER3-3060	E4CT1PH3-3060	E4CT1SS3-3060	60"
E4CT1ER3-3072	E4CT1PH3-3072	E4CT1SS3-3072	72"
E4CT1ER3-3084	E4CT1PH3-3084	E4CT1SS3-3084	84"
E4CT1ER3-3096	E4CT1PH3-3096	E4CT1SS3-3096	96"
33" Deep Top			
E4CT1ER3-3342	E4CT1PH3-3342	E4CT1SS3-3342	42"
E4CT1ER3-3348	E4CT1PH3-3348	E4CT1SS3-3348	48"
E4CT1ER3-3360	E4CT1PH3-3360	E4CT1SS3-3360	60"
E4CT1ER3-3372	E4CT1PH3-3372	E4CT1SS3-3372	72"
E4CT1ER3-3384	E4CT1PH3-3384	E4CT1SS3-3384	84"
E4CT1ER3-3396	E4CT1PH3-3396	E4CT1SS3-3396	96"
36" Deep Top			
E4CT1ER3-3642	E4CT1PH3-3642	E4CT1SS3-3642	42"
E4CT1ER3-3648	E4CT1PH3-3648	E4CT1SS3-3648	48"
E4CT1ER3-3660	E4CT1PH3-3660	E4CT1SS3-3660	60"
E4CT1ER3-3672	E4CT1PH3-3672	E4CT1SS3-3672	72"
E4CT1ER3-3684	E4CT1PH3-3684	E4CT1SS3-3684	84"
E4CT1ER3-3696	E4CT1PH3-3696	E4CT1SS3-3696	96"

Envision 4.0

Envision 4.0 - 6" Upright Notched Work Surface



- This work surface is to be used with Envision 4.0, 6" upright

Epoxy	Cat. No. Phenolic	Stainless Steel	Width
27" Deep Top			
E4CT1ER6-2742	E4CT1PH6-2742	E4CT1SS6-2742	42"
E4CT1ER6-2748	E4CT1PH6-2748	E4CT1SS6-2748	48"
E4CT1ER6-2760	E4CT1PH6-2760	E4CT1SS6-2760	60"
E4CT1ER6-2772	E4CT1PH6-2772	E4CT1SS6-2772	72"
E4CT1ER6-2784	E4CT1PH6-2784	E4CT1SS6-2784	84"
E4CT1ER6-2796	E4CT1PH6-2796	E4CT1SS6-2796	96"
30" Deep Top			
E4CT1ER6-3042	E4CT1PH6-3042	E4CT1SS6-3042	42"
E4CT1ER6-3048	E4CT1PH6-3048	E4CT1SS6-3048	48"
E4CT1ER6-3060	E4CT1PH6-3060	E4CT1SS6-3060	60"
E4CT1ER6-3072	E4CT1PH6-3072	E4CT1SS6-3072	72"
E4CT1ER6-3084	E4CT1PH6-3084	E4CT1SS6-3084	84"
E4CT1ER6-3096	E4CT1PH6-3096	E4CT1SS6-3096	96"
33" Deep Top			
E4CT1ER6-3342	E4CT1PH6-3342	E4CT1SS6-3342	42"
E4CT1ER6-3348	E4CT1PH6-3348	E4CT1SS6-3348	48"
E4CT1ER6-3360	E4CT1PH6-3360	E4CT1SS6-3360	60"
E4CT1ER6-3372	E4CT1PH6-3372	E4CT1SS6-3372	72"
E4CT1ER6-3384	E4CT1PH6-3384	E4CT1SS6-3384	84"
E4CT1ER6-3396	E4CT1PH6-3396	E4CT1SS6-3396	96"
36" Deep Top			
E4CT1ER6-3642	E4CT1PH6-3642	E4CT1SS6-3642	42"
E4CT1ER6-3648	E4CT1PH6-3648	E4CT1SS6-3648	48"
E4CT1ER6-3660	E4CT1PH6-3660	E4CT1SS6-3660	60"
E4CT1ER6-3672	E4CT1PH6-3672	E4CT1SS6-3672	72"
E4CT1ER6-3684	E4CT1PH6-3684	E4CT1SS6-3684	84"
E4CT1ER6-3696	E4CT1PH6-3696	E4CT1SS6-3696	96"

Envision 4.0 - No Notch Work Surface




- This work surface is to be used with an Envision 4.0 Table

15" Deep Top				27" Deep Top			
Epoxy	Cat. No. Phenolic	Stainless Steel	Width	Epoxy	Cat. No. Phenolic	Stainless Steel	Width
E4CT1ERT-1542	E4CT1PHT-1542	E4CT1SST-1542	42"	E4CT1ERT-2742	E4CT1PHT-2742	E4CT1SST-2742	42"
E4CT1ERT-1548	E4CT1PHT-1548	E4CT1SST-1548	48"	E4CT1ERT-2748	E4CT1PHT-2748	E4CT1SST-2748	48"
E4CT1ERT-1560	E4CT1PHT-1560	E4CT1SST-1560	60"	E4CT1ERT-2760	E4CT1PHT-2760	E4CT1SST-2760	60"
E4CT1ERT-1572	E4CT1PHT-1572	E4CT1SST-1572	72"	E4CT1ERT-2772	E4CT1PHT-2772	E4CT1SST-2772	72"
E4CT1ERT-1584	E4CT1PHT-1584	E4CT1SST-1584	84"	E4CT1ERT-2784	E4CT1PHT-2784	E4CT1SST-2784	84"
E4CT1ERT-1596	E4CT1PHT-1596	E4CT1SST-1596	96"	E4CT1ERT-2796	E4CT1PHT-2796	E4CT1SST-2796	96"
18" Deep Top				30" Deep Top			
E4CT1ERT-1842	E4CT1PHT-1842	E4CT1SST-1842	42"	E4CT1ERT-3042	E4CT1PHT-3042	E4CT1SST-3042	42"
E4CT1ERT-1848	E4CT1PHT-1848	E4CT1SST-1848	48"	E4CT1ERT-3048	E4CT1PHT-3048	E4CT1SST-3048	48"
E4CT1ERT-1860	E4CT1PHT-1860	E4CT1SST-1860	60"	E4CT1ERT-3060	E4CT1PHT-3060	E4CT1SST-3060	60"
E4CT1ERT-1872	E4CT1PHT-1872	E4CT1SST-1872	72"	E4CT1ERT-3072	E4CT1PHT-3072	E4CT1SST-3072	72"
E4CT1ERT-1884	E4CT1PHT-1884	E4CT1SST-1884	84"	E4CT1ERT-3084	E4CT1PHT-3084	E4CT1SST-3084	84"
E4CT1ERT-1896	E4CT1PHT-1896	E4CT1SST-1896	96"	E4CT1ERT-3096	E4CT1PHT-3096	E4CT1SST-3096	96"
19" Deep Top				33" Deep Top			
E4CT1ERT-1942	E4CT1PHT-1942	E4CT1SST-1942	42"	E4CT1ERT-3342	E4CT1PHT-3342	E4CT1SST-3342	42"
E4CT1ERT-1948	E4CT1PHT-1948	E4CT1SST-1948	48"	E4CT1ERT-3348	E4CT1PHT-3348	E4CT1SST-3348	48"
E4CT1ERT-1960	E4CT1PHT-1960	E4CT1SST-1960	60"	E4CT1ERT-3360	E4CT1PHT-3360	E4CT1SST-3360	60"
E4CT1ERT-1972	E4CT1PHT-1972	E4CT1SST-1972	72"	E4CT1ERT-3372	E4CT1PHT-3372	E4CT1SST-3372	72"
E4CT1ERT-1984	E4CT1PHT-1984	E4CT1SST-1984	84"	E4CT1ERT-3384	E4CT1PHT-3384	E4CT1SST-3384	84"
E4CT1ERT-1996	E4CT1PHT-1996	E4CT1SST-1996	96"	E4CT1ERT-3396	E4CT1PHT-3396	E4CT1SST-3396	96"
21" Deep Top				36" Deep Top			
E4CT1ERT-2142	E4CT1PHT-2142	E4CT1SST-2142	42"	E4CT1ERT-3642	E4CT1PHT-3642	E4CT1SST-3642	42"
E4CT1ERT-2148	E4CT1PHT-2148	E4CT1SST-2148	48"	E4CT1ERT-3648	E4CT1PHT-3648	E4CT1SST-3648	48"
E4CT1ERT-2160	E4CT1PHT-2160	E4CT1SST-2160	60"	E4CT1ERT-3660	E4CT1PHT-3660	E4CT1SST-3660	60"
E4CT1ERT-2172	E4CT1PHT-2172	E4CT1SST-2172	72"	E4CT1ERT-3672	E4CT1PHT-3672	E4CT1SST-3672	72"
E4CT1ERT-2184	E4CT1PHT-2184	E4CT1SST-2184	84"	E4CT1ERT-3684	E4CT1PHT-3684	E4CT1SST-3684	84"
E4CT1ERT-2196	E4CT1PHT-2196	E4CT1SST-2196	96"	E4CT1ERT-3696	E4CT1PHT-3696	E4CT1SST-3696	96"
24" Deep Top							
E4CT1ERT-2442	E4CT1PHT-2442	E4CT1SST-2442	42"				
E4CT1ERT-2448	E4CT1PHT-2448	E4CT1SST-2448	48"				
E4CT1ERT-2460	E4CT1PHT-2460	E4CT1SST-2460	60"				
E4CT1ERT-2472	E4CT1PHT-2472	E4CT1SST-2472	72"				
E4CT1ERT-2484	E4CT1PHT-2484	E4CT1SST-2484	84"				
E4CT1ERT-2496	E4CT1PHT-2496	E4CT1SST-2496	96"				

Envision 4.0


Envision 4.0 - .75" Thick Shelving - No Rear Rod Cutout



- These shelves to be used with Envision 4.0 brackets
- Each part number includes (1) shelf. If purchasing shelves for 60" uprights or wider you must order (2) shelves

Epoxy	Cat. No. Phenolic	Painted Steel	Stainless Steel	Wood - Maple	Wood - Oak	Actual Width	For Use With:
9.5" Deep							
E4S75ER-9542	E4S75PH-9542	E4S75MS-9542	E4S75SS-9542	E4S75WM-9542	E4S75WO-9542	37.75"	42" Wide Upright
E4S75ER-9548	E4S75PH-9548	E4S75MS-9548	E4S75SS-9548	E4S75WM-9548	E4S75WO-9548	43.75"	48" Wide Upright
E4S75ER-9560	E4S75PH-9560	E4S75MS-9560	E4S75SS-9560	E4S75WM-9560	E4S75WO-9560	26.75"	60" Wide Upright
E4S75ER-9572	E4S75PH-9572	E4S75MS-9572	E4S75SS-9572	E4S75WM-9572	E4S75WO-9572	32.75"	72" Wide Upright
E4S75ER-9584	E4S75PH-9584	E4S75MS-9584	E4S75SS-9584	E4S75WM-9584	E4S75WO-9584	38.75"	84" Wide Upright
E4S75ER-9596	E4S75PH-9596	E4S75MS-9596	E4S75SS-9596	E4S75WM-9596	E4S75WO-9596	44.75"	96" Wide Upright
12" Deep							
E3S75ER-1242	E3S75PH-1242	E3S75MS-1242	E3S75SS-1242	E4S75WM-1242	E4S75WO-1242	37.75"	42" Wide Upright
E3S75ER-1248	E3S75PH-1248	E3S75MS-1248	E3S75SS-1248	E4S75WM-1248	E4S75WO-1248	43.75"	48" Wide Upright
E3S75ER-1260	E3S75PH-1260	E3S75MS-1260	E3S75SS-1260	E4S75WM-1260	E4S75WO-1260	26.75"	60" Wide Upright
E3S75ER-1272	E3S75PH-1272	E3S75MS-1272	E3S75SS-1272	E4S75WM-1272	E4S75WO-1272	32.75"	72" Wide Upright
E3S75ER-1284	E3S75PH-1284	E3S75MS-1284	E3S75SS-1284	E4S75WM-1284	E4S75WO-1284	38.75"	84" Wide Upright
E3S75ER-1296	E3S75PH-1296	E3S75MS-1296	E3S75SS-1296	E4S75WM-1296	E4S75WO-1296	44.75"	96" Wide Upright
13" Deep							
E4S75ER-1342	E4S75PH-1342	E4S75MS-1342	E4S75SS-1342	E4S75WM-1342	E4S75WO-1342	37.75"	42" Wide Upright
E4S75ER-1348	E4S75PH-1348	E4S75MS-1348	E4S75SS-1348	E4S75WM-1348	E4S75WO-1348	43.75"	48" Wide Upright
E4S75ER-1360	E4S75PH-1360	E4S75MS-1360	E4S75SS-1360	E4S75WM-1360	E4S75WO-1360	26.75"	60" Wide Upright
E4S75ER-1372	E4S75PH-1372	E4S75MS-1372	E4S75SS-1372	E4S75WM-1372	E4S75WO-1372	32.75"	72" Wide Upright
E4S75ER-1384	E4S75PH-1384	E4S75MS-1384	E4S75SS-1384	E4S75WM-1384	E4S75WO-1384	38.75"	84" Wide Upright
E4S75ER-1396	E4S75PH-1396	E4S75MS-1396	E4S75SS-1396	E4S75WM-1396	E4S75WO-1396	44.75"	96" Wide Upright
15" Deep							
E4S75ER-1542	E4S75PH-1542	E4S75MS-1542	E4S75SS-1542	E4S75WM-1542	E4S75WO-1542	37.75"	42" Wide Upright
E4S75ER-1548	E4S75PH-1548	E4S75MS-1548	E4S75SS-1548	E4S75WM-1548	E4S75WO-1548	43.75"	48" Wide Upright
E4S75ER-1560	E4S75PH-1560	E4S75MS-1560	E4S75SS-1560	E4S75WM-1560	E4S75WO-1560	26.75"	60" Wide Upright
E4S75ER-1572	E4S75PH-1572	E4S75MS-1572	E4S75SS-1572	E4S75WM-1572	E4S75WO-1572	32.75"	72" Wide Upright
E4S75ER-1584	E4S75PH-1584	E4S75MS-1584	E4S75SS-1584	E4S75WM-1584	E4S75WO-1584	38.75"	84" Wide Upright
E4S75ER-1596	E4S75PH-1596	E4S75MS-1596	E4S75SS-1596	E4S75WM-1596	E4S75WO-1596	44.75"	96" Wide Upright
16" Deep							
E4S75ER-1642	E4S75PH-1642	E4S75MS-1642	E4S75SS-1642	E4S75WM-1642	E4S75WO-1642	37.75"	42" Wide Upright
E4S75ER-1648	E4S75PH-1648	E4S75MS-1648	E4S75SS-1648	E4S75WM-1648	E4S75WO-1648	43.75"	48" Wide Upright
E4S75ER-1660	E4S75PH-1660	E4S75MS-1660	E4S75SS-1660	E4S75WM-1660	E3S75WO-1660	26.75"	60" Wide Upright
E4S75ER-1672	E4S75PH-1672	E4S75MS-1672	E4S75SS-1672	E4S75WM-1672	E4S75WO-1672	32.75"	72" Wide Upright
E4S75ER-1684	E4S75PH-1684	E4S75MS-1684	E4S75SS-1684	E4S75WM-1684	E4S75WO-1684	38.75"	84" Wide Upright
E4S75ER-1696	E4S75PH-1696	E4S75MS-1696	E4S75SS-1696	E4S75WM-1696	E4S75WO-1696	44.75"	96" Wide Upright
18" Deep							
E4S75ER-1842	E4S75PH-1842	E4S75MS-1842	E4S75SS-1842	E4S75WM-1842	E4S75WO-1842	37.75"	42" Wide Upright
E4S75ER-1848	E4S75PH-1848	E4S75MS-1848	E4S75SS-1848	E4S75WM-1848	E4S75WO-1848	43.75"	48" Wide Upright
E4S75ER-1860	E4S75PH-1860	E4S75MS-1860	E4S75SS-1860	E4S75WM-1860	E4S75WO-1860	26.75"	60" Wide Upright
E4S75ER-1872	E4S75PH-1872	E4S75MS-1872	E4S75SS-1872	E4S75WM-1872	E4S75WO-1872	32.75"	72" Wide Upright
E4S75ER-1884	E4S75PH-1884	E4S75MS-1884	E4S75SS-1884	E4S75WM-1884	E4S75WO-1884	38.75"	84" Wide Upright
E4S75ER-1896	E4S75PH-1896	E4S75MS-1896	E4S75SS-1896	E4S75WM-1896	E4S75WO-1896	44.75"	96" Wide Upright

Envision 4.0 - 1" Thick Shelving - No Rear Rod Cutout




- These shelves to be used with Envision 4.0 brackets
- Each part number includes (1) shelf. If purchasing shelves for 60" uprights or wider you must order (2) shelves

Epoxy	Cat. No. Phenolic	Painted Steel	Stainless Steel	Wood - Maple	Wood - Oak	Actual Width	For Use With:
9.5" Deep							
E4S1ER-9542	E4S1PH-9542	E4S1MS-9542	E4S1SS-9542	E4S1WM-9542	E4S1WO-9542	37.75"	42" Wide Upright
E4S1ER-9548	E4S1PH-9548	E4S1MS-9548	E4S1SS-9548	E4S1WM-9548	E4S1WO-9548	43.75"	48" Wide Upright
E4S1ER-9560	E4S1PH-9560	E4S1MS-9560	E4S1SS-9560	E4S1WM-9560	E4S1WO-9560	26.75"	60" Wide Upright
E4S1ER-9572	E4S1PH-9572	E4S1MS-9572	E4S1SS-9572	E4S1WM-9572	E4S1WO-9572	32.75"	72" Wide Upright
E4S1ER-9584	E4S1PH-9584	E4S1MS-9584	E4S1SS-9584	E4S1WM-9584	E4S1WO-9584	38.75"	84" Wide Upright
E4S1ER-9596	E4S1PH-9596	E4S1MS-9596	E4S1SS-9596	E4S1WM-9596	E4S1WO-9596	44.75"	96" Wide Upright
12" Deep							
E4S1ER-1242	E4S1PH-1242	E4S1MS-1242	E4S1SS-1242	E4S1WM-1242	E4S1WO-1242	37.75"	42" Wide Upright
E4S1ER-1248	E4S1PH-1248	E4S1MS-1248	E4S1SS-1248	E4S1WM-1248	E4S1WO-1248	43.75"	48" Wide Upright
E4S1ER-1260	E4S1PH-1260	E4S1MS-1260	E4S1SS-1260	E4S1WM-1260	E4S1WO-1260	26.75"	60" Wide Upright
E4S1ER-1272	E4S1PH-1272	E4S1MS-1272	E4S1SS-1272	E4S1WM-1272	E4S1WO-1272	32.75"	72" Wide Upright
E4S1ER-1284	E4S1PH-1284	E4S1MS-1284	E4S1SS-1284	E4S1WM-1284	E4S1WO-1284	38.75"	84" Wide Upright
E4S1ER-1296	E4S1PH-1296	E4S1MS-1296	E4S1SS-1296	E4S1WM-1296	E4S1WO-1296	44.75"	96" Wide Upright
13" Deep							
E4S1ER-1342	E4S1PH-1342	E4S1MS-1342	E4S1SS-1342	E4S1WM-1342	E4S1WO-1342	37.75"	42" Wide Upright
E4S1ER-1348	E4S1PH-1348	E4S1MS-1348	E4S1SS-1348	E4S1WM-1348	E4S1WO-1348	43.75"	48" Wide Upright
E4S1ER-1360	E4S1PH-1360	E4S1MS-1360	E4S1SS-1360	E4S1WM-1360	E4S1WO-1360	26.75"	60" Wide Upright
E4S1ER-1372	E4S1PH-1372	E4S1MS-1372	E4S1SS-1372	E4S1WM-1372	E4S1WO-1372	32.75"	72" Wide Upright
E4S1ER-1384	E4S1PH-1384	E4S1MS-1384	E4S1SS-1384	E4S1WM-1384	E4S1WO-1384	38.75"	84" Wide Upright
E4S1ER-1396	E4S1PH-1396	E4S1MS-1396	E4S1SS-1396	E4S1WM-1396	E4S1WO-1396	44.75"	96" Wide Upright
15" Deep							
E4S1ER-1542	E4S1PH-1542	E4S1MS-1542	E4S1SS-1542	E4S1WM-1542	E4S1WO-1542	37.75"	42" Wide Upright
E4S1ER-1548	E4S1PH-1548	E4S1MS-1548	E4S1SS-1548	E4S1WM-1548	E4S1WO-1548	43.75"	48" Wide Upright
E4S1ER-1560	E4S1PH-1560	E4S1MS-1560	E4S1SS-1560	E4S1WM-1560	E4S1WO-1560	26.75"	60" Wide Upright
E4S1ER-1572	E4S1PH-1572	E4S1MS-1572	E4S1SS-1572	E4S1WM-1572	E4S1WO-1572	32.75"	72" Wide Upright
E4S1ER-1584	E4S1PH-1584	E4S1MS-1584	E4S1SS-1584	E4S1WM-1584	E4S1WO-1584	38.75"	84" Wide Upright
E4S1ER-1596	E4S1PH-1596	E4S1MS-1596	E4S1SS-1596	E4S1WM-1596	E4S1WO-1596	44.75"	96" Wide Upright
16" Deep							
E4S1ER-1642	E4S1PH-1642	E4S1MS-1642	E4S1SS-1642	E4S1WM-1642	E4S1WO-1642	37.75"	42" Wide Upright
E4S1ER-1648	E4S1PH-1648	E4S1MS-1648	E4S1SS-1648	E4S1WM-1648	E4S1WO-1648	43.75"	48" Wide Upright
E4S1ER-1660	E4S1PH-1660	E4S1MS-1660	E4S1SS-1660	E4S1WM-1660	E4S1WO-1660	26.75"	60" Wide Upright
E4S1ER-1672	E4S1PH-1672	E4S1MS-1672	E4S1SS-1672	E4S1WM-1672	E4S1WO-1672	32.75"	72" Wide Upright
E4S1ER-1684	E4S1PH-1684	E4S1MS-1684	E4S1SS-1684	E4S1WM-1684	E4S1WO-1684	38.75"	84" Wide Upright
E4S1ER-1696	E4S1PH-1696	E4S1MS-1696	E4S1SS-1696	E4S1WM-1696	E4S1WO-1696	44.75"	96" Wide Upright
18" Deep							
E4S1ER-1842	E4S1PH-1842	E4S1MS-1842	E4S1SS-1842	E4S1WM-1842	E4S1WO-1842	37.75"	42" Wide Upright
E4S1ER-1848	E4S1PH-1848	E4S1MS-1848	E4S1SS-1848	E4S1WM-1848	E4S1WO-1848	43.75"	48" Wide Upright
E4S1ER-1860	E4S1PH-1860	E4S1MS-1860	E4S1SS-1860	E4S1WM-1860	E4S1WO-1860	26.75"	60" Wide Upright
E4S1ER-1872	E4S1PH-1872	E4S1MS-1872	E4S1SS-1872	E4S1WM-1872	E4S1WO-1872	32.75"	72" Wide Upright
E4S1ER-1884	E4S1PH-1884	E4S1MS-1884	E4S1SS-1884	E4S1WM-1884	E4S1WO-1884	38.75"	84" Wide Upright
E4S1ER-1896	E4S1PH-1896	E4S1MS-1896	E4S1SS-1896	E4S1WM-1896	E4S1WO-1896	44.75"	96" Wide Upright

Envision 4.0


Envision 4.0 - .75" Thick Shelving with Cutouts for Rear Rod



- These shelves to be used with Envision 4.0 brackets
- Each part number includes (1) shelf. If purchasing shelves for 60" uprights or wider you must order (2) shelves
- These shelves include cutouts for rear rod

Epoxy	Cat. No. Phenolic	Painted Steel	Stainless Steel	Wood - Maple	Wood - Oak	Actual Width	For Use With:
9.5" Deep							
E4S75ERR-9542	E4S75PHR-9542	E4S75MSR-9542	E4S75SSR-9542	E4S75WMR-9542	E4S75WOR-9542	37.75"	42" Wide Upright
E4S75ERR-9548	E4S75PHR-9548	E4S75MSR-9548	E4S75SSR-9548	E4S75WMR-9548	E4S75WOR-9548	43.75"	48" Wide Upright
E4S75ERR-9560	E4S75PHR-9560	E4S75MSR-9560	E4S75SSR-9560	E4S75WMR-9560	E4S75WOR-9560	26.75"	60" Wide Upright
E4S75ERR-9572	E4S75PHR-9572	E4S75MSR-9572	E4S75SSR-9572	E4S75WMR-9572	E4S75WOR-9572	32.75"	72" Wide Upright
E4S75ERR-9584	E4S75PHR-9584	E4S75MSR-9584	E4S75SSR-9584	E4S75WMR-9584	E4S75WOR-9584	38.75"	84" Wide Upright
E4S75ERR-9596	E4S75PHR-9596	E4S75MSR-9596	E4S75SSR-9596	E4S75WMR-9596	E4S75WOR-9596	44.75"	96" Wide Upright
12" Deep							
E4S75ERR-1242	E4S75PHR-1242	E4S75MSR-1242	E4S75SSR-1242	E4S75WMR-1242	E4S75WOR-1242	37.75"	42" Wide Upright
E4S75ERR-1248	E4S75PHR-1248	E4S75MSR-1248	E4S75SSR-1248	E4S75WMR-1248	E4S75WOR-1248	43.75"	48" Wide Upright
E4S75ERR-1260	E4S75PHR-1260	E4S75MSR-1260	E4S75SSR-1260	E4S75WMR-1260	E4S75WOR-1260	26.75"	60" Wide Upright
E4S75ERR-1272	E4S75PHR-1272	E4S75MSR-1272	E4S75SSR-1272	E4S75WMR-1272	E4S75WOR-1272	32.75"	72" Wide Upright
E4S75ERR-1284	E4S75PHR-1284	E4S75MSR-1284	E4S75SSR-1284	E4S75WMR-1284	E4S75WOR-1284	38.75"	84" Wide Upright
E4S75ERR-1296	E4S75PHR-1296	E4S75MSR-1296	E4S75SSR-1296	E4S75WMR-1296	E4S75WOR-1296	44.75"	96" Wide Upright
13" Deep							
E4S75ERR-1342	E4S75PHR-1342	E4S75MSR-1342	E4S75SSR-1342	E4S75WMR-1342	E4S75WOR-1342	37.75"	42" Wide Upright
E4S75ERR-1348	E4S75PHR-1348	E4S75MSR-1348	E4S75SSR-1348	E4S75WMR-1348	E4S75WOR-1348	43.75"	48" Wide Upright
E4S75ERR-1360	E4S75PHR-1360	E4S75MSR-1360	E4S75SSR-1360	E4S75WMR-1360	E4S75WOR-1360	26.75"	60" Wide Upright
E4S75ERR-1372	E4S75PHR-1372	E4S75MSR-1372	E4S75SSR-1372	E4S75WMR-1372	E4S75WOR-1372	32.75"	72" Wide Upright
E4S75ERR-1384	E4S75PHR-1384	E4S75MSR-1384	E4S75SSR-1384	E4S75WMR-1384	E4S75WOR-1384	38.75"	84" Wide Upright
E4S75ERR-1396	E4S75PHR-1396	E4S75MSR-1396	E4S75SSR-1396	E4S75WMR-1396	E4S75WOR-1396	44.75"	96" Wide Upright
15" Deep							
E4S75ERR-1542	E4S75PHR-1542	E4S75MSR-1542	E4S75SSR-1542	E4S75WMR-1542	E4S75WOR-1542	37.75"	42" Wide Upright
E4S75ERR-1548	E4S75PHR-1548	E4S75MSR-1548	E4S75SSR-1548	E4S75WMR-1548	E4S75WOR-1548	43.75"	48" Wide Upright
E4S75ERR-1560	E4S75PHR-1560	E4S75MSR-1560	E4S75SSR-1560	E4S75WMR-1560	E4S75WOR-1560	26.75"	60" Wide Upright
E4S75ERR-1572	E4S75PHR-1572	E4S75MSR-1572	E4S75SSR-1572	E4S75WMR-1572	E4S75WOR-1572	32.75"	72" Wide Upright
E4S75ERR-1584	E4S75PHR-1584	E4S75MSR-1584	E4S75SSR-1584	E4S75WMR-1584	E4S75WOR-1584	38.75"	84" Wide Upright
E4S75ERR-1596	E4S75PHR-1596	E4S75MSR-1596	E4S75SSR-1596	E4S75WMR-1596	E4S75WOR-1596	44.75"	96" Wide Upright
16" Deep							
E4S75ERR-1642	E4S75PHR-1642	E4S75MSR-1642	E4S75SSR-1642	E4S75WMR-1642	E4S75WOR-1642	37.75"	42" Wide Upright
E4S75ERR-1648	E4S75PHR-1648	E4S75MSR-1648	E4S75SSR-1648	E4S75WMR-1648	E4S75WOR-1648	43.75"	48" Wide Upright
E4S75ERR-1660	E4S75PHR-1660	E4S75MSR-1660	E4S75SSR-1660	E4S75WMR-1660	E4S75WOR-1660	26.75"	60" Wide Upright
E4S75ERR-1672	E4S75PHR-1672	E4S75MSR-1672	E4S75SSR-1672	E4S75WMR-1672	E4S75WOR-1672	32.75"	72" Wide Upright
E4S75ERR-1684	E4S75PHR-1684	E4S75MSR-1684	E4S75SSR-1684	E4S75WMR-1684	E4S75WOR-1684	38.75"	84" Wide Upright
E4S75ERR-1696	E4S75PHR-1696	E4S75MSR-1696	E4S75SSR-1696	E4S75WMR-1696	E4S75WOR-1696	44.75"	96" Wide Upright
18" Deep							
E4S75ERR-1842	E4S75PHR-1842	E4S75MSR-1842	E4S75SSR-1842	E4S75WMR-1842	E4S75WOR-1842	37.75"	42" Wide Upright
E4S75ERR-1848	E4S75PHR-1848	E4S75MSR-1848	E4S75SSR-1848	E4S75WMR-1848	E4S75WOR-1848	43.75"	48" Wide Upright
E4S75ERR-1860	E4S75PHR-1860	E4S75MSR-1860	E4S75SSR-1860	E4S75WMR-1860	E4S75WOR-1860	26.75"	60" Wide Upright
E4S75ERR-1872	E4S75PHR-1872	E4S75MSR-1872	E4S75SSR-1872	E4S75WMR-1872	E4S75WOR-1872	32.75"	72" Wide Upright
E4S75ERR-1884	E4S75PHR-1884	E4S75MSR-1884	E4S75SSR-1884	E4S75WMR-1884	E4S75WOR-1884	38.75"	84" Wide Upright
E4S75ERR-1896	E4S75PHR-1896	E4S75MSR-1896	E4S75SSR-1896	E4S75WMR-1896	E4S75WOR-1896	44.75"	96" Wide Upright

Envision 4.0 - 1" Thick Shelving with Cutouts for Rear Rod




- These shelves to be used with Envision 4.0 brackets
- Each part number includes (1) shelf. If purchasing shelves for 60" uprights or wider you must order (2) shelves
- These shelves include cutouts for rear rod

Epoxy	Cat. No. Phenolic	Painted Steel	Stainless Steel	Wood - Maple	Wood - Oak	Actual Width	For Use With:
9.5" Deep							
E4S1ERR-9542	E4S1PHR-9542	E4S1MSR-9542	E4S1SSR-9542	E4S1WMR-9542	E4S1WOR-9542	37.75"	42" Wide Upright
E4S1ERR-9548	E4S1PHR-9548	E4S1MSR-9548	E4S1SSR-9548	E4S1WMR-9548	E4S1WOR-9548	43.75"	48" Wide Upright
E4S1ERR-9560	E4S1PHR-9560	E4S1MSR-9560	E4S1SSR-9560	E4S1WMR-9560	E4S1WOR-9560	26.75"	60" Wide Upright
E4S1ERR-9572	E4S1PHR-9572	E4S1MSR-9572	E4S1SSR-9572	E4S1WMR-9572	E4S1WOR-9572	32.75"	72" Wide Upright
E4S1ERR-9584	E4S1PHR-9584	E4S1MSR-9584	E4S1SSR-9584	E4S1WMR-9584	E4S1WOR-9584	38.75"	84" Wide Upright
E4S1ERR-9596	E4S1PHR-9596	E4S1MSR-9596	E4S1SSR-9596	E4S1WMR-9596	E4S1WOR-9596	44.75"	96" Wide Upright
12" Deep							
E4S1ERR-1242	E4S1PHR-1242	E4S1MSR-1242	E4S1SSR-1242	E4S1WMR-1242	E4S1WOR-1242	37.75"	42" Wide Upright
E4S1ERR-1248	E4S1PHR-1248	E4S1MSR-1248	E4S1SSR-1248	E4S1WMR-1248	E4S1WOR-1248	43.75"	48" Wide Upright
E4S1ERR-1260	E4S1PHR-1260	E4S1MSR-1260	E4S1SSR-1260	E4S1WMR-1260	E4S1WOR-1260	26.75"	60" Wide Upright
E4S1ERR-1272	E4S1PHR-1272	E4S1MSR-1272	E4S1SSR-1272	E4S1WMR-1272	E4S1WOR-1272	32.75"	72" Wide Upright
E4S1ERR-1284	E4S1PHR-1284	E4S1MSR-1284	E4S1SSR-1284	E4S1WMR-1284	E4S1WOR-1284	38.75"	84" Wide Upright
E4S1ERR-1296	E4S1PHR-1296	E4S1MSR-1296	E4S1SSR-1296	E4S1WMR-1296	E4S1WOR-1296	44.75"	96" Wide Upright
13" Deep							
E4S1ERR-1342	E4S1PHR-1342	E4S1MSR-1342	E4S1SSR-1342	E4S1WMR-1342	E4S1WOR-1342	37.75"	42" Wide Upright
E4S1ERR-1348	E4S1PHR-1348	E4S1MSR-1348	E4S1SSR-1348	E4S1WMR-1348	E4S1WOR-1348	43.75"	48" Wide Upright
E4S1ERR-1360	E4S1PHR-1360	E4S1MSR-1360	E4S1SSR-1360	E4S1WMR-1360	E4S1WOR-1360	26.75"	60" Wide Upright
E4S1ERR-1372	E4S1PHR-1372	E4S1MSR-1372	E4S1SSR-1372	E4S1WMR-1372	E4S1WOR-1372	32.75"	72" Wide Upright
E4S1ERR-1384	E4S1PHR-1384	E4S1MSR-1384	E4S1SSR-1384	E4S1WMR-1384	E4S1WOR-1384	38.75"	84" Wide Upright
E4S1ERR-1396	E4S1PHR-1396	E4S1MSR-1396	E4S1SSR-1396	E4S1WMR-1396	E4S1WOR-1396	44.75"	96" Wide Upright
15" Deep							
E4S1ERR-1542	E4S1PHR-1542	E4S1MSR-1542	E4S1SSR-1542	E4S1WMR-1542	E4S1WOR-1542	37.75"	42" Wide Upright
E4S1ERR-1548	E4S1PHR-1548	E4S1MSR-1548	E4S1SSR-1548	E4S1WMR-1548	E4S1WOR-1548	43.75"	48" Wide Upright
E4S1ERR-1560	E4S1PHR-1560	E4S1MSR-1560	E4S1SSR-1560	E4S1WMR-1560	E4S1WOR-1560	26.75"	60" Wide Upright
E4S1ERR-1572	E4S1PHR-1572	E4S1MSR-1572	E4S1SSR-1572	E4S1WMR-1572	E4S1WOR-1572	32.75"	72" Wide Upright
E4S1ERR-1584	E4S1PHR-1584	E4S1MSR-1584	E4S1SSR-1584	E4S1WMR-1584	E4S1WOR-1584	38.75"	84" Wide Upright
E4S1ERR-1596	E4S1PHR-1596	E4S1MSR-1596	E4S1SSR-1596	E4S1WMR-1596	E4S1WOR-1596	44.75"	96" Wide Upright
16" Deep							
E4S1ERR-1642	E4S1PHR-1642	E4S1MSR-1642	E4S1SSR-1642	E4S1WMR-1642	E4S1WOR-1642	37.75"	42" Wide Upright
E4S1ERR-1648	E4S1PHR-1648	E4S1MSR-1648	E4S1SSR-1648	E4S1WMR-1648	E4S1WOR-1648	43.75"	48" Wide Upright
E4S1ERR-1660	E4S1PHR-1660	E4S1MSR-1660	E4S1SSR-1660	E4S1WMR-1660	E4S1WOR-1660	26.75"	60" Wide Upright
E4S1ERR-1672	E4S1PHR-1672	E4S1MSR-1672	E4S1SSR-1672	E4S1WMR-1672	E4S1WOR-1672	32.75"	72" Wide Upright
E4S1ERR-1684	E4S1PHR-1684	E4S1MSR-1684	E4S1SSR-1684	E4S1WMR-1684	E4S1WOR-1684	38.75"	84" Wide Upright
E4S1ERR-1696	E4S1PHR-1696	E4S1MSR-1696	E4S1SSR-1696	E4S1WMR-1696	E4S1WOR-1696	44.75"	96" Wide Upright
18" Deep							
E4S1ERR-1842	E4S1PHR-1842	E4S1MSR-1842	E4S1SSR-1842	E4S1WMR-1842	E4S1WOR-1842	37.75"	42" Wide Upright
E4S1ERR-1848	E4S1PHR-1848	E4S1MSR-1848	E4S1SSR-1848	E4S1WMR-1848	E4S1WOR-1848	43.75"	48" Wide Upright
E4S1ERR-1860	E4S1PHR-1860	E4S1MSR-1860	E4S1SSR-1860	E4S1WMR-1860	E4S1WOR-1860	26.75"	60" Wide Upright
E4S1ERR-1872	E4S1PHR-1872	E4S1MSR-1872	E4S1SSR-1872	E4S1WMR-1872	E4S1WOR-1872	32.75"	72" Wide Upright
E4S1ERR-1884	E4S1PHR-1884	E4S1MSR-1884	E4S1SSR-1884	E4S1WMR-1884	E4S1WOR-1884	38.75"	84" Wide Upright
E4S1ERR-1896	E4S1PHR-1896	E4S1MSR-1896	E4S1SSR-1896	E4S1WMR-1896	E4S1WOR-1896	44.75"	96" Wide Upright

Envision 4.0


Envision 4.0 - Bookend Brackets



- These brackets to be used with Envision 4.0 uprights
- Sold in pairs

Cat. No.		Depth
Painted Steel	Stainless Steel	
.75" Thick Shelf		
E4SBB75-9	E4SBB75-9S	9"
E4SBB75-12	E4SBB75-12S	12"
E4SBB75-15	E4SBB75-15S	15"
1" Thick Shelf		
E4SBB1-9	E4SBB1-9S	9"
E4SBB1-12	E4SBB1-12S	12"
E4SBB1-15	E4SBB1-15S	15"


Envision 4.0 - Inverted Brackets



- These brackets to be used with Envision 4.0 uprights
- Sold in pairs

Cat. No.		Depth
Painted Steel	Stainless Steel	
.75" Thick Shelf		
E4SBI75-9	E4SBI75-9S	9"
E4SBI75-12	E4SBI75-12S	12"
E4SBI75-15	E4SBI75-15S	15"
1" Thick Shelf		
E4SBI1-9	E4SBI1-9S	9"
E4SBI1-12	E4SBI1-12S	12"
E4SBI1-15	E4SBI1-15S	15"


Envision 4.0 - Shelf Lip



- These shelf lips to be used with Envision 4.0 shelves

Cat. No.		Width
Painted Steel	Stainless Steel	
Shelf Lip Front Mount		
E4SLF-42	E4SLF-42S	37.75"
E4SLF-48	E4SLF-48S	43.75"
E4SLF-60	E4SLF-60S	26.75"
E4SLF-72	E4SLF-72S	32.75"
E4SLF-84	E4SLF-84S	38.75"
E4SLF-96	E4SLF-96S	44.75"
Shelf Lip Rear Mount		
E4SLR-42	E4SLR-42S	37.75"
E4SLR-48	E4SLR-48S	43.75"
E4SLR-60	E4SLR-60S	26.75"
E4SLR-72	E4SLR-72S	32.75"
E4SLR-84	E4SLR-84S	38.75"
E4SLR-96	E4SLR-96S	44.75"


Envision 4.0 - Front Shelf Rod



- These shelf rods to be used with Envision 4.0 shelves
- Each part number includes (1) front shelf rod. If purchasing shelf rods for 60" uprights or wider you must order (2) front shelf rods

Cat. No.		Width
Aluminum	Stainless Steel	
E4SRF-42	E4SRF-42S	38.875"
E4SRF-48	E4SRF-48S	44.875"
E4SRF-60	E4SRF-60S	27.875"
E4SRF-72	E4SRF-72S	33.875"
E4SRF-84	E4SRF-84S	39.875"
E4SRF-96	E4SRF-96S	45.875"


Envision 4.0 - Rear Shelf Rod



- These shelf rods to be used with Envision 4.0 shelves
- Each part number includes (1) rear shelf rod. If purchasing shelf rods for 60" uprights or wider you must order (2) rear shelf rods

Cat. No.		Width
Aluminum	Stainless Steel	
E4SRR-42	E4SRR-42S	36.75"
E4SRR-48	E4SRR-48S	42.75"
E4SRR-60	E4SRR-60S	25.75"
E4SRR-72	E4SRR-72S	31.75"
E4SRR-84	E4SRR-84S	37.75"
E4SRR-96	E4SRR-96S	43.75"


Envision 4.0 - Side Shelf Rod



- These shelf rods to be used with Envision 4.0 shelves

Cat. No.		Depth
Aluminum	Stainless Steel	
E4SRS-9	E4SRS-9S	7"
E4SRS-12	E4SRS-12S	10"
E4SRS-15	E4SRS-15S	13"

Envision 4.0 - Wall Cabinet Hanger Bars




- These wall cabinet hangers to be used with Envision 4.0 uprights
- Each part number includes a pair of hanger bar. If purchasing hanger bars for 60" uprights or wider you must order (2) pairs of hanger bars


Cat. No.		Actual Width	For use with:
Painted Steel	Stainless Steel		
E4PWCH-42	E4PWCH-42S	42"	42" wide uprights
E4PWCH-48	E4PWCH-48S	48"	48" wide uprights
E4PWCH-60	E4PWCH-60S	30"	60" wide uprights
E4PWCH-72	E4PWCH-72S	36"	72" wide uprights
E4PWCH-84	E4PWCH-84S	42"	84" wide uprights
E4PWCH-96	E4PWCH-96S	48"	96" wide uprights

Envision 4.0

Envision 4.0 - Cabinet Stop



E4CSI-72




E4CSO-72

- These Cabinet Stops are to be used with Envision 4.0
- They are to prevent mobile cabinet from rolling to far under the work surface

Cat. No.		Actual Width	Width
For Inset Cabinet	For Overlay Cabinet		
E4CSI-42	E4CSO-42		42"
E4CSI-48	E4CSO-48	40.75"	48"
E4CSI-60	E4CSO-60	52.75"	60"
E4CSI-72	E4CSO-72	64.75"	72"
E4CSI-84	E4CSO-84		84"
E4CSI-96	E4CSO-96		96"

Envision 4.0 - Stabilizer Bar



Elevation of Stabilizer Bars

- These Stabilizer Bars are to be used with Envision 4.0

Cat. No.		Width
Lower Brace	Upper Brace	
E4SBRL-42	E4SBRU-42	42"
E4SBRL-48	E4SBRU-48	48"
E4SBRL-60	E4SBRU-60	60"
E4SBRL-72	E4SBRU-72	72"
E4SBRL-84	E4SBRU-84	84"
E4SBRL-96	E4SBRU-96	96"

Envision 4.0 - Table Support Clamps



- These are to be used with Envision 4.0
- Kit of 2 with hardware
- Use for all tables on backside of 6" uprights

Cat. No.	Type
E4TSC	Table Support Clamps

Envision 4.0 - 3" Mounting Kits

- These are to be used with Envision 4.0
- Fasteners for connecting back to back 3" uprights

Cat. No.	Type
E4MKU3	Upright Connectors


LED Task Lighting for Envision 4.0



- Touch and hold continuous dimming and 10 hour automatic turnoff
- Units with (1) light include: (1) LED task light, magnetic angle mount that allows for up to 25° adjustment, 60 watt power supply with magnetic mount and 6' white cord
- Units with (2) lights include: (2) LED task light, magnetic angle mount that allows for up to 25° adjustment, 60 watt power supply with magnetic mount, 6' white cord, and 1 interlink cord to connect lights
- 60 watt power supply with magnetic mount and 6' white cord
- Made with anodized aluminum
- Lasts up to 50,000 hours

Cat. No.	Quantity of Lights	Actual Width	For use with:
Single Sided			
TL17-LED	1	17"	42" wide Table
TL17-LED	1	17"	48" wide Table
TL34-LED	2	17"	60" wide Table
TL34-LED	2	17"	72" wide Table
TL34-LED	2	17"	84" wide Table
TL34-LED	2	17"	96" wide Table
Double Sided			
TL17-LEDDBL	2	17"	42" wide Table
TL17-LEDDBL	2	17"	48" wide Table
TL34-LEDDBL	4	17"	60" wide Table
TL34-LEDDBL	4	17"	72" wide Table
TL34-LEDDBL	4	17"	84" wide Table
TL34-LEDDBL	4	17"	96" wide Table

Add Leveling Casters to Envision Uprights



- (4) Leveling Caster has a disc style leveling function
- Weight capacity up to 1,000 lbs
- Can only be used with 3" uprights, Envision 3.0 or 4.0
- Casters add 3" to overall height of uprights
- Both Stabilizer Bars are recommended if using casters

Cat. No.	Type
E3HD-KIT	Add for Leveling Caster

Envision 4.0 Electrical

Envision 4.0 Electrical for 3" upright

Sample: E4W3A $\frac{\quad}{1} \frac{\quad}{2} \frac{\quad}{3}$ - (width of upright)

Space 1 Options:

G = Grey
I = Ivory
W = White

Space 2 Options:

4 = 4' cord above upright
6 = 6' cord above upright

Space 3 Options:

(Blank) = Standard outlet
G - GFI outlet

Cat. No.	Description	Width Options
E4W3A ____ - ____	1 circuit, 1 plug, 3 electrical outlets	42", 48"
E4W3B ____ - ____	2 circuit, 1 plug, 3 electrical outlets	42", 48"
E4W3C ____ - ____	2 circuit, 2 plug, 3 electrical outlets	42", 48"
E4W3D ____ - ____	1 circuit, 1 plug, 4 electrical outlets	60", 72", 84", 96"
E4W3E ____ - ____	2 circuit, 1 plug, 4 electrical outlets	60", 72", 84", 96"
E4W3F ____ - ____	2 circuit, 2 plug, 4 electrical outlets	60", 72", 84", 96"
E4W3G ____ - ____	4 circuit, 2 plug, 4 electrical outlets	60", 72", 84", 96"

Example: E4W3AG4G-48

Envision 4.0 Wiring for 3" upright, Grey, 1 circuit, 1 plug, 3 GFI outlets, for 48" wide upright

Note: All electrical components are UL Labeled and pre-wiring is UL Listed

Envision 4.0 Electrical for 6" upright

Sample: E4W6A $\frac{\quad}{1} \frac{\quad}{2} \frac{\quad}{3}$ - (width of upright)

Space 1 Options:

G = Grey
I = Ivory
W = White

Space 2 Options:

4 = 4' cord above upright
6 = 6' cord above upright

Space 3 Options:

(Blank) = Standard outlet
G - GFI outlet

Cat. No.	Description	Width Options
E4W6B ____ - ____	2 circuit, 1 plug, 6 electrical outlets	42", 48"
E4W6C ____ - ____	2 circuit, 2 plug, 6 electrical outlets	42", 48"
E4W6E ____ - ____	2 circuit, 1 plug, 8 electrical outlets	60", 72", 84", 96"
E4W6F ____ - ____	2 circuit, 2 plug, 8 electrical outlets	60", 72", 84", 96"
E4W6G ____ - ____	4 circuit, 2 plug, 8 electrical outlets	60", 72", 84", 96"

Example: E4W6BG4G-48

Envision 4.0 Wiring for 6" upright, Grey, 2 circuit, 1 plug, 6 GFI outlets, for 48" upright

Note: All electrical components are UL Labeled and pre-wiring is UL Listed

Envision 4.0 Data for 3" upright

Sample: E4D31 $\frac{\quad}{1} \frac{\quad}{2}$ - (width of upright)

Space 1 Options:

G = Light Grey

Space 2 Options:

4 = 4' cord above upright

6 = 6' cord above upright

Cat. No.	Description	Width Options
E4D31 __ - __	Single Data Outlet	42", 48", 60", 72", 84", 96"
E4D32 __ - __	Double Data Outlet	42", 48", 60", 72", 84", 96"

Example: E4D31G4-48

Envision 4.0 Data for 3" upright, Light Grey, Single Data Outlet, for 48" wide upright

Note: Data is CAT-6

Envision 4.0 Data for 6" upright

Sample: E4D61 $\frac{\quad}{1} \frac{\quad}{2}$ - (width of upright)

Space 1 Options:

G = Light Grey

Space 2 Options:

4 = 4' cord above upright

6 = 6' cord above upright

Cat. No.	Description	Width Options
E4D61 __ - __	Single Data Outlet	42", 48", 60", 72", 84", 96"
E4D62 __ - __	Double Data Outlet	42", 48", 60", 72", 84", 96"

Example: E4D61G4-48

Envision 4.0 Data for 6" upright, Light Grey, Single Data Outlet, for 48" wide upright

Note: Data is CAT-6