


FlexCore Connectors


Cabinet to Core Connector with Filler



- Connects a base cabinet to the FlexCore Core Frame
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Counter Top Depth	Side
PCCC24L	24"	Left
PCCC24R	24"	Right
PCCC30L	30"	Left
PCCC30R	30"	Right


Cabinet to Core Connector



- Connects a base cabinet to the FlexCore Core Frame
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Counter Top Depth	Side
PCCC24NFL	24"	Left
PCCC24NFR	24"	Right
PCCC30NFL	30"	Left
PCCC30NFR	30"	Right

Core Connector Hardware




- Kit Includes (3 points of connection):
 - (4) Nuts, 3/8-16
 - (4) Washers, Lock 3/8"
 - (2) HHCS, 3/8-16 x 3 1/2", grade 5
 - (2) HHCS, 3/8-18 x 4", grade 5

Cat. No.	Depth
PLCH0325-Kit B	3.25" or 8.75" Wall Core
PLCH06-Kit B	6"
PLCH012-Kit B	12"


FlexCore Connectors

Outrigger Leg Assemblies



Cat. No.	Depth
PLA20L	20"
PLA20R	20"


"L" Connector - 36" Tall - 1/2 Height



- "L" connector for (1) 84" tall core and (1) 36" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PFHSHLC0325	3.25"
PFHSHLC06	6"


"L" Connector - 48" Tall - 1/2 Height



- "L" connector for (1) 84" tall core and (1) 48" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PFHSHLC480325	3.25"
PFHSHLC4806	6"


"L" Connector - 36" Tall - Full Height



- "L" connector for (2) 36" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PSHSHLC0325	3.25"
PSHSHLC06	6"


"L" Connector - 48" Tall - Full Height



- "L" connector for (2) 48" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PSHSHLC480325	3.25"
PSHSHLC4806	6"

"L" Connector - 84" Tall - Full Height




- "L" connector for (2) 84" tall cores
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PFHFHLC0325	3.25"
PFHFHLC06	6"

FlexCore Connectors


"T" or "X" Connector - 36" Tall - Full Height



- "T" x "X" connector for (2) 36" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PSHSHTC0325	3.25"
PSHSHTC06	6"


"T" or "X" Connector - 48" Tall - Full Height



- "T" x "X" connector for (2) 48" tall core
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Core Depth
PSHSHTC480325	3.25"
PSHSHTC4806	6"


"T" or "X" Connector



- "T" or "X" connector for (2) 84" tall cores
- Replace "P" with a "S" for Stainless Steel


Cat. No.	Core Depth
PFHFHTC0325	3.25"
PFHFHTC06	6"

Corner Column Detail



FlexCore Connectors


Corner Column - 36" Tall



- Corner Column is to be used with 12" Core
- Can be use for "T" or "X" configuration
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Core Depth
PSHCC12	12"


Corner Column - 48" Tall



- Corner Column is to be used with 12" Core
- Can be use for "T" or "X" configuration
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Core Depth
PSHCC4812	12"


Corner Column - 84" Tall



- Corner Column is to be used with 12" Core
- Can be use for "T" or "X" configuration
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Core Depth
PFHCC12	12"

Service Column Detail



FlexCore Connectors


Corner Column Ceiling Extension



- Corner Column Ceiling Extension to be used with a 12" x 12" Corner Column
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Dimensions
PCE12	12" x 12"


Service Column for 12" Core




- Replace "P" with and "S" for Stainless Steel
- Includes pipe chase and top rail

Cat. No.	Width
PSC24	24"
PSC30	30"
PSC36	36"
PSC42	42"
PSC48	48"
PSC54	54"
PSC60	60"
PSC66	66"
PSC72	72"

Core Inner Filler Panel - Elec/Plumb



PCIF12-E




PCIF12-P

- Elec/Plumb Core Inner Filler Panel is 16.5" tall
- Replace "P" with a "S" for Stainless Steel

Cat. No.	Type	Depth
PCIF06-E	Electrical	6"
PCIF12-E	Electrical	12"
PCIF06-P	Plumbing	6"
PCIF12-P	Plumbing	12"


Core Outer Filler Panel



- Replace "P" with a "S" for Stainless Steel

Cat. No.	Height	Depth of Core
PCIFF4812-A	48.5"	12"
PCIFF3612-A	36.5"	12"


Core Middle End Filler - with Elec/Plumb



- Replace "P" with a "S" for Stainless Steel

Cat. No.	Height	Depth of Core
PCIFF3206-A	32"	12"
PCIFF2006-A	20"	12"

Core Middle End Filler




- Replace "P" with and "S" for Stainless Steel

Cat. No.	Height of Core	Depth of Core
PCMEF12	84"	12"
PCMEF3612	36"	12"
PCMEF4812	48"	12"

FlexCore Fillers

Upright End Filler




(2) Upper End Fillers shown on a 12" deep core

- Replace "P" with and "S" for Stainless Steel
- Fillers sold individually
- 3.25" and 6" deep cores require (1) filler per side
- 12" deep cores require (2) 3.25" deep fillers per side

Cat. No.	Height	Depth
PUEF36-Core	36"	3.25"
PUEF3606-Core	36"	6"
PUEF48-Core	48"	3.25"
PUEF4806-Core	48"	6"
PUEF84-Core	84"	3.25"
PUEF8406-Core	84"	6"

Bench Top Core Filler




(2) Bench Top Core Fillers shown on a 12" deep core

- Replace "P" with and "S" for Stainless Steel
- Fillers sold individually
- 6" and 8.75" deep cores require (1) filler per side
- 12" deep cores require (2) 3.25" deep fillers per side

Cat. No.	Height	Depth
PBEF48-CORE	48"	3.25"
PBEF4806-CORE	48"	6"

Bench Top Core Filler




(1) Bench Top Core Fillers shown on a 12" deep core

- Replace "P" with and "S" for Stainless Steel
- Fillers sold individually

Cat. No.	Height	For use with:
PCIFF4812-A	48"	12" deep Bench Top Core

Lower Core Half Panels




Shown on a 12" Frame

- Each part number includes (1) half flush panel for the lower part of a FlexCore Core
- Height of Lower Core Half Panels is 19"
- Can be used with 36" or 48" ledge. Can be used with any depth core
- Free-standing cores are double sided are require (4) panels to enclose the entire lower part of the Core
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width of Frame	Actual Panel Width
PCFP2419	24"	12"
PCFP3019	30"	15"
PCFP3619	36"	18"
PCFP4219	42"	21"
PCFP4819	48"	24"
PCFP5419	54"	27"
PCFP6019	60"	30"
PCFP6619	66"	33"
PCFP7219	72"	36"

Upper Core Half Panels




Shown on a 6" Frame

- Each part number includes (1) half flush panel for the upper part of a FlexCore Core
- Upper Core Half Panels can only be used with 84" tall cores
- Upper Core Half Panels can only be used with 3.25" and 6" deep cores
- Free-standing cores are double sided are require (4) panels to enclose the entire upper part of the Core
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width of Frame	Actual Panel Width	For use with:
			36" Tall Panel
PCFP2436	24"	12"	48" Tall Ledge
PCFP3036	30"	15"	48" Tall Ledge
PCFP3636	36"	18"	48" Tall Ledge
PCFP4236	42"	21"	48" Tall Ledge
PCFP4836	48"	24"	48" Tall Ledge
PCFP5436	54"	27"	48" Tall Ledge
PCFP6036	60"	30"	48" Tall Ledge
PCFP6636	66"	33"	48" Tall Ledge
PCFP7236	72"	36"	48" Tall Ledge
Cat. No.	Width of Frame	Actual Panel Width	For use with:
			48" Tall Panel
PCFP2448	24"	12"	36" Tall Ledge
PCFP3048	30"	15"	36" Tall Ledge
PCFP3648	36"	18"	36" Tall Ledge
PCFP4248	42"	21"	36" Tall Ledge
PCFP4848	48"	24"	36" Tall Ledge
PCFP5448	54"	27"	36" Tall Ledge
PCFP6048	60"	30"	36" Tall Ledge
PCFP6648	66"	33"	36" Tall Ledge
PCFP7248	72"	36"	36" Tall Ledge

FlexCore Cantilever Frame


Cantilever Frames



- To be used with any FlexCore Core or Cart
- Replace "P" with and "S" for Stainless Steel
- Weight Capacity up to 600 lbs UDL (includes weight of work surface or suspended cabinets)

Cat. No.	Width
23" Deep Frame	
PCF2423	24"
PCF3023	30"
PCF3623	36"
PCF4223	42"
PCF4823	48"
PCF5423	54"
PCF6023	60"
PCF6623	66"
PCF7223	72"
26" Deep Frame	
PCF2426	24"
PCF3026	30"
PCF3626	36"
PCF4226	42"
PCF4826	48"
PCF5426	54"
PCF6026	60"
PCF6626	66"
PCF7226	72"
27" Deep Frame	
PCF2427	24"
PCF3027	30"
PCF3627	36"
PCF4227	42"
PCF4827	48"
PCF5427	54"
PCF6027	60"
PCF6627	66"
PCF7227	72"
29" Deep Frame	
PCF2429	24"
PCF3029	30"
PCF3629	36"
PCF4229	42"
PCF4829	48"
PCF5429	54"
PCF6029	60"
PCF6629	66"
PCF7229	72"

Corner Cantilever Frames




- To be used with any FlexCore Core in a corner situation
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width
29" Deep Frame	
PCF3629-90	36"
PCF4829-90	48"


FlexCore Work Surfaces

FlexCore Work Surfaces are custom to each FlexCore Assembly or FlexCore Cart. Please contact your ICI Representative to consult about work surfaces.


Examples of Cantilever FlexCore Mobile Cart Work Surface:



Example of 12" Core Work Surface:




Example of 8.75" Wall Core Work Surface:



FlexCore Shelving


Shelf Bracket



- To be used with and FlexCore Core or Cart
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Type	Depth
PSB06R-A	Right Hand	6"
PSB06L-A	Left Hand	6"
PSB09R-A	Right Hand	9"
PSB09L-A	Left Hand	9"
PSB12R-A	Right Hand	12"
PSB12L-A	Left Hand	12"
PSB15R-A	Right Hand	15"
PSB15L-A	Left Hand	15"
PSB18R-A	Right Hand	18"
PSB18L-A	Left Hand	18"
PSB24R-A	Right Hand	24"
PSB24L-A	Left Hand	24"


Inverted Shelf Bracket



- To be used with and FlexCore Core or Cart
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Type	Depth
PTSB06R-A	Right Hand	6"
PTSB06L-A	Left Hand	6"
PTSB09R-A	Right Hand	9"
PTSB09L-A	Left Hand	9"
PTSB12R-A	Right Hand	12"
PTSB12L-A	Left Hand	12"
PTSB15R-A	Right Hand	15"
PTSB15L-A	Left Hand	15"
PTSB18R-A	Right Hand	18"
PTSB18L-A	Left Hand	18"
PTSB24R-A	Right Hand	24"
PTSB24L-A	Left Hand	24"


Inverted Shelf Bracket for Wall Cores



- To be used with and FlexCore Core, Cart or Wall Upright
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Type	Depth
PWSB875R-A	Right Hand	8.75"
PWSB875L-A	Left Hand	8.75"


Inner Shelf Clips



- Quantity of (4): (2) Left and (2) Right
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Type
PISB-A	Inner Shelf Clips


Wall Cabinet Hanger



- To be used with and FlexCore Core or Cart
- Includes (2) hangers for mounting wall cabinets
- See Wall Cabinet section of CornerStone Catalog for wall cabinet options
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width
PWCH24	24"
PWCH30	30"
PWCH36	36"
PWCH42	42"
PWCH48	48"
PWCH54	54"
PWCH60	60"
PWCH66	66"
PWCH72	72"

Inner Wall Core Shelves



Shelf: PWS24875-A

Brackets: PWSB875L-A & PWSB875R-A


- To be used with Inverted Shelf Bracket for 8.75" Deep Wall Core only
- Part Number only includes shelf. Brackets sold separately.
- Inner Wall Core Shelf is 8.75" deep
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width
PWS24875-A	24"
PWS30875-A	30"
PWS36875-A	36"
PWS42875-A	42"
PWS48875-A	48"
PWS54875-A	54"
PWS60875-A	60"
PWS66875-A	66"
PWS72875-A	72"


FlexCore Shelving

Inner/Outer Shelves


Shelf Examples



Shelf: PS2412-A
Shelf Clips: PISB-A



Shelf: PS3015-A
Brackets: PSB12L-A & PSB12R-A
Shelf Lip: PSL30




Shelf: PS3018-A
Brackets: PSB18L-A & PSB18R-A
Shelf Lip: PSL30

- To be used with Shelf Bracket, Inverted Bracket or Shelf Clips
- Part Number only includes shelf. Brackets sold separately.
- Replace "P" with and "S" for Stainless Steel

6" Deep		15" Deep	
Cat. No.	Width	Cat. No.	Width
PS2406-A	24"	PS2415-A	24"
PS3006-A	30"	PS3015-A	30"
PS3606-A	36"	PS3615-A	36"
PS4206-A	42"	PS4215-A	42"
PS4806-A	48"	PS4815-A	48"
PS5406-A	54"	PS5415-A	54"
PS6006-A	60"	PS6015-A	60"
PS6606-A	66"	PS6615-A	66"
PS7206-A	72"	PS7215-A	72"
9" Deep		18" Deep	
PS2409-A	24"	PS2418-A	24"
PS3009-A	30"	PS3018-A	30"
PS3609-A	36"	PS3618-A	36"
PS4209-A	42"	PS4218-A	42"
PS4809-A	48"	PS4818-A	48"
PS5409-A	54"	PS5418-A	54"
PS6009-A	60"	PS6018-A	60"
PS6609-A	66"	PS6618-A	66"
PS7209-A	72"	PS7218-A	72"
12" Deep		24" Deep	
PS2412-A	24"	PS2424-A	24"
PS3012-A	30"	PS3024-A	30"
PS3612-A	36"	PS3624-A	36"
PS4212-A	42"	PS4224-A	42"
PS4812-A	48"	PS4824-A	48"
PS5412-A	54"	PS5424-A	54"
PS6012-A	60"	PS6024-A	60"
PS6612-A	66"	PS6624-A	66"
PS7212-A	72"	PS7224-A	72"

Shelf Lips




Shelf: PS3015-A
Brackets: PSB12L-A & PSB12R-A
Shelf Lip: PSL30

- To be used with any FlexCore Shelf
- Replace "P" with and "S" for Stainless Steel

Cat. No.	Width
PSL24-A	24"
PSL30-A	30"
PSL36-A	36"
PSL42-A	42"
PSL48-A	48"
PSL54-A	54"
PSL60-A	60"
PSL66-A	66"
PSL72-A	72"

Shelf Extender





Shelf: PWS24875-A
Brackets: PWSB875L-A & PWSB875R-A
Shelf Extender: PSE24325-A

- To be used with any FlexCore Shelf
- Replace "P" with and "S" for Stainless Steel
- Note: Shelf Extender does not increase load rating of shelf

Cat. No.	Width
PSE24325-A	24"
PSE30325-A	30"
PSE36325-A	36"
PSE42325-A	42"
PSE48325-A	48"
PSE54325-A	54"
PSE60325-A	60"
PSE66325-A	66"
PSE72325-A	72"

FlexCore Accessories

White Marker Boards



- To be used with any FlexCore Core
- Replace "P" with and "S" for Stainless Steel

Cat. No.		Width	Height
White Marker Board	Tack Board		
PWMB2411	PTBB2411	24"	11"
PWMB3011	PTBB3011	30"	11"
PWMB3611	PTBB3611	36"	11"
PWMB4211	PTBB4211	42"	11"
PWMB4811	PTBB4811	48"	11"
PWMB5411	PTBB5411	54"	11"
PWMB6011	PTBB6011	60"	11"
PWMB6611	PTBB6611	66"	11"
PWMB7211	PTBB7211	72"	11"
PWMB2424	PTBB2424	24"	24"
PWMB3024	PTBB3024	30"	24"
PWMB3624	PTBB3624	36"	24"
PWMB4224	PTBB4224	42"	24"
PWMB4824	PTBB4824	48"	24"
PWMB5424	PTBB5424	54"	24"
PWMB6024	PTBB6024	60"	24"
PWMB6624	PTBB6624	66"	24"
PWMB7224	PTBB7224	72"	24"
PWMB2430	PTBB2430	24"	30"
PWMB3030	PTBB3030	30"	30"
PWMB3630	PTBB3630	36"	30"
PWMB4230	PTBB4230	42"	30"
PWMB4830	PTBB4830	48"	30"
PWMB5430	PTBB5430	54"	30"
PWMB6030	PTBB6030	60"	30"
PWMB6630	PTBB6630	66"	30"
PWMB7230	PTBB7230	72"	30"

Keyboard Tray

Cat. No.	Type
KBTMP	Keyboard Tray with Mouse Pad

Monitor Arm

Cat. No.	Type
FC-MA	Monitor Arm

CPU Holder

Cat. No.	Type
FC-CPUH	CPU Holder

LED Task Lighting for FlexCore




- Touch and hold continuous dimming and 10 hour automatic turnoff
- Units with (1) light include: (1) LED task light, magnetic angle mount that allows for up to 25° adjustment, 60 watt power supply with magnetic mount and 6' white cord
- Units with (2) lights include: (2) LED task light, magnetic angle mount that allows for up to 25° adjustment, 60 watt power supply with magnetic mount, 6' white cord, and 1 interlink cord to connect lights
- 60 watt power supply with magnetic mount and 6' white cord
- Made with anodized aluminum
- Lasts up to 50,000 hours

Cat. No.	Quantity of Lights	Actual Width	For use with:
TL17-LED	1	17"	24" wide Core/Cart
TL17-LED	1	17"	30" wide Core/Cart
TL17-LED	1	17"	36" wide Core/Cart
TL17-LED	1	17"	42" wide Core/Cart
TL17-LED	1	17"	48" wide Core/Cart
TL17-LED	1	17"	54" wide Core/Cart
TL34-LED	2	17"	60" wide Core/Cart
TL34-LED	2	17"	66" wide Core/Cart
TL34-LED	2	17"	72" wide Core/Cart

FlexCore Process Table


FlexCore Process Table - Standard Duty with Leveling Glides



- Replace "P" with and "S" for Stainless Steel
- Height adjusts from 28"-38" in 1" increments, including 1" thick top
- Weight Capacity up to 600 lbs., UDL and includes the weight of the work surface and suspended cabinets

Cat. No.			Width
24" Deep	30" Deep	36" Deep	
PLAT3624	PLAT3630	PLAT3636	36"
PLAT4224	PLAT4230	PLAT4236	42"
PLAT4824	PLAT4830	PLAT4836	48"
PLAT5424	PLAT5430	PLAT5436	54"
PLAT6024	PLAT6030	PLAT6036	60"
PLAT6624	PLAT6630	PLAT6636	66"
PLAT7224	PLAT7230	PLAT7236	72"

FlexCore Process Table - Standard Duty with Casters




- Replace "P" with and "S" for Stainless Steel
- Height adjusts from 28"-38" in 1" increments, including 1" thick top
- Weight Capacity up to 600 lbs., UDL and includes the weight of the work surface and suspended cabinets

Cat. No.			Width
24" Deep	30" Deep	36" Deep	
PMAT3624	PMAT3630	PMAT3636	36"
PMAT4224	PMAT4230	PMAT4236	42"
PMAT4824	PMAT4830	PMAT4836	48"
PMAT5424	PMAT5430	PMAT5436	54"
PMAT6024	PMAT6030	PMAT6036	60"
PMAT6624	PMAT6630	PMAT6636	66"
PMAT7224	PMAT7230	PMAT7236	72"

FlexCore Process Table


FlexCore Process Table - Heavy Duty with Leveling Glides



- Replace "P" with and "S" for Stainless Steel
- Height adjusts from 28"-38" in 1" increments, including 1" thick top
- Weight Capacity up to 1,200 lbs., UDL and includes the weight of the work surface and suspended cabinets

Cat. No.			Width
24" Deep	30" Deep	36" Deep	
PLAT3624-HD	PLAT3630-HD	PLAT3636-HD	36"
PLAT4224-HD	PLAT4230-HD	PLAT4236-HD	42"
PLAT4824-HD	PLAT4830-HD	PLAT4836-HD	48"
PLAT5424-HD	PLAT5430-HD	PLAT5436-HD	54"
PLAT6024-HD	PLAT6030-HD	PLAT6036-HD	60"
PLAT6624-HD	PLAT6630-HD	PLAT6636-HD	66"
PLAT7224-HD	PLAT7230-HD	PLAT7236-HD	72"

FlexCore Process Table - Heavy Duty with Casters




- Replace "P" with and "S" for Stainless Steel
- Height adjusts from 28"-38" in 1" increments, including 1" thick top
- Weight Capacity up to 1,200 lbs., UDL and includes the weight of the work surface and suspended cabinets

Cat. No.			Width
24" Deep	30" Deep	36" Deep	
PMAT3624-HD	PMAT3630-HD	PMAT3636-HD	36"
PMAT4224-HD	PMAT4230-HD	PMAT4236-HD	42"
PMAT4824-HD	PMAT4830-HD	PMAT4836-HD	48"
PMAT5424-HD	PMAT5430-HD	PMAT5436-HD	54"
PMAT6024-HD	PMAT6030-HD	PMAT6036-HD	60"
PMAT6624-HD	PMAT6630-HD	PMAT6636-HD	66"
PMAT7224-HD	PMAT7230-HD	PMAT7236-HD	72"

FlexCore Services


Overhead Carrier




- Part number is a blank overhead service carrier
- Please contact your ICI representative to determine Overhead Service Carrier Cutouts

Cat. No.	Length
JPOHSC363624	36"
JPOHSC483624	48"
JPOHSC603624	60"

Examples of Overhead Service Carrier Configurations



Service Pod



Cat. No.	Height
PCSC361212	36"
PCSC481212	48"
PCSC601212	60"


Quick Connect Outlets for Ceilings Panels



- Envision Plumbing Fitting Brass 3/8" MNPT to QC Body QCFL-B-3M-K (for ceiling panel)


Cat. No.	Type
E3PFWQBM-K1	Helium
E3PFWQBM-K2	Air
E3PFWQBM-K4	Vacuum
E3PFWQBM-K5	Gas
E3PFWQBM-K6	Natural Gas
E3PFWQBM-K7	Argon
E3PFWQBM-K8	Nitrogen
E3CPP	Ceiling Panel Plug Cover

Junction Box



Cat. No.	Type
E3CPJB	J-Box


Electrical Box Assemblies



- Includes: Junction box, electrical outlet, stainless steel cover plate

Cat. No.	Type
E3CPL5-KIT	L5-20R
E3CPL14-KIT	L14-20R


Data Box Assemblies



- Includes: Junction box, data outlet, stainless steel cover plate
- CAT-5E


Cat. No.	Type
E3CPD2-KIT	2 Data Outlets
E3CPD4-KIT	4 Data Outlets
E3CPD6-KIT	6 Data Outlets

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

23.0625" High Suspended Open Cabinets




Cat. No.	Length
J801-12	12"
J801-15	15"
J801-18	18"
J801-21	21"
J801-24	24"
J801-30	30"
J801-36	36"
J801-42	42"
J801-48	48"


23.0625" High Suspended Door Cabinets




Cat. No.	Length
Left Hinged	
J803-12	12"
J803-15	15"
J803-18	18"
J803-21	21"
J803-24	24"



Cat. No.	Length
Right Hinged	
J802-12	12"
J802-15	15"
J802-18	18"
J802-21	21"
J802-24	24"




Cat. No.	Length
J804-30	30"
J804-36	36"
J804-42	42"
J804-48	48"




Sink cabinet with half back	
Cat. No.	Length
J881-30	30"
J881-36	36"
J881-42	42"
J881-48	48"


23.0625" High Suspended Drawer Cabinets




Cat. No.	Length
J818-15	15"
J818-18	18"
J818-21	21"
J818-24	24"



Cat. No.	Length
J818-30	30"
J818-36	36"
J818-42	42"
J818-48	48"




Cat. No.	Length
J823-30	30"
J823-36	36"
J823-42	42"
J823-48	48"







Cat. No.	Length
J826-30	30" L
J826-36	36" L
J826-42	42" L
J826-48	48" L

Steel Suspended Cabinets



- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

23.0625" High Suspended Drawer Cabinets





Cat. No.	Length
J820-15	15"
J820-18	18"
J820-21	21"
J820-24	24"

Cat. No.	Length
J821-15	15"
J821-18	18"
J821-21	21"
J821-24	24"

Cat. No.	Length
J827-30	30"
J827-36	36"
J827-42	42"
J827-48	48"





Cat. No.	Length
J828-30	30"
J828-36	36"
J828-42	42"
J828-48	48"



Cat. No.	Length
J822-15	15"
J822-18	18"
J822-21	21"
J822-24	24"

Cat. No.	Length
J833-15	15"
J833-18	18"
J833-21	21"
J833-24	24"

23.0625" High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
J806-15	15"
J806-18	18"
J806-21	21"
J806-24	24"

Cat. No.	Length
Right Hinged	
J805-15	15"
J805-18	18"
J805-21	21"
J805-24	24"

Cat. No.	Length
J807-30	30"
J807-36	36"
J807-42	42"
J807-48	48"


Cat. No.	Length
J808-30	30"
J808-36	36"
J808-42	42"
J808-48	48"

Steel Suspended Cabinets



- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

23.0625" High Suspended Combination Cabinets




Cat. No.	Length
Left Cabinet	
J811-30	30"
J811-36	36"
J811-42	42"
J811-48	48"

Cat. No.	Length
Right Cabinet	
J810-30	30"
J810-36	36"
J810-42	42"
J810-48	48"

Cat. No.	Length
Left Cabinet	
J813-30	30"
J813-36	36"
J813-42	42"
J813-48	48"


Cat. No.	Length
Right Cabinet	
J812-30	30"
J812-36	36"
J812-42	42"
J812-48	48"

23.0625" High Suspended Corner Cabinet



Cat. No.
Right Hinged
J829-32

Steel Suspended Cabinets






- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- Actual product dimensions may vary slightly due to style and hardware selection

23.0625" High Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.

Slam Latch




Cat. No.	Length
Left Hinged	
Slam Latch Handle	
J830-18SL	18"
J830-24SL	24"
Slam Latch Handle and Auto-closing Mechanism	
J830-18SLA	18"
J830-24SLA	24"
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
J830-18SLAS	18"
J830-24SLAS	24"

Cat. No.	Length
Right Hinged	
Slam Latch Handle	
J831-18SL	18"
J831-24SL	24"
Slam Latch Handle and Auto-closing Mechanism	
J831-18SLA	18"
J831-24SLA	24"
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
J831-18SLAS	18"
J831-24SLAS	24"


Cat. No.	Length
Slam Latch Handle	
J831-30SL	30"
J831-36SL	36"
J831-42SL	42"
J831-48SL	48"
Slam Latch Handle and Auto-closing Mechanism	
J831-30SLA	30"
J831-36SLA	36"
J831-42SLA	42"
J831-48SLA	48"
Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
J831-30SLAS	30"
J831-36SLAS	36"
J831-42SLAS	42"
J831-48SLAS	48"
Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
J831-30SLASY	30"
J831-36SLASY	36"
J831-42SLASY	42"
J831-48SLASY	48"

Steel Suspended Cabinets






- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625" H - Open Suspended Cabinets



Cat. No.	Length
J840-12	12"
J840-15	15"
J840-18	18"
J840-21	21"
J840-24	24"
J840-30	30"
J840-36	36"
J840-42	42"
J840-48	48"

30.625" H - Door Suspended Cabinets






Cat. No.	Length
Left Hinged	
J841-12	12"
J841-15	15"
J841-18	18"
J841-21	21"
J841-24	24"

Cat. No.	Length
Right Hinged	
J842-12	12"
J842-15	15"
J842-18	18"
J842-21	21"
J842-24	24"

Cat. No.	Length
J843-30	30"
J843-36	36"
J843-42	42"
J843-48	48"

30.625" H - Drawer Suspended Cabinets




Cat. No.	Length
J859-15	15"
J859-18	18"
J859-21	21"
J859-24	24"

Cat. No.	Length
J860-30	30"
J860-36	36"
J860-42	42"
J860-48	48"

Cat. No.	Length
J861-30	30"
J861-36	36"
J861-42	42"
J861-48	48"


Cat. No.	Length
J865-30	30"
J865-36	36"
J865-42	42"
J865-48	48"

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625" High Suspended Drawer Cabinets




Cat. No.	Length
J866-30	30"
J866-36	36"
J866-42	42"
J866-48	48"




Cat. No.	Length
J867-30	30"
J867-36	36"
J867-42	42"
J867-48	48"



Cat. No.	Length
J862-15	15"
J862-18	18"
J862-21	21"
J862-24	24"




Cat. No.	Length
J863-15	15"
J863-18	18"
J863-21	21"
J863-24	24"




Cat. No.	Length
J864-15	15"
J864-18	18"
J864-21	21"
J864-24	24"


30.625" High Suspended Combination Cabinets




Cat. No.	Length
Left Hinged	
J844-15	15"
J844-18	18"
J844-21	21"
J844-24	24"



Cat. No.	Length
Right Hinged	
J845-15	15"
J845-18	18"
J845-21	21"
J845-24	24"




Cat. No.	Length
J846-30	30"
J846-36	36"
J846-42	42"
J846-48	48"




Cat. No.	Length
J847-30	30"
J847-36	36"
J847-42	42"
J847-48	48"

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


30.625" Hight Suspended Combination Cabinets




Cat. No.	Length
J848-30	30"
J848-36	36"
J848-42	42"
J848-48	48"




Cat. No.	Length
Left Cabinet	
J849-30	30"
J849-36	36"
J849-42	42"
J849-48	48"




Cat. No.	Length
Right Cabinet	
J850-30	30"
J850-36	36"
J850-42	42"
J850-48	48"




Cat. No.	Length
Left Cabinet	
J851-30	30"
J851-36	36"
J851-42	42"
J851-48	48"




Cat. No.	Length
Right Cabinet	
J852-30	30"
J852-36	36"
J852-42	42"
J852-48	48"




Cat. No.	Length
Left Cabinet	
J853-30	30" L
J853-36	36" L
J853-42	42" L
J853-48	48" L




Cat. No.	Length
Right Cabinet	
J854-30	30"
J854-36	36"
J854-42	42"
J854-48	48"




Cat. No.	Length
Left Cabinet	
J855-30	30"
J855-36	36"
J855-42	42"
J855-48	48"



Cat. No.	Length
Right Cabinet	
J856-30	30" L
J856-36	36" L
J856-42	42" L
J856-48	48" L




Cat. No.	Length
Left Cabinet	
J857-30	30"
J857-36	36"
J857-42	42"
J857-48	48"




Cat. No.	Length
Right Cabinet	
J858-30	30"
J858-36	36"
J858-42	42"
J858-48	48"

Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

30.625" High Suspended Corner Cabinet



Cat. No.
Right Hinged
J868-32


Suspended Pencil Drawer



- 3 7/8" tall and 22" deep
- Designed to be hung from a table system
- Each suspended cabinet furnished with complete hanging hardware


Cat. No.	Length
JPPD1522	15"
JPPD1822	18"
JPPD2122	21"
JPPD2422	24"
JPPD3022	30"

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster


23.285" High Mobile Door Cabinets



Cat. No.	Length
J1042-18	18"
J1042-24	24"




Cat. No.	Length
J1041-18	18"
J1041-24	24"




Cat. No.	Length
J1043-30	30"
J1043-36	36"

23.285" High Mobile Drawer Cabinets




Cat. No.	Length
J1059-18	18"
J1059-24	24"




Cat. No.	Length
J1059-30	30"
J1059-36	36"


23.285" High Mobile Combination Cabinets



Cat. No.	Length
J1044-24	24"




Cat. No.	Length
J1045-24	24"



Cat. No.	Length
J1046-30	30"

Steel Mobile Cabinets






- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster

Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.

Slam Latch



Cat. No.	Length
Left Hinged	
Slam Latch Handle	

J897-18SL 18"
J897-24SL 24"

Slam Latch Handle and Auto-closing Mechanism	
--	--

J897-18SLA 18"
J897-24SLA 24"

Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
---	--

J897-18SLAS 18"
J897-24SLAS 24"

Cat. No.	Length
Right Hinged	
Slam Latch Handle	

J899-18SL 18"
J899-24SL 24"

Slam Latch Handle and Auto-closing Mechanism	
--	--

J899-18SLA 18"
J899-24SLA 24"

Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
---	--

J899-18SLAS 18"
J899-24SLAS 24"

Cat. No.	Length
Slam Latch Handle	

J899-30SL 30"
J899-36SL 36"
J899-42SL 42"
J899-48SL 48"

Slam Latch Handle and Auto-closing Mechanism	
--	--

J899-30SLA 30"
J899-36SLA 36"
J899-42SLA 42"
J899-48SLA 48"


Slam Latch Handle, Auto-closing Mechanism and Fusible Links	
---	--

J899-30SLAS 30"
J899-36SLAS 36"
J899-42SLAS 42"
J899-48SLAS 48"

Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors	
---	--


J899-30SLASY 30"
J899-36SLASY 36"
J899-42SLASY 42"
J899-48SLASY 48"

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster


27.065" High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
J1076-18	18"
J1076-24	24"




Cat. No.	Length
Right Hinged	
J1075-18	18"
J1075-24	24"




Cat. No.	Length
J1063-30	30"
J1063-36	36"


27.065" Mobile Drawer Cabinets




Cat. No.	Length
J1070-18	18"
J1070-24	24"




Cat. No.	Length
J1071-18	18"
J1071-24	24"



Cat. No.	Length
J1072-18	18"
J1072-24	24"




Cat. No.	Length
J1072-30	30"
J1072-36	36"




Cat. No.	Length
J1073-18	18"
J1073-24	24"

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster


27.065" Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
J1069-15	15"
J1069-18	18"
J1069-24	24"




Cat. No.	Length
Right Hinged	
J1068-15	15"
J1068-18	18"
J1068-24	24"



Cat. No.	Length
J1065-30	30"
J1065-36	36"




Cat. No.	Length
J1083-30	30"
J1083-36	36"
J1083-42	42"




Cat. No.	Length
J1082-30	30"
J1082-36	36"
J1082-42	42"

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster


32.105" High Mobile Door Cabinets



Cat. No.	Length
Left Hinged	
J1003-18	18"
J1003-24	24"




Cat. No.	Length
Right Hinged	
J1002-18	18"
J1002-24	24"




Cat. No.	Length
J1003-30	30"
J1003-36	36"
J1003-42	42"
J1003-48	48"


32.105" High Mobile Drawer Cabinets




Cat. No.	Length
J1021-18	18"
J1021-24	24"




Cat. No.	Length
J1021-30	30"
J1021-36	36"




Cat. No.	Length
J1027-18	18"
J1027-24	24"



Cat. No.	Length
J1022-18	18"
J1022-24	24"




Cat. No.	Length
J1022-30	30"
J1022-36	36"




Cat. No.	Length
J1127-30	30"
J1127-36	36"
J1127-42	42"

Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 3 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lb per caster


32.105" Mobile Combination Cabinets




Cat. No.	Length
Left Hinged	
J1019-15	15"
J1019-18	18"
J1019-24	24"



Cat. No.	Length
Right Hinged	
J1018-15	15"
J1018-18	18"
J1018-24	24"



Cat. No.	Length
J1005-30	30"
J1005-36	36"
J1005-42	42"



Cat. No.	Length
J1006-30	30"
J1006-36	36"
J1006-42	42"

Since ICI Scientific's inception, we have installed thousands of laboratory projects in sectors ranging from higher education, K-12, medical, pharmaceutical, industrial, and more. Our manufacturing culture of craftsmanship & design has driven the success of our laboratory projects since 1951. Experience shows through our quality.

Laboratory Products from ICI Scientific:



Steel Casework



Fume Hoods



Adaptable Furniture



Wood Casework



World Headquarters
1865 Highway 641 North
Paris, TN 38242-8814
Phone: 731-642-4251