



**Painted Steel Laboratory Furniture**

**Trust • Create • Discover**



## History - Since 1951

Institutional Casework Inc. (ICI Scientific) is uniquely positioned to serve your complete project needs from steel, stainless steel, or custom wood laboratory and science casework to equipment, fixtures, work surfaces and fumes hoods.

ICI is privately owned, ensuring a primary focus on quality. This focus enables us to build a strong connection with our customers, employees, distributors and suppliers.

Introducing ICI Scientific - specifically designed and positioned to meet the requirements of Tier One laboratory specifications. ICI Scientific brings your preliminary concept to life; assisting from design through installation in partnership with our world-wide distributor network; delivering post-sale service and support through the lifetime of our products.

ICI Scientific is your single source for a complete laboratory. With brands steeped in a rich history, ICI Scientific is uniquely positioned to provide the complete laboratory project. Being privately owned, we ensure our primary focus is on quality, without the distraction of fluctuating stocks. We are focused on building a strong connection with employees, dealers, distributors, customers and end users.

All levels of laboratories and learning environments are created at ICI through flexibility, function, innovation and design.

## American Made

ICI's multiple manufacturing facilities comprise 450,000 sq. ft. with 250 associates; ICI Scientific is a global provider of American Made products.



# Table of Contents




| Category                            | Page Numbers |
|-------------------------------------|--------------|
| Standard Construction Details       | 4-6          |
| CornerStone Cabinet Styles          | 7            |
| Steel Cabinet Information           | 8            |
| CornerStone Color Options           | 9            |
| Steel Sitting Height Base Cabinets  | 10-22        |
| Steel ADA Height Base Cabinets      | 23-34        |
| Steel Standing Height Base Cabinets | 35-48        |
| Steel Wall Cabinets                 | 49-86        |
| Steel Tall Cabinets                 | 87-97        |
| Steel Base Cabinet Fillers          | 98           |
| Steel Knee Space Panels             | 99           |
| Steel Wall Cabinet Fillers          | 100-101      |
| Steel Tall Cabinet Fillers          | 102          |
| Steel Accessories                   | 103-108      |
| Steel Suspended Cabinets            | 109-116      |
| Steel Mobile Cabinets               | 117-122      |
| Steel Table Frames                  | 123-124      |
| Steel Table Assemblies              | 125-126      |
| Steel Legs                          | 127-131      |
| Stainless Steel Sinks               | 132-133      |
| Lab References and Standards        | 134-135      |



# Standard Construction Detail

## Base Cabinet Construction




### Standard Product Features

- Modular design allows for simple field conversion from inset to overlay, door and drawer re-configurations and hardware component changes.
- Durable construction provides SEFA 8 Metal compliant load-bearing capacity for years of dependable usage.
- Flush overlay styling in steel or wood fronts; inset styling offered in steel
- 16 standard steel colors; urethane powder coating provides reliable chemical and abrasion resistance.
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes
- SEFA 8 Metal tested and approved by an independent third party.
- Manual, soft-closing
- File drawer suspension available - both 100 and 150 lb. capacity.
- Mobile interlock drawers 100 lb. capacity.


| Drawer Mod Code | Drawer Head Height |
|-----------------|--------------------|
| 3M              | 3.649"             |
| 4M              | 4.909"             |
| 6M              | 7.429"             |
| 8M              | 9.949"             |
| 9M              | 11.209"            |
| 10M             | 12.469"            |
| Door Mod Code   | Door Height        |
| 15M             | 18.769"            |
| 18M             | 22.549"            |
| 20M             | 25.069"            |
| 22M             | 27.589"            |
| 24M             | 30.109"            |
| 28M             | 35.149"            |
| 33M             | 40.189"            |
| 38M             | 47.749"            |
| 63M             | 79.249"            |

## Wall Cabinet Construction




### Standard Features

- 18 gauge steel cabinet top
- 20 gauge steel shelf
- 18 gauge steel cabinet side
- Rubber door bumpers, 4 each door
- Nylon roller catch
- 18 gauge steel cabinet bottom
- Zinc plated adjustable shelf clip
- Shelf clip mounting slots
- 18 gauge stile
- 20 gauge reinforcing channel, 1 each door
- 5 knuckle stainless steel hinges, 2 each door
- 11 gauge steel corner gusset, 4 each cabinet
- All wall cabinets furnished with a hanging rail
- Rear fillers are required at end of wall cabinet runs and sold separately
- Flush overlay wood fronts available in red oak, white maple and bamboo, with multiple veneer cuts and seven stain finishes



# Standard Construction Detail

## Tall Cabinet Construction



### Standard Door Features

- 20 gauge interior and 18 gauge exterior panels
- Interior filled with sound deadening material
- 14 gauge steel reinforcement added at hinge locations
- 20 gauge horizontal reinforcement channel, one each door
- 3/4" thick veneer clad particleboard core with 3mm thick veneer edge banding in red oak, white maple, bamboo or other exotic veneers
- Door equipped with nylon roller catch
- Double doors with locks feature elbow catch on left door
- Stainless steel 2 3/4", 5 knuckle institutional hinges (2 per base unit and wall case door, 3 per upper and tall case door)

# CornerStone Cabinet Styles

Whether your laboratory is in a university or research facility, ICI Scientific Steel Casework will provide a lifetime of strength and beauty.

- **Design Options:** Three distinct designs allow you to tailor the appearance of your laboratory. All cabinet component parts of the sectional units are manufactured ensuring uniformity, interchangeability and accurate alignment
- **Field Convertible:** This design allows for conversion of cabinet door and drawer front styles, drawer suspension and cabinet horizontal and vertical rails, with use of simple hand tools.

## **Inset Steel**

Provides slimline styling for your laboratory



## **Full Flush Overlay Steel**

Offers a current, updated design



## **Full Flush Overlay Vertical Grain Match Wood**

Combines the strength of steel and the aesthetics of wood



# Steel Cabinet Information

## Catalog Number Explanation

| Code | Description                                  |
|------|----------------------------------------------|
| R    | Recessed Pulls                               |
| L    | With Locks                                   |
| JUP  | Flush Overlay Painted Steel Fronts           |
| JTP  | Inset painted Steel Fronts and Open Cabinets |
| JVP  | Flush Overlay Alternate Fronts               |
| J    | All Filler, Frames and Tables                |
| K    | Locks with Security Panels                   |
| FB   | Finished Back                                |
| CK   | Conversion Kit                               |
| LC   | Conversion Kit with Locks                    |

| Code   | Description                                                             |
|--------|-------------------------------------------------------------------------|
| Pulls  |                                                                         |
| W1     | Stainless Steel 4" O.C. Wire Pull                                       |
| W2     | Chrome Plated 4" O.C. Wire Pull                                         |
| W3     | Aluminum 4" O.C. Wire Pull (Standard)                                   |
| R2     | Black Plastic Recessed (Standard)                                       |
| R3     | Chameleon Plastic Recessed                                              |
| R4     | Sliding Black Plastic Recessed                                          |
| R7     | Stainless Steel Recessed                                                |
| Slides |                                                                         |
| SLIDE1 | 100 lb. Full Extension (Standard)                                       |
| SLIDE3 | 100 lb. Soft Close Full Extension                                       |
| SLIDE5 | 150 lb. Full Extension                                                  |
| SLIDE6 | 150 lb. Soft Close Full Extension                                       |
| SLIDE7 | Mobile Interlock Slide (not available in 150lb extension or soft close) |
| Glass  |                                                                         |
| LAM    | Laminated Glass                                                         |
| TMP    | Tempered Glass                                                          |
| FLT    | Float Glass (Standard)                                                  |

### Inset Examples

| Catalog Number | Description                                          |
|----------------|------------------------------------------------------|
| JTP176-18      | Base Cabinet, Sitting Height, 1 LH Door              |
| JKSH-ADJ       | Knee Space Panel, Adjustable to 48", Standing Height |
| JTP181-30      | Sink Cabinet, 2 Door                                 |
| JTP201-2416    | Wall Cabinet, 16" Deep, Open Face                    |
| JTP203-3016    | Wall Cabinet, 16" Deep, 2 Solid Swinging Doors       |
| JFRL-06        | Rear Base Cabinet Filler, Sitting Height, 6" Wide    |
| JKSL-36        | Knee Space Panel, Sitting Height 36" Wide            |


### Flush Overlay Metal Front Examples

| Catalog Number | Description                                                         |
|----------------|---------------------------------------------------------------------|
| JUP307-42      | Tall Cabinet, 22" Deep, 42" Wide, 2 Glass Swinging Doors            |
| JUP232-306L    | Wall Cabinet, 16" Deep, 30" Wide, 2 Solid Swinging Doors with Locks |
| JUP125-18L     | Base Cabinet, Standing Height, 3 Drawer with Locks                  |

### Flush Overlay Non-Metal Front Examples

| Catalog Number | Description                                                        |
|----------------|--------------------------------------------------------------------|
| JVP106-48      | Base Cabinet, Standing Height, 2 Door 2 Drawer, 48" Wide           |
| JVP206-48      | Wall Cabinet, 12" Deep, 2 Glass Swinging Doors                     |
| JVP232-306T    | Wall Cabinet 16" Deep, 2 Solid Swinging Doors with Locks           |
| JVP196-18T     | Base Cabinet, Standing Height, 1 LH Door, Recessed Pull with Locks |

## CornerStone Color Options




Some of our more popular “two tone” selections are shown on each side. The top is the cabinet color and the bottom color represents doors and drawer faces. Note the option of wood doors/drawer faces. We offer “two tones” and “textured” at an additional cost; but limit two colors per project.

Please request samples from your ICI Dealer.

If you select a color other than these standards, ICI will match your selection. Check with your ICI Dealer since we have hundreds of color formulas on file. Your ICI Dealer will confirm availability and advise should there be an up-charge.



\*Slate gray is available without texture. All colors are available with texture.

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet





## Open Cabinets



| Cat. No. | Length |
|----------|--------|
| J161-12  | 12"    |
| J161-15  | 15"    |
| J161-18  | 18"    |
| J161-21  | 21"    |
| J161-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J161-30  | 30" L  |
| J161-36  | 36" L  |
| J161-42  | 42" L  |
| J161-48  | 48" L  |

## Door Cabinets







| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J176-12     | 12"    |
| J176-15     | 15"    |
| J176-18     | 18"    |
| J176-21     | 21"    |
| J176-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J175-12      | 12"    |
| J175-15      | 15"    |
| J175-18      | 18"    |
| J175-21      | 21"    |
| J175-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J163-30  | 30"    |
| J163-36  | 36"    |
| J163-42  | 42"    |
| J163-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J160-30  | 30"    |
| J160-36  | 36"    |
| J160-42  | 42"    |
| J160-48  | 48"    |

## Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J071-15  | 15"    |
| J071-18  | 18"    |
| J071-21  | 21"    |
| J071-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J070-15  | 15"    |
| J070-18  | 18"    |
| J070-21  | 21"    |
| J070-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J174-15  | 15"    |
| J174-18  | 18"    |
| J174-21  | 21"    |
| J174-24  | 24"    |


| Cat. No. | Length |
|----------|--------|
| J174-30  | 30"    |
| J174-36  | 36"    |
| J174-42  | 42"    |
| J174-48  | 48"    |

# Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J172-15  | 15"    |
| J172-18  | 18"    |
| J172-21  | 21"    |
| J172-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J172-30  | 30"    |
| J172-36  | 36"    |
| J172-42  | 42"    |
| J172-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J173-15  | 15"    |
| J173-18  | 18"    |
| J173-21  | 21"    |
| J173-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J173-30  | 30"    |
| J173-36  | 36"    |
| J173-42  | 42"    |
| J173-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J178-30  | 30"    |
| J178-36  | 36"    |
| J178-42  | 42"    |
| J178-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J179-30  | 30"    |
| J179-36  | 36"    |
| J179-42  | 42"    |
| J179-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J180-30  | 30"    |
| J180-36  | 36"    |
| J180-42  | 42"    |
| J180-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J086-30  | 30"    |
| J086-36  | 36"    |
| J086-42  | 42"    |
| J086-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J087-30  | 30" L  |
| J087-36  | 36" L  |
| J087-42  | 42" L  |
| J087-48  | 48" L  |



| Cat. No. | Length |
|----------|--------|
| J088-30  | 30" L  |
| J088-36  | 36" L  |
| J088-42  | 42" L  |
| J088-48  | 48" L  |




| Cat. No. | Length |
|----------|--------|
| J089-30  | 30" L  |
| J089-36  | 36" L  |
| J089-42  | 42" L  |
| J089-48  | 48" L  |






| Cat. No. | Length |
|----------|--------|
| J090-30  | 30" L  |
| J090-36  | 36" L  |
| J090-42  | 42" L  |
| J090-48  | 48" L  |

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Drawer Cabinets







| Cat. No. | Length |
|----------|--------|
| J022-15* | 15"    |
| J022-18* | 18"    |
| J022-21* | 21"    |
| J022-24* | 24"    |

| Cat. No. | Length |
|----------|--------|
| J022-30* | 30"    |
| J022-36* | 36"    |
| J022-42* | 42"    |
| J022-48* | 48"    |

| Cat. No. | Length |
|----------|--------|
| J039-15* | 15"    |
| J039-18* | 18"    |
| J039-21* | 21"    |
| J039-24* | 24"    |

| Cat. No. | Length |
|----------|--------|
| J039-30* | 30"    |
| J039-36* | 36"    |
| J039-42* | 42"    |
| J039-48* | 48"    |

## Combination Cabinets







| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J169-15     | 15"    |
| J169-18     | 18"    |
| J169-21     | 21"    |
| J169-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J168-15      | 15"    |
| J168-18      | 18"    |
| J168-21      | 21"    |
| J168-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J165-30  | 30"    |
| J165-36  | 36"    |
| J165-42  | 42"    |
| J165-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J166-30  | 30"    |
| J166-36  | 36"    |
| J166-42  | 42"    |
| J166-48  | 48"    |



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J072-30       | 30"    |
| J072-36       | 36"    |
| J072-42       | 42"    |
| J072-48       | 48"    |


| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J073-30      | 30"    |
| J073-36      | 36"    |
| J073-42      | 42"    |
| J073-48      | 48"    |

| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J074-30       | 30"    |
| J074-36       | 36"    |
| J074-42       | 42"    |
| J074-48       | 48"    |

| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J075-30      | 30"    |
| J075-36      | 36"    |
| J075-42      | 42"    |
| J075-48      | 48"    |


\*Custom height drawers. Only available on this cabinet

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Combination Cabinets




### Cat. No. Length Right Cabinet

|         |     |
|---------|-----|
| J076-30 | 30" |
| J076-36 | 36" |
| J076-42 | 42" |
| J076-48 | 48" |

### Cat. No. Length Left Cabinet




|         |     |
|---------|-----|
| J077-30 | 30" |
| J077-36 | 36" |
| J077-42 | 42" |
| J077-48 | 48" |

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink supports sold separately



## Sink Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J092-12     | 12"    |
| J092-15     | 15"    |
| J092-18     | 18"    |
| J092-21     | 21"    |
| J092-24     | 24"    |


| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J091-12      | 12"    |
| J091-15      | 15"    |
| J091-18      | 18"    |
| J091-21      | 21"    |
| J091-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J093-30  | 30"    |
| J093-36  | 36"    |
| J093-42  | 42"    |
| J093-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J093-60  | 60" L  |

| Cat. No. | Length |
|----------|--------|
| J094-52  | 52" L  |
| J094-58  | 58" L  |
| J094-60  | 60" L  |





Plan view of Sink Cabinet with  
Inset Doors




Plan view of Sink Cabinet with  
Overlay Door

# Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Open Corner Cabinet




Cat. No.  
Open Cabinet  
J095-32

## Corner Cabinet




Cat. No.  
Right Hinged  
J096-32




Cat. No.  
Right Hinged  
with 2 Shelves  
J097-32

# Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Corner Sink Cabinet



Cat. No.  
Right Hinged  
J096-SE




Plan view of Corner Sink Cabinet  
with Inset Door





Plan view of Corner Sink Cabinet  
with Overlay Door

## Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


### Dead End Cabinets



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J099-36       | 36"    |
| J099-42       | 42"    |
| J099-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J098-36      | 36"    |
| J098-42      | 42"    |
| J098-48      | 48"    |

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Fume Hood Base Cabinets - Removable Half Back




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J154-12     | 12"    |
| J154-15     | 15"    |
| J154-18     | 18"    |
| J154-21     | 21"    |
| J154-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J157-12      | 12"    |
| J157-15      | 15"    |
| J157-18      | 18"    |
| J157-21      | 21"    |
| J157-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J157-30  | 30"    |
| J157-36  | 36"    |
| J157-42  | 42"    |
| J157-48  | 48"    |




Plan view of Sink Cabinet with  
Inset Doors






Plan view of Sink Cabinet with  
Overlay Door

# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**

## Vacuum Pump Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J145-15     | 15"    |
| J145-18     | 18"    |
| J145-21     | 21"    |
| J145-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J146-15      | 15"    |
| J146-18      | 18"    |
| J146-21      | 21"    |
| J146-24      | 24"    |


| Cat. No. | Length |
|----------|--------|
| J146-30  | 30"    |
| J146-36  | 36"    |
| J146-42  | 42"    |
| J146-48  | 48"    |

# Steel Sitting Height Base Cabinets




- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


## Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J145-15-E   | 15"    |
| J145-18-E   | 18"    |
| J145-21-E   | 21"    |
| J145-24-E   | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J146-15-E    | 15"    |
| J146-18-E    | 18"    |
| J146-21-E    | 21"    |
| J146-24-E    | 24"    |


| Cat. No.  | Length |
|-----------|--------|
| J146-30-E | 30"    |
| J146-36-E | 36"    |
| J146-42-E | 42"    |
| J146-48-E | 48"    |

## Pump Carts




Sized assuming both doors open 180°

| Cat. No.  | For use with:    |
|-----------|------------------|
| JPVPC1316 | 18" wide cabinet |
| JPVPC1916 | 24" wide cabinet |
| JPVPC2516 | 30" wide cabinet |
| JPVPC3116 | 36" wide cabinet |
| JPVPC3716 | 42" wide cabinet |
| JPVPC4316 | 48" wide cabinet |






# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8" thick polyethylene
- Includes a chemical resistant 3/16" thick molded polyethylene lining with coved corners and a 2" lip at the front of the cabinet opening
- Must be used in collaboration with a FUMEHOOD-VK or other
- Includes ACID label


## Acid Storage Base Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J042-12     | 12"    |
| J042-18     | 18"    |
| J042-24     | 24"    |


| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J041-12      | 12"    |
| J041-18      | 18"    |
| J041-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J041-30  | 30" L  |
| J041-36  | 36" L  |
| J041-42  | 42" L  |
| J041-48  | 48" L  |



Inside View Acid Cabinet




# Steel Sitting Height Base Cabinets



- Sitting Height Cabinets are 27.5625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection
- Slam latch handle shown

## Flammable Storage Base Cabinets - Slam Latch

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.



| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Left Hinged</b>       |        |
| <b>Slam Latch Handle</b> |        |

J044-18SL 18"  
J044-24SL 24"

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

J044-18SLA 18"  
J044-24SLA 24"

|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

J044-18SLAS 18"  
J044-24SLAS 24"

| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Right Hinged</b>      |        |
| <b>Slam Latch Handle</b> |        |

J043-18SL 18"  
J043-24SL 24"

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

J043-18SLA 18"  
J043-24SLA 24"

|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

J043-18SLAS 18"  
J043-24SLAS 24"

| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Slam Latch Handle</b> |        |

J043-30SL 30"  
J043-36SL 36"  
J043-42SL 42"  
J043-48SL 48"

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

J043-30SLA 30"  
J043-36SLA 36"  
J043-42SLA 42"  
J043-48SLA 48"


|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

J043-30SLAS 30"  
J043-36SLAS 36"  
J043-42SLAS 42"  
J043-48SLAS 48"

|                                                                                        |  |
|----------------------------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors</b> |  |
|----------------------------------------------------------------------------------------|--|



J043-30SLASY 30"  
J043-36SLASY 36"  
J043-42SLASY 42"  
J043-48SLASY 48"

# Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet





## Open Base Cabinets



| Cat. No. | Length |
|----------|--------|
| J901-12  | 12"    |
| J901-15  | 15"    |
| J901-18  | 18"    |
| J901-21  | 21"    |
| J901-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J901-30  | 30"    |
| J901-36  | 36"    |
| J901-42  | 42"    |
| J901-48  | 48"    |

## Door Base Cabinets






| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J996-12     | 12"    |
| J996-15     | 15"    |
| J996-18     | 18"    |
| J996-21     | 21"    |
| J996-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J995-12      | 12"    |
| J995-15      | 15"    |
| J995-18      | 18"    |
| J995-21      | 21"    |
| J995-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J903-30  | 30"    |
| J903-36  | 36"    |
| J903-42  | 42"    |
| J903-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J900-30  | 30"    |
| J900-36  | 36"    |
| J900-42  | 42"    |
| J900-48  | 48"    |

## Drawer Base Cabinets




| Cat. No. | Length |
|----------|--------|
| J925-15  | 15"    |
| J925-18  | 18"    |
| J925-21  | 21"    |
| J925-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J999-15  | 15"    |
| J999-18  | 18"    |
| J999-21  | 21"    |
| J999-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J928-15  | 15"    |
| J928-18  | 18"    |
| J928-21  | 21"    |
| J928-24  | 24"    |


| Cat. No. | Length |
|----------|--------|
| J928-30  | 30"    |
| J928-36  | 36"    |
| J928-42  | 42"    |
| J928-48  | 48"    |

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Drawer Base Cabinets




| Cat. No. | Length |
|----------|--------|
| J930-15  | 15"    |
| J930-18  | 18"    |
| J930-21  | 21"    |
| J930-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J931-15  | 15"    |
| J931-18  | 18"    |
| J931-21  | 21"    |
| J931-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J931-30  | 30"    |
| J931-36  | 36"    |
| J931-42  | 42"    |
| J931-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J924-30  | 30"    |
| J924-36  | 36"    |
| J924-42  | 42"    |
| J924-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J934-30  | 30"    |
| J934-36  | 36"    |
| J934-42  | 42"    |
| J934-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J937-30  | 30"    |
| J937-36  | 36"    |
| J937-42  | 42"    |
| J937-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J927-30  | 30"    |
| J927-36  | 36"    |
| J927-42  | 42"    |
| J927-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J938-30  | 30"    |
| J938-36  | 36"    |
| J938-42  | 42"    |
| J938-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J949-12* | 12"    |
| J949-15* | 15"    |
| J949-18* | 18"    |
| J949-21* | 21"    |
| J949-24* | 24"    |



| Cat. No. | Length |
|----------|--------|
| J949-30* | 30"    |
| J949-36* | 36"    |
| J949-42* | 42"    |
| J949-48* | 48"    |




| Cat. No. | Length |
|----------|--------|
| J922-12* | 12"    |
| J922-15* | 15"    |
| J922-18* | 18"    |
| J922-21* | 21"    |
| J922-24* | 24"    |



| Cat. No. | Length |
|----------|--------|
| J922-30* | 30"    |
| J922-36* | 36"    |
| J922-42* | 42"    |
| J922-48* | 48"    |


\*Custom height drawers. Only available on this cabinet

# Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Drawer Base Cabinets



| Cat. No. | Length |
|----------|--------|
| J939-12* | 12"    |
| J939-15* | 15"    |
| J939-18* | 18"    |
| J939-21* | 21"    |
| J939-24* | 24"    |




| Cat. No. | Length |
|----------|--------|
| J939-30* | 30"    |
| J939-36* | 36"    |
| J939-42* | 42"    |
| J939-48* | 48"    |




| Cat. No. | Length |
|----------|--------|
| J926-15  | 15"    |
| J926-18  | 18"    |
| J926-21  | 21"    |
| J926-24  | 24"    |


## Combination Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J919-15     | 15"    |
| J919-18     | 18"    |
| J919-21     | 21"    |
| J919-24     | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J918-15      | 15"    |
| J918-18      | 18"    |
| J918-21      | 21"    |
| J918-24      | 24"    |




| Cat. No. | Length |
|----------|--------|
| J906-30  | 30"    |
| J906-36  | 36"    |
| J906-42  | 42"    |
| J906-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J905-30  | 30"    |
| J905-36  | 36"    |
| J905-42  | 42"    |
| J905-48  | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J948-30      | 30"    |
| J948-36      | 36"    |
| J948-42      | 42"    |
| J948-48      | 48"    |



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J917-30       | 30"    |
| J917-36       | 36"    |
| J917-42       | 42"    |
| J917-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J936-30      | 30"    |
| J936-36      | 36"    |
| J936-42      | 42"    |
| J936-48      | 48"    |



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J913-30       | 30"    |
| J913-36       | 36"    |
| J913-42       | 42"    |
| J913-48       | 48"    |


\*Custom height drawers. Only available on this cabinet

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Combination Base Cabinets




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J916-30      | 30"    |
| J916-36      | 36"    |
| J916-42      | 42"    |
| J916-48      | 48"    |



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J910-30       | 30"    |
| J910-36       | 36"    |
| J910-42       | 42"    |
| J910-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J935-30      | 30"    |
| J935-36      | 36"    |
| J935-42      | 42"    |
| J935-48      | 48"    |




| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J912-30       | 30"    |
| J912-36       | 36"    |
| J912-42       | 42"    |
| J912-48       | 48"    |

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports sold separately


## Sink Base Cabinets




| Cat. No.   | Length |
|------------|--------|
| J981ACC-36 | 36" L  |
| J981ACC-42 | 42" L  |
| J981ACC-48 | 48" L  |
| J981ACC-54 | 54" L  |




| Cat. No.   | Length |
|------------|--------|
| J981ACC-58 | 58" L  |
| J981ACC-60 | 60" L  |
| J981ACC-66 | 66" L  |
| J981ACC-72 | 72" L  |




Section View of ADA Sink Cabinet with sink




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J994-12     | 12"    |
| J994-15     | 15"    |
| J994-18     | 18"    |
| J994-21     | 21"    |
| J994-24     | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J993-12      | 12"    |
| J993-15      | 15"    |
| J993-18      | 18"    |
| J993-21      | 21"    |
| J993-24      | 24"    |




| Cat. No. | Length |
|----------|--------|
| J981-30  | 30"    |
| J981-36  | 36"    |
| J981-42  | 42"    |
| J981-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J981-60  | 60"    |



| Cat. No. | Length |
|----------|--------|
| J986-52  | 52"    |
| J986-58  | 58"    |
| J986-60  | 60"    |





Plan view of Sink Cabinet with Inset Doors




Plan view of Sink Cabinet with Overlay Door

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Open Corner Cabinet




**Cat. No.**  
**Open Cabinet**  
J997-32

## Corner Cabinet




**Cat. No.**  
**Right Hinged**  
J990-32




**Cat. No**  
**Right Hinged**  
**with 2 Shelves**  
J991-32

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Dead Corner Cabinets



| Cat. No. | Length |
|----------|--------|
| J998-36  | 36"    |
| J998-42  | 42"    |
| J998-48  | 48"    |


|         |     |
|---------|-----|
| J998-36 | 36" |
| J998-42 | 42" |
| J998-48 | 48" |



| Cat. No. | Length |
|----------|--------|
| J992-36  | 36"    |
| J992-42  | 42"    |
| J992-48  | 48"    |




|         |     |
|---------|-----|
| J992-36 | 36" |
| J992-42 | 42" |
| J992-48 | 48" |

# Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Fume Hood Base Cabinets - Removable Half Back




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J964-12     | 12"    |
| J964-15     | 15"    |
| J964-18     | 18"    |
| J964-21     | 21"    |
| J964-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J967-12      | 12"    |
| J967-15      | 15"    |
| J967-18      | 18"    |
| J967-21      | 21"    |
| J967-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J967-30  | 30"    |
| J967-36  | 36"    |
| J967-42  | 42"    |
| J967-48  | 48"    |




Plan view of Sink Cabinet with Inset Doors






Plan view of Sink Cabinet with Overlay Door

# Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**

## Vacuum Pump Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J954-15     | 15"    |
| J954-18     | 18"    |
| J954-21     | 21"    |
| J954-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J955-15      | 15"    |
| J955-18      | 18"    |
| J955-21      | 21"    |
| J955-24      | 24"    |


| Cat. No. | Length |
|----------|--------|
| J955-30  | 30"    |
| J955-36  | 36"    |
| J955-42  | 42"    |
| J955-48  | 48"    |

# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


## Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation with no doors or front panel




Elevation



Elevation with no doors or front panel



Elevation




Elevation with no doors or front panel

| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J954-15-E   | 15"    |
| J954-18-E   | 18"    |
| J954-21-E   | 21"    |
| J954-24-E   | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J955-15-E    | 15"    |
| J955-18-E    | 18"    |
| J955-21-E    | 21"    |
| J955-24-E    | 24"    |


| Cat. No.  | Length |
|-----------|--------|
| J955-30-E | 30"    |
| J955-36-E | 36"    |
| J955-42-E | 42"    |
| J955-48-E | 48"    |

## Pump Carts




Sized assuming both doors open 180°

| Cat. No.  | For use with:    |
|-----------|------------------|
| JPVPC1316 | 18" wide cabinet |
| JPVPC1916 | 24" wide cabinet |
| JPVPC2516 | 30" wide cabinet |
| JPVPC3116 | 36" wide cabinet |
| JPVPC3716 | 42" wide cabinet |
| JPVPC4316 | 48" wide cabinet |




# Steel ADA Height Base Cabinets




- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8" thick polyethylene
- They have a chemical resistant 3/16" thick molded polyethylene lining with coved corners and a 2" lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker


## Acid Storage Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J942-12     | 12"    |
| J942-18     | 18"    |
| J942-24     | 24"    |



| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J941-12      | 12"    |
| J941-18      | 18"    |
| J941-24      | 24"    |




| Cat. No. | Length |
|----------|--------|
| J941-30  | 30"    |
| J941-36  | 36"    |
| J941-42  | 42"    |
| J941-48  | 48"    |



Inside View Acid Cabinet




# Steel ADA Height Base Cabinets



- ADA Height Cabinets are 32.625" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

## Flammable Storage Base Cabinets - Slam Latch

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.



### Cat. No. Length Left Hinged Slam Latch Handle

|           |     |
|-----------|-----|
| J944-18SL | 18" |
| J944-24SL | 24" |

### Slam Latch Handle and Auto-closing Mechanism

|            |     |
|------------|-----|
| J944-18SLA | 18" |
| J944-24SLA | 24" |

### Slam Latch Handle, Auto-closing Mechanism and Fusible Links

|             |     |
|-------------|-----|
| J944-18SLAS | 18" |
| J944-24SLAS | 24" |

### Cat. No. Length Right Hinged Slam Latch Handle

|           |     |
|-----------|-----|
| J943-18SL | 18" |
| J943-24SL | 24" |

### Slam Latch Handle and Auto-closing Mechanism

|            |     |
|------------|-----|
| J943-18SLA | 18" |
| J943-24SLA | 24" |

### Slam Latch Handle, Auto-closing Mechanism and Fusible Links

|             |     |
|-------------|-----|
| J943-18SLAS | 18" |
| J943-24SLAS | 24" |

### Cat. No. Length Slam Latch Handle

|           |     |
|-----------|-----|
| J943-30SL | 30" |
| J943-36SL | 36" |
| J943-42SL | 42" |
| J943-48SL | 48" |

### Slam Latch Handle and Auto-closing Mechanism

|            |     |
|------------|-----|
| J943-30SLA | 30" |
| J943-36SLA | 36" |
| J943-42SLA | 42" |
| J943-48SLA | 48" |


### Slam Latch Handle, Auto-closing Mechanism and Fusible Links

|             |     |
|-------------|-----|
| J943-30SLAS | 30" |
| J943-36SLAS | 36" |
| J943-42SLAS | 42" |
| J943-48SLAS | 48" |

### Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors



|              |     |
|--------------|-----|
| J943-30SLASY | 30" |
| J943-36SLASY | 36" |
| J943-42SLASY | 42" |
| J943-48SLASY | 48" |

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet





## Open Base Cabinets



| Cat. No. | Length |
|----------|--------|
| J101-12  | 12"    |
| J101-15  | 15"    |
| J101-18  | 18"    |
| J101-21  | 21"    |
| J101-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J101-30  | 30"    |
| J101-36  | 36"    |
| J101-42  | 42"    |
| J101-48  | 48"    |

## Door Base Cabinets







| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J196-12     | 12"    |
| J196-15     | 15"    |
| J196-18     | 18"    |
| J196-21     | 21"    |
| J196-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J195-12      | 12"    |
| J195-15      | 15"    |
| J195-18      | 18"    |
| J195-21      | 21"    |
| J195-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J103-30  | 30"    |
| J103-36  | 36"    |
| J103-42  | 42"    |
| J103-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J100-30  | 30"    |
| J100-36  | 36"    |
| J100-42  | 42"    |
| J100-48  | 48"    |

## Drawer Base Cabinets




| Cat. No. | Length |
|----------|--------|
| J125-15  | 15"    |
| J125-18  | 18"    |
| J125-21  | 21"    |
| J125-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J126-15  | 15"    |
| J126-18  | 18"    |
| J126-21  | 21"    |
| J126-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J199-15  | 15"    |
| J199-18  | 18"    |
| J199-21  | 21"    |
| J199-24  | 24"    |


| Cat. No. | Length |
|----------|--------|
| J122-15  | 15"    |
| J122-18  | 18"    |
| J122-21  | 21"    |
| J122-24  | 24"    |

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Drawer Base Cabinets



| Cat. No. | Length |
|----------|--------|
| J128-15  | 15"    |
| J128-18  | 18"    |
| J128-21  | 21"    |
| J128-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J128-30  | 30"    |
| J128-36  | 36"    |
| J128-42  | 42"    |
| J128-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J130-15  | 15"    |
| J130-18  | 18"    |
| J130-21  | 21"    |
| J130-24  | 24"    |



| Cat. No. | Length |
|----------|--------|
| J130-30  | 30"    |
| J130-36  | 36"    |
| J130-42  | 42"    |
| J130-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J131-15  | 15"    |
| J131-18  | 18"    |
| J131-21  | 21"    |
| J131-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J131-30  | 30"    |
| J131-36  | 36"    |
| J131-42  | 42"    |
| J131-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J121-30  | 30"    |
| J121-36  | 36"    |
| J121-42  | 42"    |
| J121-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J124-30  | 30"    |
| J124-36  | 36"    |
| J124-42  | 42"    |
| J124-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J137-30  | 30"    |
| J137-36  | 36"    |
| J137-42  | 42"    |
| J137-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J129-30  | 30"    |
| J129-36  | 36"    |
| J129-42  | 42"    |
| J129-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J134-30  | 30"    |
| J134-36  | 36"    |
| J134-42  | 42"    |
| J134-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J123-30  | 30"    |
| J123-36  | 36"    |
| J123-42  | 42"    |
| J123-48  | 48"    |

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Drawer Base Cabinets




| Cat. No. | Length |
|----------|--------|
| J149-15  | 15"    |
| J149-18  | 18"    |
| J149-21  | 21"    |
| J149-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J149-30  | 30"    |
| J149-36  | 36"    |
| J149-42  | 42"    |
| J149-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J159-30  | 30"    |
| J159-36  | 36"    |
| J159-42  | 42"    |
| J159-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J127-30  | 30"    |
| J127-36  | 36"    |
| J127-42  | 42"    |
| J127-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J138-30  | 30"    |
| J138-36  | 36"    |
| J138-42  | 42"    |
| J138-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J139-30  | 30"    |
| J139-36  | 36"    |
| J139-42  | 42"    |
| J139-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J142-15* | 15"    |
| J142-18* | 18"    |
| J142-21* | 21"    |
| J142-24* | 24"    |




| Cat. No. | Length |
|----------|--------|
| J142-30* | 30"    |
| J142-36* | 36"    |
| J142-42* | 42"    |
| J142-48* | 48"    |



| Cat. No. | Length |
|----------|--------|
| J153-15  | 15"    |
| J153-18  | 18"    |


\*Custom height drawers. Only available on this cabinet

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Combination Base Cabinets




**Cat. No. Length**  
**Left Hinged**

|         |     |
|---------|-----|
| J119-15 | 15" |
| J119-18 | 18" |
| J119-21 | 21" |
| J119-24 | 24" |




**Cat. No. Length**  
**Right Hinged**

|         |     |
|---------|-----|
| J118-15 | 15" |
| J118-18 | 18" |
| J118-21 | 21" |
| J118-24 | 24" |




**Cat. No. Length**

|         |     |
|---------|-----|
| J105-30 | 30" |
| J105-36 | 36" |
| J105-42 | 42" |
| J105-48 | 48" |




**Cat. No. Length**

|         |     |
|---------|-----|
| J106-30 | 30" |
| J106-36 | 36" |
| J106-42 | 42" |
| J106-48 | 48" |




**Cat. No. Length**  
**Left Hinged**

|         |     |
|---------|-----|
| J133-15 | 15" |
| J133-18 | 18" |
| J133-21 | 21" |
| J133-24 | 24" |




**Cat. No. Length**  
**Right Hinged**

|         |     |
|---------|-----|
| J132-15 | 15" |
| J132-18 | 18" |
| J132-21 | 21" |
| J132-24 | 24" |




**Cat. No. Length**

|         |     |
|---------|-----|
| J108-30 | 30" |
| J108-36 | 36" |
| J108-42 | 42" |
| J108-48 | 48" |




**Cat. No. Length**  
**Left Cabinet**

|         |     |
|---------|-----|
| J148-30 | 30" |
| J148-36 | 36" |
| J148-42 | 42" |
| J148-48 | 48" |




**Cat. No. Length**  
**Right Cabinet**

|         |     |
|---------|-----|
| J117-30 | 30" |
| J117-36 | 36" |
| J117-42 | 42" |
| J117-48 | 48" |



**Cat. No. Length**  
**Left Cabinet**


|         |     |
|---------|-----|
| J136-30 | 30" |
| J136-36 | 36" |
| J136-42 | 42" |
| J136-48 | 48" |



**Cat. No. Length**  
**Right Cabinet**


|         |     |
|---------|-----|
| J113-30 | 30" |
| J113-36 | 36" |
| J113-42 | 42" |
| J113-48 | 48" |

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Combination Base Cabinets




**Cat. No. Length**  
**Left Cabinet**

|         |     |
|---------|-----|
| J140-30 | 30" |
| J140-36 | 36" |
| J140-42 | 42" |
| J140-48 | 48" |




**Cat. No. Length**  
**Right Cabinet**

|         |     |
|---------|-----|
| J114-30 | 30" |
| J114-36 | 36" |
| J114-42 | 42" |
| J114-48 | 48" |




**Cat. No. Length**  
**Left Cabinet**

|         |     |
|---------|-----|
| J147-30 | 30" |
| J147-36 | 36" |
| J147-42 | 42" |
| J147-48 | 48" |




**Cat. No. Length**  
**Right Cabinet**

|         |     |
|---------|-----|
| J115-30 | 30" |
| J115-36 | 36" |
| J115-42 | 42" |
| J115-48 | 48" |




**Cat. No. Length**  
**Left Cabinet**

|         |     |
|---------|-----|
| J116-30 | 30" |
| J116-36 | 36" |
| J116-42 | 42" |
| J116-48 | 48" |




**Cat. No. Length**  
**Right Cabinet**

|         |     |
|---------|-----|
| J110-30 | 30" |
| J110-36 | 36" |
| J110-42 | 42" |
| J110-48 | 48" |




**Cat. No. Length**  
**Left Cabinet**

|         |     |
|---------|-----|
| J120-30 | 30" |
| J120-36 | 36" |
| J120-42 | 42" |
| J120-48 | 48" |




**Cat. No. Length**  
**Right Cabinet**

|         |     |
|---------|-----|
| J111-30 | 30" |
| J111-36 | 36" |
| J111-42 | 42" |
| J111-48 | 48" |



**Cat. No. Length**  
**Left Cabinet**


|         |     |
|---------|-----|
| J135-30 | 30" |
| J135-36 | 36" |
| J135-42 | 42" |
| J135-48 | 48" |



**Cat. No. Length**  
**Right Cabinet**


|         |     |
|---------|-----|
| J112-30 | 30" |
| J112-36 | 36" |
| J112-42 | 42" |
| J112-48 | 48" |

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sink Supports are sold separately


## Sink Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J194-12     | 12"    |
| J194-15     | 15"    |
| J194-18     | 18"    |
| J194-21     | 21"    |
| J194-24     | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J193-12      | 12"    |
| J193-15      | 15"    |
| J193-18      | 18"    |
| J193-21      | 21"    |
| J193-24      | 24"    |




| Cat. No. | Length |
|----------|--------|
| J181-30  | 30"    |
| J181-36  | 36"    |
| J181-42  | 42"    |
| J181-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J181-60  | 60"    |



| Cat. No. | Length |
|----------|--------|
| J186-52  | 52"    |
| J186-58  | 58"    |
| J186-60  | 60"    |





Plan view of Sink Cabinet with  
Inset Doors




Plan view of Sink Cabinet with  
Overlay Door

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Open Corner Cabinet




**Cat. No.**  
**Open Cabinet**  
J197-32

## Corner Cabinet




**Cat. No.**  
**Right Hinged**  
J190-32




**Cat. No.**  
**Right Hinged  
with 2 Shelves**  
J191-32

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Corner Sink Cabinet



Cat. No.  
Right Hinged  
J190-SE




Plan view of Corner Sink Cabinet  
with Inset Door





Plan view of Corner Sink Cabinet  
with Overlay Door

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Dead Corner Base Cabinets



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J198-36       | 36"    |
| J198-42       | 42"    |
| J198-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J192-36      | 36"    |
| J192-42      | 42"    |
| J192-48      | 48"    |

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection


## Fume Hood Base Cabinets - Removable Half Back




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J184-12     | 12"    |
| J184-15     | 15"    |
| J184-18     | 18"    |
| J184-21     | 21"    |
| J184-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J187-12      | 12"    |
| J187-15      | 15"    |
| J187-18      | 18"    |
| J187-21      | 21"    |
| J187-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J187-30  | 30"    |
| J187-36  | 36"    |
| J187-42  | 42"    |
| J187-48  | 48"    |
| J187-60  | 60"    |




Plan view of Sink Cabinet with Inset Doors






Plan view of Sink Cabinet with Overlay Door

# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**

## Vacuum Pump Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J177-15     | 15"    |
| J177-18     | 18"    |
| J177-21     | 21"    |
| J177-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J182-15      | 15"    |
| J182-18      | 18"    |
| J182-21      | 21"    |
| J182-24      | 24"    |


| Cat. No. | Length |
|----------|--------|
| J182-30  | 30"    |
| J182-36  | 36"    |
| J182-42  | 42"    |
| J182-48  | 48"    |

# Steel Standing Height Base Cabinets




- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Sound deadening material included
- Pump Cart sold separately
- Must be used in collaboration with a FUMEHOOD-VK or other vent kit
- **Vacuum pump cabinet doors include integral toe kick**


## Vacuum Pump Base Cabinets - Electrical




Elevation




Elevation




Elevation



Elevation with no doors or front panel



Elevation with no doors or front panel




Elevation with no doors or front panel

| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J177-15-E   | 15"    |
| J177-18-E   | 18"    |
| J177-21-E   | 21"    |
| J177-24-E   | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J182-15-E    | 15"    |
| J182-18-E    | 18"    |
| J182-21-E    | 21"    |
| J182-24-E    | 24"    |


| Cat. No.  | Length |
|-----------|--------|
| J182-30-E | 30"    |
| J182-36-E | 36"    |
| J182-42-E | 42"    |
| J182-48-E | 48"    |

## Pump Carts




Sized assuming both doors open 180°

| Cat. No.  | For use with:    |
|-----------|------------------|
| JPVPC1316 | 18" wide cabinet |
| JPVPC1916 | 24" wide cabinet |
| JPVPC2516 | 30" wide cabinet |
| JPVPC3116 | 36" wide cabinet |
| JPVPC3716 | 42" wide cabinet |
| JPVPC4316 | 48" wide cabinet |






# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- Includes one full depth phenolic shelf
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Cabinets have full height doors and are lined with 1/8" thick polyethylene
- They have a chemical resistant 3/16" thick molded polyethylene lining with coved corners and a 2" lip at the front of the cabinet opening
- Recommended to be used in collaboration with a FUMEHOOD-VK
- Includes ACID sticker

## Acid Storage Base Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J185-12     | 12"    |
| J185-18     | 18"    |
| J185-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J188-12      | 12"    |
| J188-18      | 18"    |
| J188-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J188-30  | 30"    |
| J188-36  | 36"    |
| J188-42  | 42"    |
| J188-48  | 48"    |




# Steel Standing Height Base Cabinets



- Standing Height Cabinets are 35.125" tall with leveling bolt zeroed out and 22" deep
- Lengths are as shown
- All door cabinets have 1 adjustable shelf
- Actual product dimensions may vary slightly due to style and hardware selection

## Flammable Storage Base Cabinets - Slam Latch

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.




| Cat. No.                                                    | Length |
|-------------------------------------------------------------|--------|
| <b>Left Hinged</b>                                          |        |
| Slam Latch Handle                                           |        |
| J183-18SL                                                   | 18"    |
| J183-24SL                                                   | 24"    |
| Slam Latch Handle and Auto-closing Mechanism                |        |
| J183-18SLA                                                  | 18"    |
| J183-24SLA                                                  | 24"    |
| Slam Latch Handle, Auto-closing Mechanism and Fusible Links |        |
| J183-18SLAS                                                 | 18"    |
| J183-24SLAS                                                 | 24"    |

| Cat. No.                                                    | Length |
|-------------------------------------------------------------|--------|
| <b>Right Hinged</b>                                         |        |
| Slam Latch Handle                                           |        |
| J189-18SL                                                   | 18"    |
| J189-24SL                                                   | 24"    |
| Slam Latch Handle and Auto-closing Mechanism                |        |
| J189-18SLA                                                  | 18"    |
| J189-24SLA                                                  | 24"    |
| Slam Latch Handle, Auto-closing Mechanism and Fusible Links |        |
| J189-18SLAS                                                 | 18"    |
| J189-24SLAS                                                 | 24"    |


| Cat. No.                                                                               | Length |
|----------------------------------------------------------------------------------------|--------|
| <b>Slam Latch Handle</b>                                                               |        |
| J189-30SL                                                                              | 30"    |
| J189-36SL                                                                              | 36"    |
| J189-42SL                                                                              | 42"    |
| J189-48SL                                                                              | 48"    |
| <b>Slam Latch Handle and Auto-closing Mechanism</b>                                    |        |
| J189-30SLA                                                                             | 30"    |
| J189-36SLA                                                                             | 36"    |
| J189-42SLA                                                                             | 42"    |
| J189-48SLA                                                                             | 48"    |
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b>                     |        |
| J189-30SLAS                                                                            | 30"    |
| J189-36SLAS                                                                            | 36"    |
| J189-42SLAS                                                                            | 42"    |
| J189-48SLAS                                                                            | 48"    |
| <b>Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors</b> |        |
| J189-30SLASY                                                                           | 30"    |
| J189-36SLASY                                                                           | 36"    |
| J189-42SLASY                                                                           | 42"    |
| J189-48SLASY                                                                           | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet

## 19.298" High Wall Cabinet - Open Cabinet




| 13" Deep | Cat. No. | 16" Deep  | Length |
|----------|----------|-----------|--------|
|          |          |           |        |
| J268-15  |          | J268-1516 | 15"    |
| J268-18  |          | J268-1816 | 18"    |
| J268-21  |          | J268-2116 | 21"    |
| J268-24  |          | J268-2416 | 24"    |

## 25.598" High Wall Cabinet - Open Cabinet




| 13" Deep | Cat. No. | 16" Deep  | Length |
|----------|----------|-----------|--------|
|          |          |           |        |
| J228-15  |          | J228-1516 | 15"    |
| J228-18  |          | J228-1816 | 18"    |
| J228-21  |          | J228-2116 | 21"    |
| J228-24  |          | J228-2416 | 24"    |

## 30.638" High Wall Cabinet - Open Cabinet




| 13" Deep | Cat. No. | 16" Deep  | Length |
|----------|----------|-----------|--------|
|          |          |           |        |
| J201-15  |          | J201-1516 | 15"    |
| J201-18  |          | J201-1816 | 18"    |
| J201-21  |          | J201-2116 | 21"    |
| J201-24  |          | J201-2416 | 24"    |

## 35.678" High Wall Cabinet - Open Cabinet




| 13" Deep | Cat. No. | 16" Deep  | Length |
|----------|----------|-----------|--------|
|          |          |           |        |
| J238-15  |          | J238-1516 | 15"    |
| J238-18  |          | J238-1816 | 18"    |
| J238-21  |          | J238-2116 | 21"    |
| J238-24  |          | J238-2416 | 24"    |

# Steel Wall Cabinets



- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet

## 41.978" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J248-15  | J248-1516 | 15"    |
| J248-18  | J248-1816 | 18"    |
| J248-21  | J248-2116 | 21"    |
| J248-24  | J248-2416 | 24"    |

## 48.278" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J258-15  | J258-1516 | 15"    |
| J258-18  | J258-1816 | 18"    |
| J258-21  | J258-2116 | 21"    |
| J258-24  | J258-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet

## 19.298" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J268-30  | J268-3016 | 30"    |
| J268-36  | J268-3616 | 36"    |
| J268-42  | J268-4216 | 42"    |
| J268-48  | J268-4816 | 48"    |

## 25.598" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J228-30  | J228-3016 | 30"    |
| J228-36  | J228-3616 | 36"    |
| J228-42  | J228-4216 | 42"    |
| J228-48  | J228-4816 | 48"    |

## 30.638" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J201-30  | J201-3016 | 30"    |
| J201-36  | J201-3616 | 36"    |
| J201-42  | J201-4216 | 42"    |
| J201-48  | J201-4816 | 48"    |

## 35.678" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J238-30  | J238-3016 | 30"    |
| J238-36  | J238-3616 | 36"    |
| J238-42  | J238-4216 | 42"    |
| J238-48  | J238-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Open face cabinets can not be re-configured in to a door/drawer cabinet

## 41.978" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J248-30  | J248-3016 | 30"    |
| J248-36  | J248-3616 | 36"    |
| J248-42  | J248-4216 | 42"    |
| J248-48  | J248-4816 | 48"    |

## 48.278" High Wall Cabinet - Open Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J258-30  | J258-3016 | 30"    |
| J258-36  | J258-3616 | 36"    |
| J258-42  | J258-4216 | 42"    |
| J258-48  | J258-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 19.298" High Wall Cabinet - Solid Door Cabinet, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J260-15  | J260-1516 | 15"    |
| J260-18  | J260-1816 | 18"    |
| J260-21  | J260-2116 | 21"    |
| J260-24  | J260-2416 | 24"    |

## 25.598" High Wall Cabinet - Solid Door Cabinet, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J221-15  | J221-1516 | 15"    |
| J221-18  | J221-1816 | 18"    |
| J221-21  | J221-2116 | 21"    |
| J221-24  | J221-2416 | 24"    |

## 30.638" High Wall Cabinet - Solid Door Cabinet, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J217-15  | J217-1516 | 15"    |
| J217-18  | J217-1816 | 18"    |
| J217-21  | J217-2116 | 21"    |
| J217-24  | J217-2416 | 24"    |

## 35.678" High Wall Cabinet - Solid Door Cabinet, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J230-15  | J230-1516 | 15"    |
| J230-18  | J230-1816 | 18"    |
| J230-21  | J230-2116 | 21"    |
| J230-24  | J230-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 41.978" High Wall Cabinet - Solid Door Cabinet, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J240-15  | J240-1516 | 15"    |
| J240-18  | J240-1816 | 18"    |
| J240-21  | J240-2116 | 21"    |
| J240-24  | J240-2416 | 24"    |

## 48.278" High Wall Cabinet - Solid Door Cabinet, Right Hinged



| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J250-15  | J250-1516 | 15"    |
| J250-18  | J250-1816 | 18"    |
| J250-21  | J250-2116 | 21"    |
| J250-24  | J250-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 19.298" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J261-15  | J261-1516 | 15"    |
| J261-18  | J261-1816 | 18"    |
| J261-21  | J261-2116 | 21"    |
| J261-24  | J261-2416 | 24"    |

## 25.598" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J222-15  | J222-1516 | 15"    |
| J222-18  | J222-1816 | 18"    |
| J222-21  | J222-2116 | 21"    |
| J222-24  | J222-2416 | 24"    |

## 30.638" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J218-15  | J218-1516 | 15"    |
| J218-18  | J218-1816 | 18"    |
| J218-21  | J218-2116 | 21"    |
| J218-24  | J218-2416 | 24"    |

## 35.678" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J231-15  | J231-1516 | 15"    |
| J231-18  | J231-1816 | 18"    |
| J231-21  | J231-2116 | 21"    |
| J231-24  | J231-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 41.978" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J241-15  | J241-1516 | 15"    |
| J241-18  | J241-1816 | 18"    |
| J241-21  | J241-2116 | 21"    |
| J241-24  | J241-2416 | 24"    |

## 48.278" High Wall Cabinet - Solid Door Cabinet, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J251-15  | J251-1516 | 15"    |
| J251-18  | J251-1816 | 18"    |
| J251-21  | J251-2116 | 21"    |
| J251-24  | J251-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 19.298" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J262-30  | J262-3016 | 30"    |
| J262-36  | J262-3616 | 36"    |
| J262-42  | J262-4216 | 42"    |
| J262-48  | J262-4816 | 48"    |

## 25.598" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J220-30  | J220-3016 | 30"    |
| J220-36  | J220-3616 | 36"    |
| J220-42  | J220-4216 | 42"    |
| J220-48  | J220-4816 | 48"    |

## 30.638" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J203-30  | J203-3016 | 30"    |
| J203-36  | J203-3616 | 36"    |
| J203-42  | J203-4216 | 42"    |
| J203-48  | J203-4816 | 48"    |

## 35.678" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J232-30  | J232-3016 | 30"    |
| J232-36  | J232-3616 | 36"    |
| J232-42  | J232-4216 | 42"    |
| J232-48  | J232-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 41.978" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J242-30  | J242-3016 | 30"    |
| J242-36  | J242-3616 | 36"    |
| J242-42  | J242-4216 | 42"    |
| J242-48  | J242-4816 | 48"    |

## 48.278" High Wall Cabinet - Solid Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J252-30  | J252-3016 | 30"    |
| J252-36  | J252-3616 | 36"    |
| J252-42  | J252-4216 | 42"    |
| J252-48  | J252-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 19.298" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J263-15  | J263-1516 | 15"    |
| J263-18  | J263-1816 | 18"    |
| J263-21  | J263-2116 | 21"    |
| J263-24  | J263-2416 | 24"    |

## 25.598" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J223-15  | J223-1516 | 15"    |
| J223-18  | J223-1816 | 18"    |
| J223-21  | J223-2116 | 21"    |
| J223-24  | J223-2416 | 24"    |

## 30.638" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J210-15  | J210-1516 | 15"    |
| J210-18  | J210-1816 | 18"    |
| J210-21  | J210-2116 | 21"    |
| J210-24  | J210-2416 | 24"    |

## 35.678" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J233-15  | J233-1516 | 15"    |
| J233-18  | J233-1816 | 18"    |
| J233-21  | J233-2116 | 21"    |
| J233-24  | J233-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 41.978" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J243-15  | J243-1516 | 15"    |
| J243-18  | J243-1816 | 18"    |
| J243-21  | J243-2116 | 21"    |
| J243-24  | J243-2416 | 24"    |

## 48.278" High Wall Cabinet - Framed Glass Door, Right Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J253-15  | J253-1516 | 15"    |
| J253-18  | J253-1816 | 18"    |
| J253-21  | J253-2116 | 21"    |
| J253-24  | J253-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 19.298" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J264-15  | J264-1516 | 15"    |
| J264-18  | J264-1816 | 18"    |
| J264-21  | J264-2116 | 21"    |
| J264-24  | J264-2416 | 24"    |

## 25.598" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J224-15  | J224-1516 | 15"    |
| J224-18  | J224-1816 | 18"    |
| J224-21  | J224-2116 | 21"    |
| J224-24  | J224-2416 | 24"    |

## 30.638" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J211-15  | J211-1516 | 15"    |
| J211-18  | J211-1816 | 18"    |
| J211-21  | J211-2116 | 21"    |
| J211-24  | J211-2416 | 24"    |

## 35.678" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J234-15  | J234-1516 | 15"    |
| J234-18  | J234-1816 | 18"    |
| J234-21  | J234-2116 | 21"    |
| J234-24  | J234-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 41.978" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J244-15  | J244-1516 | 15"    |
| J244-18  | J244-1816 | 18"    |
| J244-21  | J244-2116 | 21"    |
| J244-24  | J244-2416 | 24"    |

## 48.278" High Wall Cabinet - Framed Glass Door, Left Hinged




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J254-15  | J254-1516 | 15"    |
| J254-18  | J254-1816 | 18"    |
| J254-21  | J254-2116 | 21"    |
| J254-24  | J254-2416 | 24"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 19.298" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J265-30  | J265-3016 | 30"    |
| J265-36  | J265-3616 | 36"    |
| J265-42  | J265-4216 | 42"    |
| J265-48  | J265-4816 | 48"    |

## 25.598" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J225-30  | J225-3016 | 30"    |
| J225-36  | J225-3616 | 36"    |
| J225-42  | J225-4216 | 42"    |
| J225-48  | J225-4816 | 48"    |

## 30.638" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J206-30  | J206-3016 | 30"    |
| J206-36  | J206-3616 | 36"    |
| J206-42  | J206-4216 | 42"    |
| J206-48  | J206-4816 | 48"    |

## 35.678" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J235-30  | J235-3016 | 30"    |
| J235-36  | J235-3616 | 36"    |
| J235-42  | J235-4216 | 42"    |
| J235-48  | J235-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 41.978" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J245-30  | J245-3016 | 30"    |
| J245-36  | J245-3616 | 36"    |
| J245-42  | J245-4216 | 42"    |
| J245-48  | J245-4816 | 48"    |

## 48.278" High Wall Cabinet - Framed Glass Door Cabinet




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J255-30  | J255-3016 | 30"    |
| J255-36  | J255-3616 | 36"    |
| J255-42  | J255-4216 | 42"    |
| J255-48  | J255-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 19.298" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J266-30  | J266-3016 | 30"    |
| J266-36  | J266-3616 | 36"    |
| J266-42  | J266-4216 | 42"    |
| J266-48  | J266-4816 | 48"    |

## 25.598" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J226-30  | J226-3016 | 30"    |
| J226-36  | J226-3616 | 36"    |
| J226-42  | J226-4216 | 42"    |
| J226-48  | J226-4816 | 48"    |

## 30.638" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J205-30  | J205-3016 | 30"    |
| J205-36  | J205-3616 | 36"    |
| J205-42  | J205-4216 | 42"    |
| J205-48  | J205-4816 | 48"    |

## 35.678" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J236-30  | J236-3016 | 30"    |
| J236-36  | J236-3616 | 36"    |
| J236-42  | J236-4216 | 42"    |
| J236-48  | J236-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## 41.978" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J246-30  | J246-3016 | 30"    |
| J246-36  | J246-3616 | 36"    |
| J246-42  | J246-4216 | 42"    |
| J246-48  | J246-4816 | 48"    |

## 48.278" High Wall Cabinet - Solid Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J256-30  | J256-3016 | 30"    |
| J256-36  | J256-3616 | 36"    |
| J256-42  | J256-4216 | 42"    |
| J256-48  | J256-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

## 19.298" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J267-30  | J267-3016 | 30"    |
| J267-36  | J267-3616 | 36"    |
| J267-42  | J267-4216 | 42"    |
| J267-48  | J267-4816 | 48"    |

## 25.598" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J227-30  | J227-3016 | 30"    |
| J227-36  | J227-3616 | 36"    |
| J227-42  | J227-4216 | 42"    |
| J227-48  | J227-4816 | 48"    |

## 30.638" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J219-30  | J219-3016 | 30"    |
| J219-36  | J219-3616 | 36"    |
| J219-42  | J219-4216 | 42"    |
| J219-48  | J219-4816 | 48"    |

## 35.678" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J237-30  | J237-3016 | 30"    |
| J237-36  | J237-3616 | 36"    |
| J237-42  | J237-4216 | 42"    |
| J237-48  | J237-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Frameless Glass Sliding Door Cabinets come standard with tempered glass

## 41.978" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J247-30  | J247-3016 | 30"    |
| J247-36  | J247-3616 | 36"    |
| J247-42  | J247-4216 | 42"    |
| J247-48  | J247-4816 | 48"    |

## 48.278" High Wall Cabinet - Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J257-30  | J257-3016 | 30"    |
| J257-36  | J257-3616 | 36"    |
| J257-42  | J257-4216 | 42"    |
| J257-48  | J257-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 19.298" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J269-30  | J269-3016 | 30"    |
| J269-36  | J269-3616 | 36"    |
| J269-42  | J269-4216 | 42"    |
| J269-48  | J269-4816 | 48"    |

## 25.598" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J229-30  | J229-3016 | 30"    |
| J229-36  | J229-3616 | 36"    |
| J229-42  | J229-4216 | 42"    |
| J229-48  | J229-4816 | 48"    |

## 30.638" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J208-30  | J208-3016 | 30"    |
| J208-36  | J208-3616 | 36"    |
| J208-42  | J208-4216 | 42"    |
| J208-48  | J208-4816 | 48"    |

## 35.678" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J239-30  | J239-3016 | 30"    |
| J239-36  | J239-3616 | 36"    |
| J239-42  | J239-4216 | 42"    |
| J239-48  | J239-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass

## 41.978" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J249-30  | J249-3016 | 30"    |
| J249-36  | J249-3616 | 36"    |
| J249-42  | J249-4216 | 42"    |
| J249-48  | J249-4816 | 48"    |

## 48.278" High Wall Cabinet - Framed Glass Sliding Doors




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J259-30  | J259-3016 | 30"    |
| J259-36  | J259-3616 | 36"    |
| J259-42  | J259-4216 | 42"    |
| J259-48  | J259-4816 | 48"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 25.598" High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J286-30  | J286-3016 | 30"    |

## 30.638" High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J287-30  | J287-3016 | 30"    |

## 35.678" High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J288-30  | J288-3016 | 30"    |

## 41.978" High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J202-30  | J202-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 48.278" High Wall Cabinet - Solid Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J289-30  | J289-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 25.598" High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J282-30  | J282-3016 | 30"    |

## 30.638" High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J283-30  | J283-3016 | 30"    |

## 35.678" High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J284-30  | J284-3016 | 30"    |

## 41.978" High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J200-30  | J200-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 48.278" High Wall Cabinet - Solid Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J285-30  | J285-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 25.598" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J294-30  | J294-3016 | 30"    |

## 30.638" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J295-30  | J295-3016 | 30"    |

## 35.678" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J296-30  | J296-3016 | 30"    |

## 41.978" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J299-30  | J299-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 48.278" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Right Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J297-30  | J297-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 25.598" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J290-30  | J290-3016 | 30"    |

## 30.638" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J291-30  | J291-3016 | 30"    |

## 35.678" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J292-30  | J292-3016 | 30"    |

## 41.978" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J298-30  | J298-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- When using 16" deep cabinet, the cabinet needs to be offset 3" from the wall. A filler is recommended.

## 48.278" High Wall Cabinet - Framed Glass Door Dead End Cabinet, Left Hinge




| Cat. No. |           | Length |
|----------|-----------|--------|
| 13" Deep | 16" Deep  |        |
| J293-30  | J293-3016 | 30"    |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall  $\frac{3}{4}$ " in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View

16" Deep Corner Wall Cabinet

## 25.598" High Wall Cabinet - Open Cabinet




### Cat. No.

**13" Deep**  
J270-25

**16" Deep**  
J270-2516

## 30.638" High Wall Cabinet - Open Cabinet




### Cat. No.

**13" Deep**  
J271-25

**16" Deep**  
J271-2516

## 35.678" High Wall Cabinet - Open Cabinet




### Cat. No.

**13" Deep**  
J272-25

**16" Deep**  
J272-2516

## 41.978" High Wall Cabinet - Open Cabinet




### Cat. No.


**13" Deep**  
J204-25

**16" Deep**  
J204-2516

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4" in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View


16" Deep Corner Wall Cabinet

## 48.278" High Wall Cabinet - Open Cabinet




| Cat. No. |           |
|----------|-----------|
| 13" Deep | 16" Deep  |
| J273-25  | J273-2516 |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall  $\frac{3}{4}$ " in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View

16" Deep Corner Wall Cabinet

## 25.598" High Wall Cabinet - Solid Door, Right Hinge Only




### Cat. No.

**13" Deep**  
J274-25

**16" Deep**  
J274-2516

## 30.638" High Wall Cabinet - Solid Door, Right Hinge Only




### Cat. No.

**13" Deep**  
J275-25

**16" Deep**  
J275-2516

## 35.678" High Wall Cabinet - Solid Door, Right Hinge Only




### Cat. No.

**13" Deep**  
J276-25

**16" Deep**  
J276-2516

## 41.978" High Wall Cabinet - Solid Door, Right Hinge Only




### Cat. No.


**13" Deep**  
J207-25

**16" Deep**  
J207-2516

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Corner wall cabinets are offset from the wall 3/4" in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View


16" Deep Corner Wall Cabinet

## 48.278" High Wall Cabinet - Solid Door, Right Hinge Only




| Cat. No. |           |
|----------|-----------|
| 13" Deep | 16" Deep  |
| J277-25  | J277-2516 |

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall  $\frac{3}{4}$ " in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View

16" Deep Corner Wall Cabinet

## 25.598" High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.

13" Deep  
J278-25

16" Deep  
J278-2516

## 30.638" High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.

13" Deep  
J279-25

16" Deep  
J279-2516

## 35.678" High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.

13" Deep  
J280-25

16" Deep  
J280-2516

## 41.978" High Wall Cabinet - Solid Door, Right Hinge Only




Cat. No.


13" Deep  
J209-25

16" Deep  
J209-2516

# Steel Wall Cabinets




- Wall Cabinets vary in depth and height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Wall Cabinets come standard with float glass
- Corner wall cabinets are offset from the wall 3/4" in both directions, due to hanger bracket



Plan View


13" Deep Corner Wall Cabinet



Plan View


16" Deep Corner Wall Cabinet

## 48.278" High Wall Cabinet - Solid Door, Right Hinge Only




| Cat. No. |           |
|----------|-----------|
| 13" Deep | 16" Deep  |
| J281-25  | J281-2516 |

# Steel Wall Cabinets




- Pass Thru wall cabinets are 30.638" tall
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Glass Sliding Door Wall Cabinets come standard with float glass

## 30.638" High Wall Cabinet - Solid Swinging Door Pass-Thru Cabinets




| Cat. No.   |              | Length |
|------------|--------------|--------|
| 13" Deep   | 16" Deep     |        |
| JTPT203-30 | JTPT203-3016 | 30"    |
| JTPT203-36 | JTPT203-3616 | 36"    |
| JTPT203-42 | JTPT203-4216 | 42"    |
| JTPT203-48 | JTPT203-4816 | 48"    |

## 30.638" High Wall Cabinet - Glass Sliding Door Pass-Thru Cabinets




| Cat. No.   |              | Length |
|------------|--------------|--------|
| 13" Deep   | 16" Deep     |        |
| JTPT219-30 | JTPT219-3016 | 30"    |
| JTPT219-36 | JTPT219-3616 | 36"    |
| JTPT219-42 | JTPT219-4216 | 42"    |
| JTPT219-48 | JTPT219-4816 | 48"    |

# Steel Wall Cabinets



- (2) mirrored interior sides
- (1) UV Light, ensures up to a 99.2% kill rate of germs, bacteria, mold, fungus and virus contaminants from eye wear surfaces.
- (8) adjustable shelves each hole up to (5) goggles or (6) safety glasses
- Lock prevents accidental exposure to UV rays and secures storage
- Timer control with 4 settings (2 minute, 5 minute, 10 minute and 15 minute)
- Goggles and glasses not included

## Goggle Cabinet




| Cat. No.    | Dimensions |
|-------------|------------|
| JTP614-240L | 24" x 34"  |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Open Cabinet




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J351-18  | J338-18  | J301-18  | J348-18  | 18"    |
| J351-24  | J338-24  | J301-24  | J348-24  | 24"    |
| J351-30  | J338-30  | J301-30  | J348-30  | 30"    |
| J351-36  | J338-36  | J301-36  | J348-36  | 36"    |
| J351-42  | J338-42  | J301-42  | J348-42  | 42"    |
| J351-48  | J338-48  | J301-48  | J348-48  | 48"    |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Solid Door Tall Cabinet - Left Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J320-18  | J331-18  | J314-18  | J341-18  | 18"    |
| J320-24  | J331-24  | J314-24  | J341-24  | 24"    |

## Solid Door Cabinet - Right Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J319-18  | J330-18  | J313-18  | J340-18  | 18"    |
| J319-24  | J330-24  | J313-24  | J340-24  | 24"    |

# Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Solid Swinging Door Cabinet




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J353-30  | J332-30  | J303-30  | J342-30  | 30"    |
| J353-36  | J332-36  | J303-36  | J342-36  | 36"    |
| J353-42  | J332-42  | J303-42  | J342-42  | 42"    |
| J353-48  | J332-48  | J303-48  | J342-48  | 48"    |

# Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Solid Sliding Door Cabinet




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J355-30  | J336-30  | J305-30  | J346-30  | 30"    |
| J355-36  | J336-36  | J305-36  | J346-36  | 36"    |
| J355-42  | J336-42  | J305-42  | J346-42  | 42"    |
| J355-48  | J336-48  | J305-48  | J346-48  | 48"    |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

## Framed Glass Door Cabinet - Left Hinged



| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J322-18  | J334-18  | J316-18  | J344-18  | 18"    |
| J322-24  | J334-24  | J316-24  | J344-24  | 24"    |

## Framed Glass Door Cabinet - Right Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J321-18  | J333-18  | J315-18  | J343-18  | 18"    |
| J321-24  | J333-24  | J315-24  | J343-24  | 24"    |

# Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

## Framed Glass Swinging Door Cabinet




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J357-30  | J335-30  | J307-30  | J345-30  | 30"    |
| J357-36  | J335-36  | J307-36  | J345-36  | 36"    |
| J357-42  | J335-42  | J307-42  | J345-42  | 42"    |
| J357-48  | J335-48  | J307-48  | J345-48  | 48"    |

# Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Sliding Tall Cabinets come standard with float glass

## Framed Glass Sliding Door Cabinet




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J358-30  | J337-30  | J308-30  | J347-30  | 30"    |
| J358-36  | J337-36  | J308-36  | J347-36  | 36"    |
| J358-42  | J337-42  | J308-42  | J347-42  | 42"    |
| J358-48  | J337-48  | J308-48  | J347-48  | 48"    |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

## Framed Glass and Solid Door Instrument Cabinet - Left Hinged



| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J324-18  | J362-18  | J318-18  | J365-18  | 18"    |
| J324-24  | J362-24  | J318-24  | J365-24  | 24"    |

## Framed Glass and Solid Door Instrument Cabinet - Right Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J323-18  | J361-18  | J317-18  | J364-18  | 18"    |
| J323-24  | J361-24  | J317-24  | J364-24  | 24"    |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Framed Glass Tall Cabinets come standard with float glass

## Framed Glass and Solid Door Instrument Cabinet



| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J359-30  | J363-30  | J309-30  | J366-30  | 30"    |
| J359-36  | J363-36  | J309-36  | J366-36  | 36"    |
| J359-42  | J363-42  | J309-42  | J366-42  | 42"    |
| J359-48  | J363-48  | J309-48  | J366-48  | 48"    |

# Steel Tall Cabinets




- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

## Swinging Door Wardrobe Cabinet - Left Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J671-18  | J674-18  | J624-18  | J677-18  | 18"    |
| J671-24  | J674-24  | J624-24  | J677-24  | 24"    |

## Swinging Door Wardrobe Cabinet - Right Hinged




| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J670-18  | J673-18  | J623-18  | J676-18  | 18"    |
| J670-24  | J673-24  | J623-24  | J676-24  | 24"    |

## Steel Tall Cabinets



- Tall Cabinets vary in depth, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection

### Swinging Door Wardrobe Cabinet



| Cat. No. |          |          |          | Length |
|----------|----------|----------|----------|--------|
| 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J672-30  | J675-30  | J622-30  | J678-30  | 30"    |
| J672-36  | J675-36  | J622-36  | J678-36  | 36"    |
| J672-42  | J675-42  | J622-42  | J678-42  | 42"    |
| J672-48  | J675-48  | J622-48  | J678-48  | 48"    |

# Steel Base Cabinet Fillers

## Base Filler with Toe Space



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between adjacent base cabinets or between a cabinet and the wall
- Custom fillers available, contact your ICI Representative

| Sitting Height<br>27.063" | Cat. No.              |                            | Length   | Slip Joint |
|---------------------------|-----------------------|----------------------------|----------|------------|
|                           | ADA Height<br>32.102" | Standing Height<br>34.625" |          |            |
| JFFL-01                   | JFFA-01               | JFFH-01                    | 1"       | No         |
| JFFL-03                   | JFFA-03               | JFFH-03                    | 3"       | No         |
| JFFL-06                   | JFFA-06               | JFFH-06                    | 6"       | ++         |
| JFFL-ADJ*                 | JFFA-ADJ*             | JFFH-ADJ*                  | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


## Rear/Center Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back-to-back base cabinets or to close space at the rear of the cabinet
- Custom fillers available, contact your ICI Representative

| Sitting Height<br>27.063" | Cat. No.              |                            | Length   | Slip Joint |
|---------------------------|-----------------------|----------------------------|----------|------------|
|                           | ADA Height<br>32.102" | Standing Height<br>34.625" |          |            |
| JFRL-01                   | JFRA-01               | JFRH-01                    | 1"       | No         |
| JFRL-02                   | JFRA-02               | JFRH-02                    | 2"       | No         |
| JFRL-06                   | JFRA-06               | JFRH-06                    | 6"       | No         |
| JFRL-07                   | JFRA-07               | JFRH-07                    | 7"       | No         |
| JFRL-08                   | JFRA-08               | JFRH-08                    | 8"       | No         |
| JFRL-14                   | JFRA-14               | JFRH-14                    | 14"      | No         |
| JFRL-ADJ                  | JFRA-ADJ              | JFRH-ADJ                   | 1" - 18" | Yes        |
| JFRL-20                   | JFRA-20               | JFRH-20                    | 20"      | No         |

## Base Corner Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two cabinets in a corner
- Custom fillers available, contact your ICI Representative


| Sitting Height<br>27.063" | Cat. No.              |                            | Length   | Slip Joint |
|---------------------------|-----------------------|----------------------------|----------|------------|
|                           | ADA Height<br>32.102" | Standing Height<br>34.625" |          |            |
| JFCL-01                   | JFCA-01               | JFCH-01                    | 1"       | No         |
| JFCL-03                   | JFCA-03               | JFCH-03                    | 3"       | No         |
| JFCL-06                   | JFCA-06               | JFCH-06                    | 6"       | ++         |
| JFCL-ADJ*                 | JFCA-ADJ*             | JFCH-ADJ*                  | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

\* Cut to fit and includes slip fit trim angle

# Steel Knee Space Panels


## Knee Space Panel for use with Apron Rail



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron rail
- Custom fillers available, contact your ICI Representative

| Sitting Height<br>27.063" | Cat. No.              |                            | Length   |
|---------------------------|-----------------------|----------------------------|----------|
|                           | ADA Height<br>32.102" | Standing Height<br>34.625" |          |
| JKSL-12                   | JKSA-12               | JKSH-12                    | 12"      |
| JKSL-15                   | JKSA-15               | JKSH-15                    | 15"      |
| JKSL-18                   | JKSA-18               | JKSH-18                    | 18"      |
| JKSL-21                   | JKSA-21               | JKSH-21                    | 21"      |
| JKSL-24                   | JKSA-24               | JKSH-24                    | 24"      |
| JKSL-30                   | JKSA-30               | JKSH-30                    | 30"      |
| JKSL-36                   | JKSA-36               | JKSH-36                    | 36"      |
| JKSL-42                   | JKSA-42               | JKSH-42                    | 42"      |
| JKSL-48                   | JKSA-48               | JKSH-48                    | 48"      |
| JKSL-54                   | JKSA-54               | JKSH-54                    | 54"      |
| JKSL-60                   | JKSA-60               | JKSH-60                    | 60"      |
| JKSL-66                   | JKSA-66               | JKSH-66                    | 66"      |
| JKSL-72                   | JKSA-72               | JKSH-72                    | 72"      |
| JKSL-ADJ*                 | JKSA-ADJ*             | JKSH-ADJ*                  | 1" - 48" |

## Knee Space Panel for use with Apron Frame



- Knee Space Panels vary in height, see part number tables below
- Lengths are as shown
- For use with an apron frame
- Custom fillers available, contact your ICI Representative

| Sitting Height<br>23.038" | Cat. No.              |                            | Length   |
|---------------------------|-----------------------|----------------------------|----------|
|                           | ADA Height<br>28.078" | Standing Height<br>30.598" |          |
| JKSL-1204                 | JKSA-1204             | JKSH-1204                  | 12"      |
| JKSL-1504                 | JKSA-1504             | JKSH-1504                  | 15"      |
| JKSL-1804                 | JKSA-1804             | JKSH-1804                  | 18"      |
| JKSL-2104                 | JKSA-2104             | JKSH-2104                  | 21"      |
| JKSL-2404                 | JKSA-2404             | JKSH-2404                  | 24"      |
| JKSL-3004                 | JKSA-3004             | JKSH-3004                  | 30"      |
| JKSL-3604                 | JKSA-3604             | JKSH-3604                  | 36"      |
| JKSL-4204                 | JKSA-4204             | JKSH-4204                  | 42"      |
| JKSL-4804                 | JKSA-4804             | JKSH-4804                  | 48"      |
| JKSL-5404                 | JKSA-5404             | JKSH-5404                  | 54"      |
| JKSL-6004                 | JKSA-6004             | JKSH-6004                  | 60"      |
| JKSL-6604                 | JKSA-6604             | JKSH-6604                  | 66"      |
| JKSL-7204                 | JKSA-7204             | JKSH-7204                  | 72"      |
| JKSL-ADJ04*               | JKSA-ADJ04*           | JKSH-ADJ04*                | 1" - 48" |

\* Cut to fit and includes slip fit trim angle

# Steel Wall Cabinet Fillers


## Wall Rear Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between back of wall cabinet and the wall

| Cat. No.     |              |              |              |              |              | Length | Slip Joint |
|--------------|--------------|--------------|--------------|--------------|--------------|--------|------------|
| 19.298" Tall | 25.598" Tall | 30.638" Tall | 35.678" Tall | 41.978" Tall | 48.278" Tall | 1"     | No         |
| JFWR-18      | JFWR-24      | JFWR-30      | JFWR-36      | JFWR-42      | JFWR-48      |        |            |

## Wall Front Filler




- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets
- Note: modified fillers should only ordered in 1/8" increments

| Cat. No.     |              |              |              |              |              | Length   | Slip Joint |
|--------------|--------------|--------------|--------------|--------------|--------------|----------|------------|
| 19.298" Tall | 25.598" Tall | 30.638" Tall | 35.678" Tall | 41.978" Tall | 48.278" Tall |          |            |
| 13" Deep     |              |              |              |              |              |          |            |
| JFWL-1801    | JFWL-2401    | JFWL-3001    | JFWL-3601    | JFWL-4201    | JFWL-4801    | 1"       | No         |
| JFWL-1803    | JFWL-2403    | JFWL-3003    | JFWL-3603    | JFWL-4203    | JFWL-4803    | 3"       | No         |
| JFWL-1806    | JFWL-2406    | JFWL-3006    | JFWL-3606    | JFWL-4206    | JFWL-4806    | 6"       | ++         |
| JFWL-18ADJ*  | JFWL-24ADJ*  | JFWL-30ADJ*  | JFWL-36ADJ*  | JFWL-42ADJ*  | JFWL-48ADJ*  | 1" - 18" | Yes        |
| 16" Deep     |              |              |              |              |              |          |            |
| JFWH-1801    | JFWH-2401    | JFWH-3001    | JFWH-3601    | JFWH-4201    | JFWH-4801    | 1"       | No         |
| JFWH-1803    | JFWH-2403    | JFWH-3003    | JFWH-3603    | JFWH-4203    | JFWH-4803    | 3"       | No         |
| JFWH-1806    | JFWH-2406    | JFWH-3006    | JFWH-3606    | JFWH-4206    | JFWH-4806    | 6"       | ++         |
| JFWH-18ADJ*  | JFWH-24ADJ*  | JFWH-30ADJ*  | JFWH-36ADJ*  | JFWH-42ADJ*  | JFWH-48ADJ*  | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

## Wall Corner Filler



- Fillers vary in height, see part number tables below
- Lengths are as shown
- For use between two wall cabinets in a corner
- Note: modified fillers should only ordered in 1/8" increments

| Cat. No.     |              |              |              |              | Length   | Slip Joint |
|--------------|--------------|--------------|--------------|--------------|----------|------------|
| 25.598" Tall | 30.638" Tall | 35.678" Tall | 41.978" Tall | 48.278" Tall |          |            |
| 13" Deep     |              |              |              |              |          |            |
| JFWC-2401    | JFWC-3001    | JFWC-3601    | JFWC-4201    | JFWC-4801    | 1"       | No         |
| JFWC-2403    | JFWC-3003    | JFWC-3603    | JFWC-4203    | JFWC-4803    | 3"       | No         |
| JFWC-2406    | JFWC-3006    | JFWC-3606    | JFWC-4206    | JFWC-4806    | 6"       | ++         |
| JFWC-24ADJ*  | JFWC-30ADJ*  | JFWC-36ADJ*  | JFWC-42ADJ*  | JFWC-48ADJ*  | 1" - 18" | Yes        |
| 16" Deep     |              |              |              |              |          |            |
| JFWD-2401    | JFWD-3001    | JFWD-3601    | JFWD-4201    | JFWD-4801    | 1"       | No         |
| JFWD-2403    | JFWD-3003    | JFWD-3603    | JFWD-4203    | JFWD-4803    | 3"       | No         |
| JFWD-2406    | JFWD-3006    | JFWD-3606    | JFWD-4206    | JFWD-4806    | 6"       | ++         |
| JFWD-24ADJ*  | JFWD-30ADJ*  | JFWD-36ADJ*  | JFWD-42ADJ*  | JFWD-48ADJ*  | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT


\* Cut to fit and includes slip fit trim angle

## Light Valances for Wall Cabinets

| Cat. No | For use with:    |
|---------|------------------|
| VAL-12  | 12" Wide Cabinet |
| VAL-15  | 15" Wide Cabinet |
| VAL-18  | 18" Wide Cabinet |
| VAL-21  | 21" Wide Cabinet |
| VAL-24  | 24" Wide Cabinet |
| VAL-30  | 30" Wide Cabinet |
| VAL-36  | 36" Wide Cabinet |
| VAL-42  | 42" Wide Cabinet |
| VAL-48  | 48" Wide Cabinet |
| VAL-54  | 54" Wide Cabinet |
| VAL-60  | 60" Wide Cabinet |
| VAL-66  | 66" Wide Cabinet |

# Steel Tall Cabinet Fillers

## Tall Corner Filler




- For use between two tall cabinets in a corner
- Note: modified fillers should only ordered in 1/8" increments

| Cat. No.    |             |             |             | Length   | Slip Joint |
|-------------|-------------|-------------|-------------|----------|------------|
| 16" Deep    | 18" Deep    | 22" Deep    | 24" Deep    |          |            |
| JFTC-1601   | JFTC-1801   | JFTC-2201   | JFTC-2401   | 1"       | No         |
| JFTC-1603   | JFTC-1803   | JFTC-2203   | JFTC-2403   | 3"       | No         |
| JFTC-1606   | JFTC-1806   | JFTC-2206   | JFTC-2406   | 6"       | ++         |
| JFTC-16ADJ* | JFTC-18ADJ* | JFTC-22ADJ* | JFTC-24ADJ* | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

## Tall Front Filler



- For use between two tall cabinets
- Note: modified fillers should only ordered in 1/8" increments

| Cat. No.    |             |             |             | Length   | Slip Joint |
|-------------|-------------|-------------|-------------|----------|------------|
| 16" Deep    | 18" Deep    | 22" Deep    | 24" Deep    |          |            |
| JFTL-1601   | JFTL-1801   | JFTL-2201   | JFTL-2401   | 1"       | No         |
| JFTL-1603   | JFTL-1803   | JFTL-2203   | JFTL-2403   | 3"       | No         |
| JFTL-1606   | JFTL-1806   | JFTL-2206   | JFTL-2406   | 6"       | ++         |
| JFTL-16ADJ* | JFTL-18ADJ* | JFTL-22ADJ* | JFTL-24ADJ* | 1" - 18" | Yes        |

++ ADD ADJ AT THE END OF MODEL CODE FOR SLIPJOINT

## Tall Rear Filler




- For use between a tall cabinet and the wall
- Note: modified fillers should only ordered in 1/8" increments

| Cat. No.  | Length   | Slip Joint |
|-----------|----------|------------|
| JFTR-05   | 5"       | No         |
| JFTR-07   | 7"       | No         |
| JFTR-11   | 11"      | No         |
| JFTR-ADJ* | 1" - 18" | No         |

\* Cut to fit and includes slip fit trim angle


## Sloped Top



- Slope tops for wall cabinets or tall cabinets
- All slope tops have finished ends
- 18 gauge construction
- All slope tops are 8" tall
- Note: modified fillers should only be ordered in 1/8" increments
- For corner conditions that need sloped tops, please contact your ICI representative


| Cat. No. |          |          |          |          | Length |
|----------|----------|----------|----------|----------|--------|
| 13" Deep | 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J526-12  | J522-12  | J527-12  | J524-12  | J528-12  | 12"    |
| J526-15  | J522-15  | J527-15  | J524-15  | J528-15  | 15"    |
| J526-18  | J522-18  | J527-18  | J524-18  | J528-18  | 18"    |
| J526-21  | J522-21  | J527-21  | J524-21  | J528-21  | 21"    |
| J526-24  | J522-24  | J527-24  | J524-24  | J528-24  | 24"    |
| J526-30  | J522-30  | J527-30  | J524-30  | J528-30  | 30"    |
| J526-36  | J522-36  | J527-36  | J524-36  | J528-36  | 36"    |
| J526-42  | J522-42  | J527-42  | J524-42  | J528-42  | 42"    |
| J526-48  | J522-48  | J527-48  | J524-48  | J528-48  | 48"    |
| J526-54  | J522-54  | J527-54  | J524-54  | J528-54  | 54"    |
| J526-60  | J522-60  | J527-60  | J524-60  | J528-60  | 60"    |
| J526-66  | J522-66  | J527-66  | J524-66  | J528-66  | 66"    |
| J526-72  | J522-72  | J527-72  | J524-72  | J528-72  | 72"    |
| J526-84  | J522-84  | J527-84  | J524-84  | J528-84  | 84"    |
| J526-96  | J522-96  | J527-96  | J524-96  | J528-96  | 96"    |

## Slope Top Filler Trim




| Cat. No. |          |          |          |          | Length |
|----------|----------|----------|----------|----------|--------|
| 13" Deep | 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J57001   | J57101   | J57201   | J57301   | J57501   | 1"     |
| J57002   | J57102   | J57202   | J57302   | J57502   | 2"     |
| J57003   | J57103   | J57203   | J57303   | J57503   | 3"     |
| J57004   | J57104   | J57204   | J57304   | J57504   | 4"     |
| J57005   | J57105   | J57205   | J57305   | J57505   | 5"     |
| J57006   | J57106   | J57206   | J57306   | J57506   | 6"     |

## Ceiling Filler Trim



| Cat. No. | Length   |
|----------|----------|
| 13" Deep |          |
| J58001   | 1"       |
| J58002   | 2"       |
| J58003   | 3"       |
| J58004   | 4"       |
| J58005   | 5"       |
| J58006   | 6"       |
| J580ADJ  | 1" - 18" |


## Corner Slope Top



| Cat. No. | Depth |
|----------|-------|
| P526-C12 | 12"   |
| P526-C16 | 16"   |

# Steel Accessories


## Ceiling Filler



- Ceiling filler for wall cabinets or tall cabinets
- All ceiling fillers have finished ends
- Ceiling fillers are 11" tall
- 18 gauge construction
- Note: modified fillers should only ordered in 1/8" increments


| Cat. No. |          |          |          |          | Length |
|----------|----------|----------|----------|----------|--------|
| 13" Deep | 16" Deep | 18" Deep | 22" Deep | 24" Deep |        |
| J530-12  | J536-12  | J537-12  | J538-12  | J532-12  | 12"    |
| J530-15  | J536-15  | J537-15  | J538-15  | J532-15  | 15"    |
| J530-18  | J536-18  | J537-18  | J538-18  | J532-18  | 18"    |
| J530-21  | J536-21  | J537-21  | J538-21  | J532-21  | 21"    |
| J530-24  | J536-24  | J537-24  | J538-24  | J532-24  | 24"    |
| J530-30  | J536-30  | J537-30  | J538-30  | J532-30  | 30"    |
| J530-36  | J536-36  | J537-36  | J538-36  | J532-36  | 36"    |
| J530-42  | J536-42  | J537-42  | J538-42  | J532-42  | 42"    |
| J530-48  | J536-48  | J537-48  | J538-48  | J532-48  | 48"    |
| J530-54  | J536-54  | J537-54  | J538-54  | J532-54  | 54"    |
| J530-60  | J536-60  | J537-60  | J538-60  | J532-60  | 60"    |
| J530-66  | J536-66  | J537-66  | J538-66  | J532-66  | 66"    |
| J530-72  | J536-72  | J537-72  | J538-72  | J532-72  | 72"    |
| J530-84  | J536-84  | J537-84  | J538-84  | J532-84  | 84"    |
| J530-96  | J536-96  | J537-96  | J538-96  | J532-96  | 96"    |

## Painted Steel Shelf




| Cat. No. |          |          | Length |
|----------|----------|----------|--------|
| 10" Deep | 12" Deep | 16" Deep |        |
| J59224   | J59324   | J59524   | 24"    |
| J59236   | J59336   | J59536   | 36"    |
| J59248   | J59348   | J59548   | 48"    |
| J59260   | J59360   | J59560   | 60"    |
| J59272   | J59372   | J59572   | 72"    |
| J59296   | J59396   | J59596   | 96"    |

## Painted Steel Shelf




| Cat. No. |          | Length |
|----------|----------|--------|
| 8" Deep  | 12" Deep |        |
| J59124   | J5912412 | 24"    |
| J59130   | J5913012 | 30"    |
| J59136   | J5913612 | 36"    |
| J59148   | J5914812 | 48"    |

## Fold Down Shelf




| Cat. No. | Length |
|----------|--------|
| 15" Deep |        |
| J51818   | 18"    |
| J51824   | 24"    |

## Fold Down Top




| Cat. No.        | Length |
|-----------------|--------|
| <b>24" Deep</b> |        |
| J59024          | 24"    |
| J59030          | 30"    |
| J59036          | 36"    |

## Strut Support for Pipe Chase




|                             | Cat. No.                | Length                       |
|-----------------------------|-------------------------|------------------------------|
| Sitting Height<br>27.063" H | ADA Height<br>32.105" H | Standing Height<br>34.625" H |
| J54207                      | J58207                  | J51207                       |
| J54208                      | J58208                  | J51208                       |
| J54213                      | J58213                  | J51213                       |
| J54214                      | J58214                  | J51214                       |
| J54220                      | J58220                  | J51220                       |
| J54226                      | J58226                  | J51226                       |

## Reagent Shelf Supports



|         | Cat. No. |
|---------|----------|
| 8" Deep | 12" Deep |
| J51108  | J51112   |
|         | J51116   |

## Pipe Chase



| Cat. No.  | Cat. No.       | Type                               |
|-----------|----------------|------------------------------------|
|           | Dimensions     |                                    |
| J50924    | 26" x 6" x 84" | Pipe Chase                         |
| J50924U   | 26" x 6" x 84" | Pipe Chase with Unistrut           |
| J50924WHU | 26" x 6" x 84" | Pipe Chase with Unistrut and Hooks |


# Steel Accessories

## Finish Back Panels

- To be used on the back of base cabinets

| Sitting Height<br>27.063" H | Cat. No.<br>ADA Height<br>32.105" H | Standing Height<br>34.625" H | Length |
|-----------------------------|-------------------------------------|------------------------------|--------|
| FBL-12                      | FBA-12                              | FBH-12                       | 12"    |
| FBL-15                      | FBA-15                              | FBH-15                       | 15"    |
| FBL-18                      | FBA-18                              | FBH-18                       | 18"    |
| FBL-21                      | FBA-21                              | FBH-21                       | 21"    |
| FBL-24                      | FBA-24                              | FBH-24                       | 24"    |
| FBL-30                      | FBA-30                              | FBH-30                       | 30"    |
| FBL-36                      | FBA-36                              | FBH-36                       | 36"    |
| FBL-42                      | FBA-42                              | FBH-42                       | 42"    |
| FBL-48                      | FBA-48                              | FBH-48                       | 48"    |
| FBL-52                      | FBA-52                              | FBH-52                       | 52"    |
| FBL-58                      | FBA-58                              | FBH-58                       | 58"    |
| FBL-60                      | FBA-60                              | FBH-60                       | 60"    |


## 6" Deep U-Shape Finish Back Panels



- To be used on the back of base cabinets
- For Stainless Steel, add an "S" to the end of the catalog number

| Sitting Height<br>27.063" H | Cat. No.<br>ADA Height<br>32.105" H | Standing Height<br>34.625" H | Length |
|-----------------------------|-------------------------------------|------------------------------|--------|
| Painted Steel               | Painted Steel                       | Painted Steel                |        |
| FBLU-36                     | FBAU-36                             | FBHU-36                      | 36"    |
| FBLU-42                     | FBAU-42                             | FBHU-42                      | 42"    |
| FBLU-48                     | FBAU-48                             | FBHU-48                      | 48"    |
| FBLU-52                     | FBAU-52                             | FBHU-52                      | 52"    |
| FBLU-58                     | FBAU-58                             | FBHU-58                      | 58"    |
| FBLU-60                     | FBAU-60                             | FBHU-60                      | 60"    |
| FBLU-72                     | FBAU-72                             | FBHU-72                      | 72"    |


## 6" Deep U-Shape Finish Back Panels with toe space on 3 sides



- To be used on the back of base cabinets
- For Stainless Steel, add an "S" to the end of the catalog number

| Sitting Height<br>27.063" H<br>Painted Steel | Cat. No.<br>ADA Height<br>32.105" H<br>Painted Steel | Standing Height<br>34.625" H<br>Painted Steel | Length |
|----------------------------------------------|------------------------------------------------------|-----------------------------------------------|--------|
| FBLUT-52                                     | FBAUT-52                                             | FBHUT-52                                      | 52"    |
| FBLUT-58                                     | FBAUT-58                                             | FBHUT-58                                      | 58"    |
| FBLUT-60                                     | FBAUT-60                                             | FBHUT-60                                      | 60"    |

## Sink Supports



### Note:


- Add 12 to the end of the product number for sinks greater in depth than 11". Example: J535-1212
- Add 18 to the end of the product number for sinks greater in depth than 17". Example: J535-1218

- Two 12 gauge channels
- 1/4-20 rods for adjustment
- Use to support epoxy resin sink bowls.

| Cat. No  | For use with:    |
|----------|------------------|
| JP535-12 | 12" Wide Cabinet |
| JP535-15 | 15" Wide Cabinet |
| JP535-18 | 18" Wide Cabinet |
| JP535-21 | 21" Wide Cabinet |
| JP535-24 | 24" Wide Cabinet |
| JP535-30 | 30" Wide Cabinet |
| JP535-36 | 36" Wide Cabinet |
| JP535-42 | 42" Wide Cabinet |
| JP535-48 | 48" Wide Cabinet |
| JP535-52 | 52" Wide Cabinet |
| JP535-58 | 58" Wide Cabinet |
| JP535-60 | 60" Wide Cabinet |

# Steel Accessories


## Roll Out Trays



- For Stainless Steel, change “P” to a “S” in catalog number


| Cat. No                |                       | For use with:    |
|------------------------|-----------------------|------------------|
| For Swing Door Cabinet | For Open Face Cabinet |                  |
| P520-12                | P521-12               | 12" Wide Cabinet |
| P520-15                | P521-15               | 15" Wide Cabinet |
| P520-18                | P521-18               | 18" Wide Cabinet |
| P520-21                | P521-21               | 21" Wide Cabinet |
| P520-24                | P521-24               | 24" Wide Cabinet |
| P520-30                | P521-30               | 30" Wide Cabinet |
| P520-36                | P521-36               | 36" Wide Cabinet |
| P520-42                | P521-42               | 42" Wide Cabinet |
| P520-48                | P521-48               | 48" Wide Cabinet |

# Steel Suspended Cabinets







- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

## 23.0625" High Suspended Open Cabinets



| Cat. No. | Length |
|----------|--------|
| J801-12  | 12"    |
| J801-15  | 15"    |
| J801-18  | 18"    |
| J801-21  | 21"    |
| J801-24  | 24"    |
| J801-30  | 30"    |
| J801-36  | 36"    |
| J801-42  | 42"    |
| J801-48  | 48"    |

## 23.0625" High Suspended Door Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J803-12     | 12"    |
| J803-15     | 15"    |
| J803-18     | 18"    |
| J803-21     | 21"    |
| J803-24     | 24"    |





| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J802-12      | 12"    |
| J802-15      | 15"    |
| J802-18      | 18"    |
| J802-21      | 21"    |
| J802-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J804-30  | 30"    |
| J804-36  | 36"    |
| J804-42  | 42"    |
| J804-48  | 48"    |

Sink cabinet with half back

| Cat. No. | Length |
|----------|--------|
| J881-30  | 30"    |
| J881-36  | 36"    |
| J881-42  | 42"    |
| J881-48  | 48"    |

## 23.0625" High Suspended Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J818-15  | 15"    |
| J818-18  | 18"    |
| J818-21  | 21"    |
| J818-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J818-30  | 30"    |
| J818-36  | 36"    |
| J818-42  | 42"    |
| J818-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J823-30  | 30"    |
| J823-36  | 36"    |
| J823-42  | 42"    |
| J823-48  | 48"    |





| Cat. No. | Length |
|----------|--------|
| J826-30  | 30" L  |
| J826-36  | 36" L  |
| J826-42  | 42" L  |
| J826-48  | 48" L  |

# Steel Suspended Cabinets



- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

## 23.0625" High Suspended Drawer Cabinets





| Cat. No. | Length |
|----------|--------|
| J820-15  | 15"    |
| J820-18  | 18"    |
| J820-21  | 21"    |
| J820-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J821-15  | 15"    |
| J821-18  | 18"    |
| J821-21  | 21"    |
| J821-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J827-30  | 30"    |
| J827-36  | 36"    |
| J827-42  | 42"    |
| J827-48  | 48"    |





| Cat. No. | Length |
|----------|--------|
| J828-30  | 30"    |
| J828-36  | 36"    |
| J828-42  | 42"    |
| J828-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J822-15  | 15"    |
| J822-18  | 18"    |
| J822-21  | 21"    |
| J822-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J833-15  | 15"    |
| J833-18  | 18"    |
| J833-21  | 21"    |
| J833-24  | 24"    |

## 23.0625" High Suspended Combination Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J806-15     | 15"    |
| J806-18     | 18"    |
| J806-21     | 21"    |
| J806-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J805-15      | 15"    |
| J805-18      | 18"    |
| J805-21      | 21"    |
| J805-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J807-30  | 30"    |
| J807-36  | 36"    |
| J807-42  | 42"    |
| J807-48  | 48"    |


| Cat. No. | Length |
|----------|--------|
| J808-30  | 30"    |
| J808-36  | 36"    |
| J808-42  | 42"    |
| J808-48  | 48"    |

# Steel Suspended Cabinets



- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

## 23.0625" High Suspended Combination Cabinets




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J811-30      | 30"    |
| J811-36      | 36"    |
| J811-42      | 42"    |
| J811-48      | 48"    |

| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J810-30       | 30"    |
| J810-36       | 36"    |
| J810-42       | 42"    |
| J810-48       | 48"    |

| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J813-30      | 30"    |
| J813-36      | 36"    |
| J813-42      | 42"    |
| J813-48      | 48"    |


| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J812-30       | 30"    |
| J812-36       | 36"    |
| J812-42       | 42"    |
| J812-48       | 48"    |

## 23.0625" High Suspended Corner Cabinet



**Cat. No.**  
**Right Hinged**  
J829-32

# Steel Suspended Cabinets






- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- Actual product dimensions may vary slightly due to style and hardware selection

## 23.0625" High Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.

## Slam Latch




| Cat. No.                                                           | Length |
|--------------------------------------------------------------------|--------|
| <b>Left Hinged</b>                                                 |        |
| <b>Slam Latch Handle</b>                                           |        |
| J830-18SL                                                          | 18"    |
| J830-24SL                                                          | 24"    |
| <b>Slam Latch Handle and Auto-closing Mechanism</b>                |        |
| J830-18SLA                                                         | 18"    |
| J830-24SLA                                                         | 24"    |
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |        |
| J830-18SLAS                                                        | 18"    |
| J830-24SLAS                                                        | 24"    |

| Cat. No.                                                           | Length |
|--------------------------------------------------------------------|--------|
| <b>Right Hinged</b>                                                |        |
| <b>Slam Latch Handle</b>                                           |        |
| J831-18SL                                                          | 18"    |
| J831-24SL                                                          | 24"    |
| <b>Slam Latch Handle and Auto-closing Mechanism</b>                |        |
| J831-18SLA                                                         | 18"    |
| J831-24SLA                                                         | 24"    |
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |        |
| J831-18SLAS                                                        | 18"    |
| J831-24SLAS                                                        | 24"    |


| Cat. No.                                                                               | Length |
|----------------------------------------------------------------------------------------|--------|
| <b>Slam Latch Handle</b>                                                               |        |
| J831-30SL                                                                              | 30"    |
| J831-36SL                                                                              | 36"    |
| J831-42SL                                                                              | 42"    |
| J831-48SL                                                                              | 48"    |
| <b>Slam Latch Handle and Auto-closing Mechanism</b>                                    |        |
| J831-30SLA                                                                             | 30"    |
| J831-36SLA                                                                             | 36"    |
| J831-42SLA                                                                             | 42"    |
| J831-48SLA                                                                             | 48"    |
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b>                     |        |
| J831-30SLAS                                                                            | 30"    |
| J831-36SLAS                                                                            | 36"    |
| J831-42SLAS                                                                            | 42"    |
| J831-48SLAS                                                                            | 48"    |
| <b>Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors</b> |        |
| J831-30SLASY                                                                           | 30"    |
| J831-36SLASY                                                                           | 36"    |
| J831-42SLASY                                                                           | 42"    |
| J831-48SLASY                                                                           | 48"    |

# Steel Suspended Cabinets






- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

## 30.625" H - Open Suspended Cabinets



| Cat. No. | Length |
|----------|--------|
| J840-12  | 12"    |
| J840-15  | 15"    |
| J840-18  | 18"    |
| J840-21  | 21"    |
| J840-24  | 24"    |
| J840-30  | 30"    |
| J840-36  | 36"    |
| J840-42  | 42"    |
| J840-48  | 48"    |

## 30.625" H - Door Suspended Cabinets







| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J841-12     | 12"    |
| J841-15     | 15"    |
| J841-18     | 18"    |
| J841-21     | 21"    |
| J841-24     | 24"    |

| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J842-12      | 12"    |
| J842-15      | 15"    |
| J842-18      | 18"    |
| J842-21      | 21"    |
| J842-24      | 24"    |

| Cat. No. | Length |
|----------|--------|
| J843-30  | 30"    |
| J843-36  | 36"    |
| J843-42  | 42"    |
| J843-48  | 48"    |

## 30.625" H - Drawer Suspended Cabinets




| Cat. No. | Length |
|----------|--------|
| J859-15  | 15"    |
| J859-18  | 18"    |
| J859-21  | 21"    |
| J859-24  | 24"    |

| Cat. No. | Length |
|----------|--------|
| J860-30  | 30"    |
| J860-36  | 36"    |
| J860-42  | 42"    |
| J860-48  | 48"    |

| Cat. No. | Length |
|----------|--------|
| J861-30  | 30"    |
| J861-36  | 36"    |
| J861-42  | 42"    |
| J861-48  | 48"    |


| Cat. No. | Length |
|----------|--------|
| J865-30  | 30"    |
| J865-36  | 36"    |
| J865-42  | 42"    |
| J865-48  | 48"    |

# Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


## 30.625" High Suspended Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J866-30  | 30"    |
| J866-36  | 36"    |
| J866-42  | 42"    |
| J866-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J867-30  | 30"    |
| J867-36  | 36"    |
| J867-42  | 42"    |
| J867-48  | 48"    |



| Cat. No. | Length |
|----------|--------|
| J862-15  | 15"    |
| J862-18  | 18"    |
| J862-21  | 21"    |
| J862-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J863-15  | 15"    |
| J863-18  | 18"    |
| J863-21  | 21"    |
| J863-24  | 24"    |




| Cat. No. | Length |
|----------|--------|
| J864-15  | 15"    |
| J864-18  | 18"    |
| J864-21  | 21"    |
| J864-24  | 24"    |


## 30.625" High Suspended Combination Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J844-15     | 15"    |
| J844-18     | 18"    |
| J844-21     | 21"    |
| J844-24     | 24"    |



| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J845-15      | 15"    |
| J845-18      | 18"    |
| J845-21      | 21"    |
| J845-24      | 24"    |




| Cat. No. | Length |
|----------|--------|
| J846-30  | 30"    |
| J846-36  | 36"    |
| J846-42  | 42"    |
| J846-48  | 48"    |




| Cat. No. | Length |
|----------|--------|
| J847-30  | 30"    |
| J847-36  | 36"    |
| J847-42  | 42"    |
| J847-48  | 48"    |

# Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware


## 30.625" Hight Suspended Combination Cabinets




| Cat. No. | Length |
|----------|--------|
| J848-30  | 30"    |
| J848-36  | 36"    |
| J848-42  | 42"    |
| J848-48  | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J849-30      | 30"    |
| J849-36      | 36"    |
| J849-42      | 42"    |
| J849-48      | 48"    |




| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J850-30       | 30"    |
| J850-36       | 36"    |
| J850-42       | 42"    |
| J850-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J851-30      | 30"    |
| J851-36      | 36"    |
| J851-42      | 42"    |
| J851-48      | 48"    |




| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J852-30       | 30"    |
| J852-36       | 36"    |
| J852-42       | 42"    |
| J852-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J853-30      | 30" L  |
| J853-36      | 36" L  |
| J853-42      | 42" L  |
| J853-48      | 48" L  |




| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J854-30       | 30"    |
| J854-36       | 36"    |
| J854-42       | 42"    |
| J854-48       | 48"    |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J855-30      | 30"    |
| J855-36      | 36"    |
| J855-42      | 42"    |
| J855-48      | 48"    |



| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J856-30       | 30" L  |
| J856-36       | 36" L  |
| J856-42       | 42" L  |
| J856-48       | 48" L  |




| Cat. No.     | Length |
|--------------|--------|
| Left Cabinet |        |
| J857-30      | 30"    |
| J857-36      | 36"    |
| J857-42      | 42"    |
| J857-48      | 48"    |




| Cat. No.      | Length |
|---------------|--------|
| Right Cabinet |        |
| J858-30       | 30"    |
| J858-36       | 36"    |
| J858-42       | 42"    |
| J858-48       | 48"    |

# Steel Suspended Cabinets




- Suspended Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Each suspended cabinet furnished with complete hanging hardware

## 30.625" High Suspended Corner Cabinet



Cat. No.  
Right Hinged  
J868-32


## Suspended Pencil Drawer



- 3 7/8" tall and 22" deep
- Designed to be hung from a table system
- Each suspended cabinet furnished with complete hanging hardware


| Cat. No. | Length |
|----------|--------|
| JPPD1522 | 15"    |
| JPPD1822 | 18"    |
| JPPD2122 | 21"    |
| JPPD2422 | 24"    |
| JPPD3022 | 30"    |

# Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


## 23.285" High Mobile Door Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1042-18    | 18"    |
| J1042-24    | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1041-18     | 18"    |
| J1041-24     | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1043-30 | 30"    |
| J1043-36 | 36"    |

## 23.285" High Mobile Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J1059-18 | 18"    |
| J1059-24 | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1059-30 | 30"    |
| J1059-36 | 36"    |


## 23.285" High Mobile Combination Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1044-24    | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1045-24     | 24"    |



| Cat. No. | Length |
|----------|--------|
| J1046-30 | 30"    |

# Steel Mobile Cabinets






- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster

## Flammable Storage Base Cabinets

- Solvent Storage Cabinets are specifically designed for the storage of flammable and combustible liquids.
- Construction meets the requirements listed by UFC, OSHA and NFPA No. 30-1993 and are UL listed.
- A 2" deep liquid-tight pan covers the entire bottom of the cabinet to contain liquid leaks and spills. Two diametrically opposed vents with spark screens are provided in the back of the cabinet as well as a grounding screw.
- Cabinets are labeled: FLAMMABLE - KEEP FIRE AWAY
- Different options include doors that are self-closing and synchronized so that both doors will always fully close. The right hand door is equipped with a three-point latching system that automatically engages when the doors close.
- Each door can also be equipped with a fusible link hold-open feature that ensures the door closes should the temperature outside cabinet exceed 165°F.

## 27.065" Slam Latch



| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Left Hinged</b>       |        |
| <b>Slam Latch Handle</b> |        |

|           |     |
|-----------|-----|
| J897-18SL | 18" |
| J897-24SL | 24" |

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

|            |     |
|------------|-----|
| J897-18SLA | 18" |
| J897-24SLA | 24" |

|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

|             |     |
|-------------|-----|
| J897-18SLAS | 18" |
| J897-24SLAS | 24" |

| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Right Hinged</b>      |        |
| <b>Slam Latch Handle</b> |        |

|           |     |
|-----------|-----|
| J899-18SL | 18" |
| J899-24SL | 24" |

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

|            |     |
|------------|-----|
| J899-18SLA | 18" |
| J899-24SLA | 24" |

|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

|             |     |
|-------------|-----|
| J899-18SLAS | 18" |
| J899-24SLAS | 24" |

| Cat. No.                 | Length |
|--------------------------|--------|
| <b>Slam Latch Handle</b> |        |

|           |     |
|-----------|-----|
| J899-30SL | 30" |
| J899-36SL | 36" |
| J899-42SL | 42" |
| J899-48SL | 48" |

|                                                     |  |
|-----------------------------------------------------|--|
| <b>Slam Latch Handle and Auto-closing Mechanism</b> |  |
|-----------------------------------------------------|--|

|            |     |
|------------|-----|
| J899-30SLA | 30" |
| J899-36SLA | 36" |
| J899-42SLA | 42" |
| J899-48SLA | 48" |


|                                                                    |  |
|--------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism and Fusible Links</b> |  |
|--------------------------------------------------------------------|--|

|             |     |
|-------------|-----|
| J899-30SLAS | 30" |
| J899-36SLAS | 36" |
| J899-42SLAS | 42" |
| J899-48SLAS | 48" |

|                                                                                        |  |
|----------------------------------------------------------------------------------------|--|
| <b>Slam Latch Handle, Auto-closing Mechanism, Fusible Links and Synchronized Doors</b> |  |
|----------------------------------------------------------------------------------------|--|


|              |     |
|--------------|-----|
| J899-30SLASY | 30" |
| J899-36SLASY | 36" |
| J899-42SLASY | 42" |
| J899-48SLASY | 48" |

# Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


## 27.065" High Mobile Door Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1076-18    | 18"    |
| J1076-24    | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1075-18     | 18"    |
| J1075-24     | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1063-30 | 30"    |
| J1063-36 | 36"    |


## 27.065" Mobile Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J1070-18 | 18"    |
| J1070-24 | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1071-18 | 18"    |
| J1071-24 | 24"    |



| Cat. No. | Length |
|----------|--------|
| J1072-18 | 18"    |
| J1072-24 | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1072-30 | 30"    |
| J1072-36 | 36"    |




| Cat. No. | Length |
|----------|--------|
| J1073-18 | 18"    |
| J1073-24 | 24"    |

# Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


## 27.065" Mobile Combination Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1069-15    | 15"    |
| J1069-18    | 18"    |
| J1069-24    | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1068-15     | 15"    |
| J1068-18     | 18"    |
| J1068-24     | 24"    |



| Cat. No. | Length |
|----------|--------|
| J1065-30 | 30"    |
| J1065-36 | 36"    |




| Cat. No. | Length |
|----------|--------|
| J1083-30 | 30"    |
| J1083-36 | 36"    |
| J1083-42 | 42"    |




| Cat. No. | Length |
|----------|--------|
| J1082-30 | 30"    |
| J1082-36 | 36"    |
| J1082-42 | 42"    |

# Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


## 32.105" High Mobile Door Cabinets



| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1003-18    | 18"    |
| J1003-24    | 24"    |




| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1002-18     | 18"    |
| J1002-24     | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1003-30 | 30"    |
| J1003-36 | 36"    |
| J1003-42 | 42"    |
| J1003-48 | 48"    |


## 32.105" High Mobile Drawer Cabinets




| Cat. No. | Length |
|----------|--------|
| J1021-18 | 18"    |
| J1021-24 | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1021-30 | 30"    |
| J1021-36 | 36"    |




| Cat. No. | Length |
|----------|--------|
| J1027-18 | 18"    |
| J1027-24 | 24"    |



| Cat. No. | Length |
|----------|--------|
| J1022-18 | 18"    |
| J1022-24 | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1022-30 | 30"    |
| J1022-36 | 36"    |




| Cat. No. | Length |
|----------|--------|
| J1127-30 | 30"    |
| J1127-36 | 36"    |
| J1127-42 | 42"    |

# Steel Mobile Cabinets




- Mobile Cabinets vary in height, see part number tables below
- Lengths are as shown
- See page 7 for cabinet styles and options
- Actual product dimensions may vary slightly due to style and hardware selection
- Includes (4) casters: (2) swivel, (2) fixed with locks
- Includes finished top & finished back, interlocking drawers and anti-tilt weights
- Weight capacity is 150 lbs per caster


## 32.105" Mobile Combination Cabinets




| Cat. No.    | Length |
|-------------|--------|
| Left Hinged |        |
| J1019-15    | 15"    |
| J1019-18    | 18"    |
| J1019-24    | 24"    |



| Cat. No.     | Length |
|--------------|--------|
| Right Hinged |        |
| J1018-15     | 15"    |
| J1018-18     | 18"    |
| J1018-24     | 24"    |




| Cat. No. | Length |
|----------|--------|
| J1005-30 | 30"    |
| J1005-36 | 36"    |
| J1005-42 | 42"    |




| Cat. No. | Length |
|----------|--------|
| J1006-30 | 30"    |
| J1006-36 | 36"    |
| J1006-42 | 42"    |

## 4" High Table Frame - No Drawer



Example of 24"-48" Long Table Frame


|           | Cat. No. |           | Length |
|-----------|----------|-----------|--------|
| 22" Deep  |          | 28" Deep  |        |
| JTBA-2422 |          | JTBA-2428 | 24"    |
| JTBA-3022 |          | JTBA-3028 | 30"    |
| JTBA-3622 |          | JTBA-3628 | 36"    |
| JTBA-4222 |          | JTBA-4228 | 42"    |
| JTBA-4822 |          | JTBA-4828 | 48"    |



Example of 54"-72" Long Table Frame


|           | Cat. No. |           | Length |
|-----------|----------|-----------|--------|
| 22" Deep  |          | 28" Deep  |        |
| JTBA-5422 |          | JTBA-5428 | 54"    |
| JTBA-6022 |          | JTBA-6028 | 60"    |
| JTBA-6622 |          | JTBA-6628 | 66"    |
| JTBA-7222 |          | JTBA-7228 | 72"    |

## 4" High Table Frame - Single Drawer



Example of 24"-48" Long Table Frame

|             | Cat. No. |             | Length |
|-------------|----------|-------------|--------|
| 22" Deep    |          | 28" Deep    |        |
| JTBA-2422-1 |          | JTBA-2428-1 | 24"    |
| JTBA-3022-1 |          | JTBA-3028-1 | 30"    |
| JTBA-3622-1 |          | JTBA-3628-1 | 36"    |
| JTBA-4222-1 |          | JTBA-4228-1 | 42"    |
| JTBA-4822-1 |          | JTBA-4828-1 | 48"    |




Example of 54"-72" Long Table Frame

|             | Cat. No. |             | Length |
|-------------|----------|-------------|--------|
| 22" Deep    |          | 28" Deep    |        |
| JTBA-5422-1 |          | JTBA-5428-1 | 54"    |
| JTBA-6022-1 |          | JTBA-6028-1 | 60"    |
| JTBA-6622-1 |          | JTBA-6628-1 | 66"    |
| JTBA-7222-1 |          | JTBA-7228-1 | 72"    |


# Steel Table Frames

## 4" High Table Frame - Double Drawer




| Cat. No.    |             | Length |
|-------------|-------------|--------|
| 22" Deep    | 28" Deep    |        |
| JTBA-4822-2 | JTBA-4828-2 | 48"    |
| JTBA-5422-2 | JTBA-5428-2 | 54"    |
| JTBA-6022-2 | JTBA-6028-2 | 60"    |
| JTBA-6622-2 | JTBA-6628-2 | 66"    |
| JTBA-7222-2 | JTBA-7228-2 | 72"    |

## Apron Rails



| Cat. No.  |           | Length |
|-----------|-----------|--------|
| 2" High   | 4" High   |        |
| JTBR-2402 | JTBR-2404 | 24"    |
| JTBR-3002 | JTBR-3004 | 30"    |
| JTBR-3602 | JTBR-3604 | 36"    |
| JTBR-4802 | JTBR-4804 | 48"    |
| JTBR-7202 | JTBR-7204 | 72"    |

## ADA Table Frame




Chase on Left Side Shown

| Cat. No.           |                     | Dimensions              |
|--------------------|---------------------|-------------------------|
| Chase on Left Side | Chase on Right Side |                         |
| 40587004A          | 40587004AR          | 48" W x 32.5" T x 30" D |
| 40587005A          | 40587005AR          | 60" W x 32.5" T x 30" D |
| 40587006A          | 40587006AR          | 72" W x 32.5" T x 30" D |

# Steel Table Assemblies

## Table Assemblies - No Drawer



- Casters are available for only 24" and 30" deep table. Leg Rails and Stretchers will be required

| Cat. No.                 |           |           |           |           | Length |
|--------------------------|-----------|-----------|-----------|-----------|--------|
| Sitting Height - 27.063" |           |           |           |           |        |
| 24" Deep                 | 30" Deep  | 36" Deep  | 42" Deep  | 48" Deep  |        |
| JTBL-3024                | JTBL-3030 | -         | -         | -         | 30"    |
| JTBL-3624                | JTBL-3630 | JTBL-3636 | -         | -         | 36"    |
| JTBL-4224                | JTBL-4230 | JTBL-4236 | JTBL-4242 | -         | 42"    |
| JTBL-4824                | JTBL-4830 | JTBL-4836 | JTBL-4842 | JTBL-4848 | 48"    |


| Standing Height - 34.625" |           |           |           |           |     |
|---------------------------|-----------|-----------|-----------|-----------|-----|
| 24" Deep                  | 30" Deep  | 36" Deep  | 42" Deep  | 48" Deep  |     |
| JTBH-3024                 | JTBH-3030 | -         | -         | -         | 30" |
| JTBH-3624                 | JTBH-3630 | JTBH-3636 | -         | -         | 36" |
| JTBH-4224                 | JTBH-4230 | JTBH-4236 | JTBH-4242 | -         | 42" |
| JTBH-4824                 | JTBH-4830 | JTBH-4836 | JTBH-4842 | JTBH-4848 | 48" |

| Cat. No.                 |           |           |           |           | Length |
|--------------------------|-----------|-----------|-----------|-----------|--------|
| Sitting Height - 27.063" |           |           |           |           |        |
| 24" Deep                 | 30" Deep  | 36" Deep  | 42" Deep  | 48" Deep  |        |
| JTBL-5424                | JTBL-5430 | JTBL-5436 | JTBL-5442 | JTBL-5448 | 54"    |
| JTBL-6024                | JTBL-6030 | JTBL-6036 | JTBL-6042 | JTBL-6048 | 60"    |
| JTBL-6624                | JTBL-6630 | JTBL-6636 | JTBL-6642 | JTBL-6648 | 66"    |
| JTBL-7224                | JTBL-7230 | JTBL-7236 | JTBL-7242 | JTBL-7248 | 72"    |

| Standing Height - 34.625" |           |           |           |           |     |
|---------------------------|-----------|-----------|-----------|-----------|-----|
| 24" Deep                  | 30" Deep  | 36" Deep  | 42" Deep  | 48" Deep  |     |
| JTBH-5424                 | JTBH-5430 | JTBH-5436 | JTBH-5442 | JTBH-5448 | 54" |
| JTBH-6024                 | JTBH-6030 | JTBH-6036 | JTBH-6042 | JTBH-6048 | 60" |
| JTBH-6624                 | JTBH-6630 | JTBH-6636 | JTBH-6642 | JTBH-6648 | 66" |
| JTBH-7224                 | JTBH-7230 | JTBH-7236 | JTBH-7242 | JTBH-7248 | 72" |

# Steel Table Assemblies

## Table Assemblies - with 1 Drawer




- Casters are available for only 24" and 30" deep table. Leg Rails and Stretchers will be required

| Cat. No.                  |             |             |             |             | Length |
|---------------------------|-------------|-------------|-------------|-------------|--------|
| Sitting Height - 27.063"  |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBL-3024-1               | JTBL-3030-1 | -           | -           | -           | 30"    |
| JTBL-3624-1               | JTBL-3630-1 | JTBL-3636-1 | -           | -           | 36"    |
| JTBL-4224-1               | JTBL-4230-1 | JTBL-4236-1 | JTBL-4242-1 | -           | 42"    |
| JTBL-4824-1               | JTBL-4830-1 | JTBL-4836-1 | JTBL-4842-1 | JTBL-4848-1 | 48"    |
| Standing Height - 34.625" |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBH-3024-1               | JTBH-3030-1 | -           | -           | -           | 30"    |
| JTBH-3624-1               | JTBH-3630-1 | JTBH-3636-1 | -           | -           | 36"    |
| JTBH-4224-1               | JTBH-4230-1 | JTBH-4236-1 | JTBH-4242-1 | -           | 42"    |
| JTBH-4824-1               | JTBH-4830-1 | JTBH-4836-1 | JTBH-4842-1 | JTBH-4848-1 | 48"    |

| Cat. No.                  |             |             |             |             | Length |
|---------------------------|-------------|-------------|-------------|-------------|--------|
| Sitting Height - 27.063"  |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBL-5424-1               | JTBL-5430-1 | JTBL-5436-1 | JTBL-5442-1 | JTBL-5448-1 | 54"    |
| JTBL-6024-1               | JTBL-6030-1 | JTBL-6036-1 | JTBL-6042-1 | JTBL-6048-1 | 60"    |
| JTBL-6624-1               | JTBL-6630-1 | JTBL-6636-1 | JTBL-6642-1 | JTBL-6648-1 | 66"    |
| JTBL-7224-1               | JTBL-7230-1 | JTBL-7236-1 | JTBL-7242-1 | JTBL-7248-1 | 72"    |
| Standing Height - 34.625" |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBH-5424-1               | JTBH-5430-1 | JTBH-5436-1 | JTBH-5442-1 | JTBH-5448-1 | 54"    |
| JTBH-6024-1               | JTBH-6030-1 | JTBH-6036-1 | JTBH-6042-1 | JTBH-6048-1 | 60"    |
| JTBH-6624-1               | JTBH-6630-1 | JTBH-6636-1 | JTBH-6642-1 | JTBH-6648-1 | 66"    |
| JTBH-7224-1               | JTBH-7230-1 | JTBH-7236-1 | JTBH-7242-1 | JTBH-7248-1 | 72"    |


## Table Assemblies



- Casters are available for only 24" and 30" deep table. Leg Rails and Stretchers will be required


| Cat. No.                  |             |             |             |             | Length |
|---------------------------|-------------|-------------|-------------|-------------|--------|
| Sitting Height - 27.063"  |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBL-4824-2               | JTBL-4830-2 | JTBL-4836-2 | JTBL-4842-2 | JTBL-4848-2 | 48"    |
| JTBL-5424-2               | JTBL-5430-2 | JTBL-5436-2 | JTBL-5442-2 | JTBL-5448-2 | 54"    |
| JTBL-6024-2               | JTBL-6030-2 | JTBL-6036-2 | JTBL-6042-2 | JTBL-6048-2 | 60"    |
| JTBL-6624-2               | JTBL-6630-2 | JTBL-6636-2 | JTBL-6642-2 | JTBL-6648-2 | 66"    |
| JTBL-7224-2               | JTBL-7230-2 | JTBL-7236-2 | JTBL-7242-2 | JTBL-7248-2 | 72"    |
| Standing Height - 34.625" |             |             |             |             |        |
| 24" Deep                  | 30" Deep    | 36" Deep    | 42" Deep    | 48" Deep    |        |
| JTBH-4824-2               | JTBH-4830-2 | JTBH-4836-2 | JTBH-4842-2 | JTBH-4848-2 | 48"    |
| JTBH-5424-2               | JTBH-5430-2 | JTBH-5436-2 | JTBH-5442-2 | JTBH-5448-2 | 54"    |
| JTBH-6024-2               | JTBH-6030-2 | JTBH-6036-2 | JTBH-6042-2 | JTBH-6048-2 | 60"    |
| JTBH-6624-2               | JTBH-6630-2 | JTBH-6636-2 | JTBH-6642-2 | JTBH-6648-2 | 66"    |
| JTBH-7224-2               | JTBH-7230-2 | JTBH-7236-2 | JTBH-7242-2 | JTBH-7248-2 | 72"    |

## Single Leg - Right




| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTSR-2822                   | JTSR-3222               | JTSR-3522                    | 22"   |
| JTSR-2828                   | JTSR-3228               | JTSR-3528                    | 28"   |
| 2" Bracket                  |                         |                              |       |
| JTSR-2822-2                 | JTSR-3222-2             | JTSR-3522-2                  | 22"   |
| JTSR-2828-2                 | JTSR-3228-2             | JTSR-3528-2                  | 28"   |

## Single Leg - Left



| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTSL-2822                   | JTSL-3222               | JTSL-3522                    | 22"   |
| JTSL-2828                   | JTSL-3228               | JTSL-3528                    | 28"   |
| 2" Bracket                  |                         |                              |       |
| JTSL-2822-2                 | JTSL-3222-2             | JTSL-3522-2                  | 22"   |
| JTSL-2828-2                 | JTSL-3228-2             | JTSL-3528-2                  | 28"   |


## Double Leg



| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTDL-2822                   | JTDL-3222               | JTDL-3522                    | 22"   |
| JTDL-2828                   | JTDL-3228               | JTDL-3528                    | 28"   |
| JTDL-2834                   | JTDL-3234               | JTDL-3534                    | 34"   |
| JTDL-2840                   | JTDL-3240               | JTDL-3540                    | 40"   |
| JTDL-2846                   | JTDL-3246               | JTDL-3546                    | 46"   |
| 2" Bracket                  |                         |                              |       |
| JTDL-2822-2                 | JTDL-3222-2             | JTDL-3522-2                  | 22"   |
| JTDL-2828-2                 | JTDL-3228-2             | JTDL-3528-2                  | 28"   |


# Steel Legs

## Double Leg with Rail




|                             | Cat. No.                |                              | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
| Sitting Height<br>27.063" H | ADA Height<br>32.105" H | Standing Height<br>34.625" H |       |
| 4" Bracket                  |                         |                              |       |
| JTRL-2822                   | JTRL-3222               | JTRL-3522                    | 22"   |
| JTRL-2828                   | JTRL-3228               | JTRL-3528                    | 28"   |
| JTRL-2834                   | JTRL-3234               | JTRL-3534                    | 34"   |
| JTRL-2840                   | JTRL-3240               | JTRL-3540                    | 40"   |
| JTRL-2846                   | JTRL-3246               | JTRL-3546                    | 46"   |
| 2" Bracket                  |                         |                              |       |
| JTRL-2822-2                 | JTRL-3222-2             | JTRL-3522-2                  | 22"   |
| JTRL-2828-2                 | JTRL-3228-2             | JTRL-3528-2                  | 28"   |

## Single Leg Center




| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTSC-2822                   | JTSC-3222               | JTSC-3522                    | 22"   |
| JTSC-2828                   | JTSC-3228               | JTSC-3528                    | 28"   |
| 2" Bracket                  |                         |                              |       |
| JTSC-2822-2                 | JTSC-3222-2             | JTSC-3522-2                  | 22"   |
| JTSC-2828-2                 | JTSC-3228-2             | JTSC-3528-2                  | 28"   |

## Double Leg Center




| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTDC-2822                   | JTDC-3222               | JTDC-3522                    | 22"   |
| JTDC-2828                   | JTDC-3228               | JTDC-3528                    | 28"   |
| JTDC-2834                   | JTDC-3234               | JTDC-3534                    | 34"   |
| JTDC-2840                   | JTDC-3240               | JTDC-3540                    | 40"   |
| JTDC-2846                   | JTDC-3246               | JTDC-3546                    | 46"   |
| 2" Bracket                  |                         |                              |       |
| JTDC-2822-2                 | JTDC-3222-2             | JTDC-3522-2                  | 22"   |
| JTDC-2828-2                 | JTDC-3228-2             | JTDC-3528-2                  | 28"   |

## Double Leg Center with Rail



| Sitting Height<br>27.063" H | Cat. No.                | Standing Height<br>34.625" H | Depth |
|-----------------------------|-------------------------|------------------------------|-------|
|                             | ADA Height<br>32.105" H |                              |       |
| 4" Bracket                  |                         |                              |       |
| JTRC-2822                   | JTRC-3222               | JTRC-3522                    | 22"   |
| JTRC-2828                   | JTRC-3228               | JTRC-3528                    | 28"   |
| JTRC-2834                   | JTRC-3234               | JTRC-3534                    | 34"   |
| JTRC-2840                   | JTRC-3240               | JTRC-3540                    | 40"   |
| JTRC-2846                   | JTRC-3246               | JTRC-3546                    | 46"   |
| 2" Bracket                  |                         |                              |       |
| JTRC-2822-2                 | JTRC-3222-2             | JTRC-3522-2                  | 22"   |
| JTRC-2828-2                 | JTRC-3228-2             | JTRC-3528-2                  | 28"   |


## End Pedestal without Bracket 2" L



Left Side Pedestal without  
Bracket shown

|                             |            | Cat. No.                |            |                              |            | Depth |
|-----------------------------|------------|-------------------------|------------|------------------------------|------------|-------|
| Sitting Height<br>27.063" H |            | ADA Height<br>32.105" H |            | Standing Height<br>34.625" H |            |       |
| Left Side                   | Right Side | Left Side               | Right Side | Left Side                    | Right Side |       |
| JTPO-2822L                  | JTPO-2822R | JTPO-3222L              | JTPO-3222R | JTPO-3522L                   | JTPO-3522R | 22"   |
| JTPO-2828L                  | JTPO-2828R | JTPO-3228L              | JTPO-3228R | JTPO-3528L                   | JTPO-3528R | 28"   |
| JTPO-2829L                  | JTPO-2829R | JTPO-3229L              | JTPO-3229R | JTPO-3529L                   | JTPO-3529R | 29"   |

## End Pedestal with Bracket




Left Side Pedestal with  
Bracket shown

|                             |              | Cat. No.                |              |                              |              | Depth |
|-----------------------------|--------------|-------------------------|--------------|------------------------------|--------------|-------|
| Sitting Height<br>27.063" H |              | ADA Height<br>32.105" H |              | Standing Height<br>34.625" H |              |       |
| 4" Bracket                  |              |                         |              |                              |              |       |
| Left Side                   | Right Side   | Left Side               | Right Side   | Left Side                    | Right Side   |       |
| JTPL-2822L                  | JTPL-2822R   | JTPL-3222L              | JTPL-3222R   | JTPL-3522L                   | JTPL-3522R   | 22"   |
| JTPL-2828L                  | JTPL-2828R   | JTPL-3228L              | JTPL-3228R   | JTPL-3528L                   | JTPL-3528R   | 28"   |
| JTPL-2829L                  | JTPL-2829R   | JTPL-3229L              | JTPL-3229R   | JTPL-3529L                   | JTPL-3529R   | 29"   |
| 2" Bracket                  |              |                         |              |                              |              |       |
| Left Side                   | Right Side   | Left Side               | Right Side   | Left Side                    | Right Side   |       |
| JTPL-2822-2L                | JTPL-2822-2R | JTPL-3222-2L            | JTPL-3222-2R | JTPL-3522-2L                 | JTPL-3522-2R | 22"   |
| JTPL-2828-2L                | JTPL-2828-2R | JTPL-3228-2L            | JTPL-3228-2R | JTPL-3528-2L                 | JTPL-3528-2R | 28"   |
| JTPL-2829-2L                | JTPL-2829-2R | JTPL-3229-2L            | JTPL-3229-2R | JTPL-3529-2L                 | JTPL-3529-2R | 29"   |

# Steel Legs


## End Pedestal with Top Mounted Bracket



Left Side Pedestal with Top Mounted Bracket shown


| Sitting Height<br>27.063" H |            | Cat. No.<br>ADA Height<br>32.105" H |            | Standing Height<br>34.625" H |            | Depth |
|-----------------------------|------------|-------------------------------------|------------|------------------------------|------------|-------|
| Left Side                   | Right Side | Left Side                           | Right Side | Left Side                    | Right Side |       |
| JTPT-2822L                  | JTPT-2822R | JTPT-3222L                          | JTPT-3222R | JTPT-3522L                   | JTPT-3522R | 22"   |
| JTPT-2828L                  | JTPT-2828R | JTPT-3228L                          | JTPT-3228R | JTPT-3528L                   | JTPT-3528R | 28"   |
| JTPT-2829L                  | JTPT-2829R | JTPT-3229L                          | JTPT-3229R | JTPT-3529L                   | JTPT-3529R | 29"   |

## Corner Leg Support




| Cat. No.                    |                              |
|-----------------------------|------------------------------|
| Sitting Height<br>27.063" H | Standing Height<br>34.625" H |
| J422                        | J412                         |

## Angle Support




| 4" Bracket | 2" Bracket |
|------------|------------|
| JTSA04     | JTSA02     |

## Leg Rail




| Cat. No. | For use with:         |
|----------|-----------------------|
| JTGL22   | 22" deep leg assembly |
| JTGL28   | 28" deep leg assembly |
| JTGL34   | 34" deep leg assembly |
| JTGL40   | 40" deep leg assembly |
| JTGL46   | 48" deep leg assembly |

## Leg Stretcher




| Cat. No. | Length |
|----------|--------|
| JTST24   | 18"    |
| JTST30   | 24"    |
| JTST36   | 30"    |
| JTST42   | 36"    |
| JTST48   | 42"    |
| JTST54   | 48"    |
| JTST60   | 54"    |
| JTST66   | 60"    |
| JTST72   | 72"    |

## Corner Leg Support



| Cat. No. | Depth |
|----------|-------|
| JG1D02   | 23"   |
| JG3D02   | 29"   |

## Curved Corner Leg Support



| Cat. No.  | Side       | Dimensions<br>(D x W x H) |
|-----------|------------|---------------------------|
| J20222-79 | Right Side | 18.875" x 1.5" x 23.875"  |
| J20222-80 | Left Side  | 18.875" x 1.5" x 23.875"  |
| J22950-20 | Right Side | 23.875" x 1.5" x 23.875"  |
| J22950-21 | Left Side  | 23.875" x 1.5" x 23.875"  |
| J27172-02 | Right Side | 29.875" x 1.5" x 23.875"  |
| J27172-03 | Left Side  | 29.875" x 1.5" x 23.875"  |

# Stainless Steel Sinks

## General Information

All stainless steel work surfaces and integral sink bowls are 16 gauge Type 304 stainless steel with a #4 satin finish. All work surfaces are supported from below with hat channels. Stainless steel tops are 1 1/4" thick. All stainless steel sinks tops are 1" thick with a 1/4" marine edge.

The maximum depth of flat tops (Style A) is 46". Tops with splashes (Styles B-L) can be a maximum depth of 42". The maximum length for all styles of tops is 84". Any tops longer than 84" will require a joint, contact your ICI representative for joint options.

All back and end splashes are 4" in height. Note: End splashes are not finished ends.

Tops having an integral sink bowl have a beaded edge. Each sink bowl is 20" wide, 17" front to back and 7" deep. The distance between double bowls is 1 3/4". Faucet holes (three) are 8" on center on single bowl tops and centered between bowls on double bowl tops.

## How to Order:


The style and dimensional requirements are designated by completing a fourteen (14) space code designation for each top as follows:

1. The first space is the letter "S" indicating that the top will be stainless steel. The second space is the style designation (A-L) for the top being ordered. Select the style from the configuration shown on the next page.
2. The next four spaces are used to specify the desired length of the top to the nearest 100th of an inch (00.00"). Enter the total overall length measurement including end splashes (if applicable).
3. The next four spaces are used to specify the desired depth, including the back splash, of the top to the nearest 100th of an inch (00.00"). Enter the total overall depth measurement including back splashes (if applicable).
4. The last four spaces are used to provide the centerline measurement for location of sink bowl(s) on Styles F-M to the nearest 100th of an inch (00.00").

Example:

|       |        |  |  |  |        |  |  |  |                      |  |  |  |  |
|-------|--------|--|--|--|--------|--|--|--|----------------------|--|--|--|--|
| S     |        |  |  |  |        |  |  |  |                      |  |  |  |  |
| Style | Length |  |  |  | Depth  |  |  |  | Corner Edge          |  |  |  |  |
| A-M   | 00.00" |  |  |  | 00.00" |  |  |  | to center of sink(s) |  |  |  |  |
|       |        |  |  |  |        |  |  |  | Styles F-M           |  |  |  |  |


Sample Top with Dimensions - Top Style F




SF960025002400  
S (F) 96.00" 25.00" 24.00"

## Stainless Steel Sink Styles


A




B




C




D




E




F




G




H




I




J



K



L



## Lab Reference Sources

The references in print as well as the websites listed provide a wealth of detailed information. Whether you are building a new laboratory space or updating an old one, these references will help with developing good laboratory layouts that are safe and are compliant with regulations.

### Printed Resources

#### **American Chemical Society, Safety in Academic Chemistry Laboratories**

##### **American Chemical Society**

This guide is available from the American Chemical Society's Office of Society Services by calling 800-227-5558. (Note: Available free from ACS)

#### **Laboratory Design Handbook**

By: E. Crawley Cooper

The Laboratory Design Handbook describes the process, motivation, constraints, challenges, opportunities, and specific design data related to the creation of a modern research laboratory.

The information presented is based on a large pool of experience in the development of new and renovated laboratory buildings for universities, teaching hospitals, pharmaceutical companies, start-up biotechnology companies, and other types of industrial technology.

CRC Press, ISBN 9780849389962 - CAT# 8996

#### **Prudent Practices in the Laboratory: Handling and Management of Chemical Hazards**

Prudent Practices in the Laboratory has served for decades as the standard for chemical laboratory safety practice.

Developed by experts from academia and industry, with specialties in such areas as chemical sciences, pollution prevention, and laboratory safety. It provides guidance on planning procedures for the handling, storage, and disposal of chemicals. Designed to promote safety and includes practical information on assessing hazards, managing chemicals, disposing of wastes.

National Academies Press, ISBN 0309138647, 9780309138642

### Web Resources

#### **Lab Planning**

[www.labplan.org](http://www.labplan.org)

This website (the result of a planning study performed by the National Science Foundation) suggests a planning process and offers criteria and standards that can help determine what additional or improved facilities are needed for programs. This interactive website follows the structure of the planning process and provides the tools, guidelines, and data necessary to plan and design high school science, math, and technology education teaching spaces

#### **Americans with Disabilities Act (ADA)**

[www.ada.gov](http://www.ada.gov)

Information on the ADA including relevant publications, federal resources, ADA design standards, technical assistance program, enforcements, code certification, business connections, status reports, new and proposed regulations, and the ADA program.

#### **Occupational Safety and Health Organization (OSHA)**

[www.osha.gov](http://www.osha.gov)

Complete reference source for OSHA compliance including assistance, grants, cooperative programs, safety and health topics, statistics, US-EU cooperation, and service standards.

#### **National Science Teacher's Association**

[www.nsta.org](http://www.nsta.org)

Information provided focuses on the teaching environment, from elementary to college classrooms. Paid membership enables access to journals and books. NSTA recommendations, the latest news, conventions, supplier's guide, and discussion boards.

#### **American National Standards Institute (ANSI)**

[www.ansi.org](http://www.ansi.org)

This is a paid membership website that offers documents on laboratory ventilation (Z9.5) for both rooms and fume hoods as well as information on American National Standards including procedures, guides and forms, accreditation requirements, appeals requirements, audit requirements, and governance committees. The site also provides information on IEC programs, regional programs, ISO programs, the standards boards, and panels.

#### **National Science Education Leadership Association**

[www.nsela.org](http://www.nsela.org)

This official website of the NSELA is dedicated to providing national leadership in efforts to improve science education. The quarterly newsletter is posted along with operations manuals, by-laws, career postings, and publications.

#### **National Fire Protection Association (NFPA)**

[www.nfpa.org](http://www.nfpa.org)

Website dedicated to providing research information, public education, professional development as well as fire protection information, and flammable materials storage guidelines. This paid subscriber services offers many of the NFPA codes online.

#### **Scientific Equipment and Furniture Association (SEFA)**


[www.sefalabs.com](http://www.sefalabs.com)

This official website for SEFA gives paying members guidelines on construction and performance of laboratory equipment and furniture. Links to member companies offering laboratory products and laboratory design are provided.

## General Plumbing Details

### Minimum Spacing Between Fixtures

The drawing below show the allowable minimum spacing between service fittings on laboratory bench top.



### Service and Rough-In Designations and Color Coding

| Designation | Service                | Color       |
|-------------|------------------------|-------------|
| E           | Electric (120 Volt AC) | -           |
| DT          | Data                   | -           |
| A           | Air                    | Orange      |
| G           | Gas                    | Dark Blue   |
| V           | Vacuum                 | Yellow      |
| N           | Nitrogen               | Brown       |
| O           | Oxygen                 | Light Green |
| S           | Steam                  | Black       |
| CW          | Cold Water             | Green       |
| HW          | Hot Water              | Red         |
| DW          | Distilled Water        | White       |
| W           | Waste                  | -           |
| WV          | Waste Vent             | -           |

### Recommended Supply Line Pressures

| Service                             | Pressure              |
|-------------------------------------|-----------------------|
| Hot and Cold Water                  | Local Pressure        |
| Gas                                 | 0.216 psi             |
| Air (Ordinary)                      | 15 psi                |
| Air (Air Powered Stirrer Operation) | 40 psi                |
| Vacuum (Ordinary)                   | 18-22" of Mercury     |
| Vacuum (High)                       | 28.5" of Mercury      |
| Steam (Low Pressure)                | 0-15 psi as required  |
| Steam (High Pressure)               | 15-30 psi as required |

Since ICI Scientific's inception, we have installed thousands of laboratory projects in sectors ranging from higher education, K-12, medical, pharmaceutical, industrial, and more. Our manufacturing culture of craftsmanship & design has driven the success of our laboratory projects since 1951. Experience shows through our quality.

## Laboratory Products from ICI Scientific:



Steel Casework



Fume Hoods



Adaptable Furniture



Wood Casework



World Headquarters  
1865 Highway 641 North  
Paris, TN 38242-8814  
Phone: 731-642-4251