


FLEXCORE® Laboratory Solutions

In business since 1943, Jamestown Metal Products is a recognized leader in the laboratory furniture industry; and now, our FlexCore® adaptable furniture system allows almost limitless possibilities. From traditional modular casework, to docking mobile instrument carts, FlexCore® can provide a unique working environment tailored to individual needs. With durable, rugged construction designed specifically for today's industrial, research and university laboratories - and, at an affordable price point - FlexCore® is an exciting alternative. Perhaps more importantly, FlexCore® is designed to easily connect to almost all competitor units, at a more affordable price.

FlexCore® instrument carts can be assembled from a wide array of components to create mobile benches, bookcases, computer support or docking desk environments. Services can be easily managed through simple access panels, while not interrupting operations.





FLEXCORE® LABORATORY SOLUTIONS - OVERVIEW

FlexCore® is a spine and core based system, utilizing the benefits of true service management while allowing virtually unlimited choices for personal layouts. The JMP solution is really a flex-light approach, making the ability to reconfigure the laboratory affordable.

Features include:


- 14 or 16 gauge dual channel uprights
- Integral cable chase-ways
- Sized from 24" to 72" wide in 6" increments
- Easily removed covers
- Inner and outer shelving
- Depths in 3", 6", 8-3/4" and 12"
- Built-in pipe supports
- Static service panel allows desk height accessibility for both electrical and data
- Knock-down design reduces costly freight & eases job site handling
- Made in the USA



The JMP FlexCore® system brings together a blend of traditional modular cabinets, with adjustable/flex style and high density storage

Lower access panels are easily removed while the work surface remains in place.

FLEXCORE® LABORATORY SOLUTIONS - OVERVIEW



The FlexCore® system allows high density storage to be achieved through a variety of shelving combinations and options.


FlexCore® built in design flexibility allows ease of re-design when function within the lab needs to change or be modified.

Simple vertical adjustment allows the system to be easily configured to challenging field conditions.

FlexCore®'s wall cabinets offer open shelving units or units with doors; providing enclosed interiors and, if specified, lockable storage.

Wall cabinets can be mounted to the face of the core; or, inset, to eliminate work surface interference.

FlexCore®'s Mobile Storage solutions offer almost limitless possibilities for variety and flexibility.




FLEXCORE® - Wall Rails

The Jamestown Metal Products FlexCore® Wall Rails provide a modular system capable of supporting a variety of equipment. While primarily intended to support shelving, wall cabinets and cantilever frames may also be used in conjunction with the Wall Rail system.

- The vertical rolls can be located anywhere along the horizontal rails in 6" increments.
- The weight capacity of the FlexCore® Wall Rail system is limited to 720 lbs.*

* **CAUTION:** Use this weight limit as a guideline for JMP supplied materials.

Overall performance will be affected by wall construction, substrate, screw type and live loads.



Single & Double Vertical Rails

Installer Notes: Secure the top horizontal rail and hang the vertical rail from it. Use the vertical rail as a quick gauge for locating the lower horizontal rail.


The center screw on the vertical rails may be omitted if frequent shelf re-configuration is anticipated.

In high load or traffic areas where the shelf configuration is relatively fixed, a #10 flat-head screw is recommended, length and type are determined by wall material and construction.*


NOTE: Two single vertical rails side by side are dimensionally identical to one double vertical rail.

*** CAUTION:** Due to a wide variance in wall and strapping materials, screws are **NOT** supplied. Consult the specifications or the Construction Manager for required type of screw for your project.

Single Vertical Rail



Double Vertical Rail




FLEXCORE® - Wall Rails

Horizontal Wall Rails

Installer Notes: Secure the wall member to the wall using one #8 drive screw through one leveling hole, level the member and secure the opposite end using a second #8 drive screw.


Place the horizontal standard over the wall member and secure to strapping using #10 screws, passing through both the standard and the wall member.

When cutting Horizontal Standards to a particular length, cut through the center of one of the wide slots, this allows it to be used as "standard."




Note: The notch at the end of the standard is 1/2 of a wide slot, so two 24" standards work exactly like one 48" standard

Flex Core® – Wall Member



Flex Core® – Horizontal Standard



Note: Each catalog number represents two complete rails (2 Wall Members and 2 Horizontal Standards)

CAUTION: Due to a wide variance in wall and strapping materials, screws are NOT supplied.

Consult the specifications or the Construction Manager for required type of screw for your project.

FLEXCORE® - Wall Rails

Last two digits of catalog number indicate height. Example: PVR24.
Use the letter S in place of P for T304 Stainless Steel, #4 grain finish. Example: SVR24.

Single & Double Vertical Rails

Single Vertical Rails

PVRS24	24" Long
PVRS36	36" Long
PVRS48	48" Long
PVRS84	84" Long



Double Vertical Rails

PVRD24	24" Long
PVRD36	36" Long
PVRD48	48" Long
PVRD84	84" Long




Note: Vertical wall rails
are sold individually.

Horizontal Rails

Note: Upper and lower rails are sold in pairs.

PHR24	24" Long
PHR30	30" Long
PHR36	36" Long
PHR42	42" Long
PHR48	48" Long
PHR60	60" Long
PHR72	72" Long
PHR84	84" Long



Note: Each catalog number represents two complete
rails (2 Wall Members and 2 Horizontal Standards).


FLEXCORE® - Frames & Uprights

With the FlexCore® basic core frame, you support all manner of cantilevered work surfaces, with or without storage cabinets, as well as a broad selection of shelving and upper storage options.

Services are easily managed through simple access panels, without disruption, even while operations are in process. FlexCore® frames can be bolted to the floor, or left freestanding, based on client preference.


From the FlexCore® wall framing system, creating a desk—as well as high and low density storage—is a simple process.

The load on any one surface should not exceed the individual component load rating.



FLEXCORE® - Frames & Uprights

FLEXCORE® - Frames & Uprights




FLEXCORE® - Frames & Uprights

Use S in place of P (Painted) for T304 Stainless Steel, #4 grain finish. Example: SC2436325-A
To better understand our unit numbering system: PC[or SC] XX YY ZZ where X is Width; Y is Height;
and Z is Depth of core.

36" High Core Frames

Single 3.25" Deep


Unit #	W	H	D
PC2436325-A	24"	36"	3.25"
PC3036325-A	30"	36"	3.25"
PC3636325-A	36"	36"	3.25"
PC4236325-A	42"	36"	3.25"
PC4836325-A	48"	36"	3.25"
PC5436325-A	54"	36"	3.25"
PC6636325-A	66"	36"	3.25"
PC6036325-A	60"	36"	3.25"
PC7236325-A	72"	36"	3.25"



36" High Core Frames

6" Deep


Unit #	W	H	D
PC243606-A	24"	36"	6"
PC303606-A	30"	36"	6"
PC363606-A	36"	36"	6"
PC423606-A	42"	36"	6"
PC483606-A	48"	36"	6"
PC543606-A	54"	36"	6"
PC603606-A	60"	36"	6"
PC663606-A	66"	36"	6"
PC723606-A	72"	36"	6"



36" High Wall Core Frames

Single 8.75" Deep


Unit #	W	H	D
PWC2436875-A	24"	36"	8.75"
PWC3036875-A	30"	36"	8.75"
PWC3636875-A	36"	36"	8.75"
PWC4236875-A	42"	36"	8.75"
PWC4836875-A	48"	36"	8.75"
PWC5436875-A	54"	36"	8.75"
PWC6036875-A	60"	36"	8.75"
PWC6636875-A	66"	36"	8.75"
PWC7236875-A	72"	36"	8.75"



36" High Core Frames

12" Deep


Unit #	W	H	D
PC243612-A	24"	36"	12"
PC303612-A	30"	36"	12"
PC363612-A	36"	36"	12"
PC423612-A	42"	36"	12"
PC483612-A	48"	36"	12"
PC543612-A	54"	36"	12"
PC603612-A	60"	36"	12"
PC663612-A	66"	36"	12"
PC723612-A	72"	36"	12"



48" High Bench Top Core Frame

6" Deep


Unit #	W	H	D
PCB244806-A	24"	48"	6"
PCB304806-A	30"	48"	6"
PCB364806-A	36"	48"	6"
PCB424806-A	42"	48"	6"
PCB484806-A	48"	48"	6"
PCB544806-A	54"	48"	6"
PCB604806-A	60"	48"	6"
PCB664806-A	66"	48"	6"
PCB724806-A	72"	48"	6"



48" High Bench Top Core Frame

12" Deep

Unit #	W	H	D
PCB244812-A	24"	48"	12"
PCB304812-A	30"	48"	12"
PCB364812-A	36"	48"	12"
PCB424812-A	42"	48"	12"
PCB484812-A	48"	48"	12"
PCB544812-A	54"	48"	12"
PCB604812-A	60"	48"	12"
PCB664812-A	66"	48"	12"
PCB724812-A	72"	48"	12"




FLEXCORE® - Frames & Uprights

Use S in place of P (Painted) for T304 Stainless Steel, #4 grain finish. Example: PC2484325-A.
To better understand our unit numbering system: PC[or SC] XX YY ZZ where X is Width; Y is Height; and Z is Depth of core.

84" High Core Frames

Single, 3.25" Deep


Unit #	W	H	D
PC2484325-A	24"	84"	3.25"
PC3084325-A	30"	84"	3.25"
PC3684325-A	36"	84"	3.25"
PC4284325-A	42"	84"	3.25"
PC4884325-A	48"	84"	3.25"
PC5484325-A	54"	84"	3.25"
PC6084325-A	60"	84"	3.25"
PC6684325-A	66"	84"	3.25"
PC7284325-A	72"	84"	3.25"



84" High Core Frames

6" Deep


Unit #	W	H	D
PC248406-A	24"	84"	6"
PC308406-A	30"	84"	6"
PC368406-A	36"	84"	6"
PC428406-A	42"	84"	6"
PC488406-A	48"	84"	6"
PC548406-A	54"	84"	6"
PC608406-A	60"	84"	6"
PC668406-A	66"	84"	6"
PC728406-A	72"	84"	6"



84" High, Core Frame

8.75" Deep


Unit #	W	H	D
PWC2484875-A	24"	84"	8.75"
PWC3084875-A	30"	84"	8.75"
PWC3684875-A	36"	84"	8.75"
PWC4284875-A	42"	84"	8.75"
PWC4884875-A	48"	84"	8.75"
PWC5484875-A	54"	84"	8.75"
PWC6084875-A	60"	84"	8.75"
PWC6684875-A	66"	84"	8.75"
PWC7284875-A	72"	84"	8.75"



84" High Core Frames

12" Deep




Unit #	W	H	D
PC248412-A	24"	84"	12"
PC308412-A	30"	84"	12"
PC368412-A	36"	84"	12"
PC428412-A	42"	84"	12"
PC488412-A	48"	84"	12"
PC548412-A	54"	84"	12"
PC608412-A	60"	84"	12"
PC668412-A	66"	84"	12"
PC728412-A	72"	84"	12"



FLEXCORE® - Cantilever Frames

CANTILEVER FRAMES

PCF2423	24" W	23" Cantilever Frame
PCF3023	30" W	23" Cantilever Frame
PCF3623	36" W	23" Cantilever Frame
PCF4223	42" W	23" Cantilever Frame
PCF4823	48" W	23" Cantilever Frame
PCF5423	54" W	23" Cantilever Frame
PCF6023	60" W	23" Cantilever Frame
PCF6623	66" W	23" Cantilever Frame
PCF7223	72" W	23" Cantilever Frame
PCF2426	24" W	26" Cantilever Frame
PCF3026	30" W	26" Cantilever Frame
PCF3626	36" W	26" Cantilever Frame
PCF4226	42" W	26" Cantilever Frame
PCF4826	48" W	26" Cantilever Frame
PCF5426	54" W	26" Cantilever Frame
PCF6026	60" W	26" Cantilever Frame
PCF6626	66" W	26" Cantilever Frame
PCF7226	72" W	26" Cantilever Frame
PCF2427	24" W	27" Cantilever Frame
PCF3027	30" W	27" Cantilever Frame
PCF3627	36" W	27" Cantilever Frame
PCF4227	42" W	27" Cantilever Frame
PCF4827	48" W	27" Cantilever Frame
PCF5427	54" W	27" Cantilever Frame
PCF6027	60" W	27" Cantilever Frame
PCF6627	66" W	27" Cantilever Frame
PCF7227	72" W	27" Cantilever Frame
PCF2429	24" W	29" Cantilever Frame
PCF3029	30" W	29" Cantilever Frame
PCF3629	36" W	29" Cantilever Frame
PCF4229	42" W	29" Cantilever Frame
PCF4829	48" W	29" Cantilever Frame
PCF5429	54" W	29" Cantilever Frame
PCF6029	60" W	29" Cantilever Frame
PCF6629	66" W	29" Cantilever Frame
PCF7229	72" W	29" Cantilever Frame



FLEXCORE® - Fillers: Core Inner Panels & Upright End

CORE, INNER FILLER, FLUSH PANELS

<u>Unit #</u>	<u>Description</u>	<u>H</u>	<u>D</u>
PCIFF3206-A*	Core Inner Filler Flush	32"	6"
PCIFF4812-A	Core Inner Filler Flush	48.5"	12"

* PCIFF3206-A is to be used with PCIFXX-P & E models.

CORE, INNER FILLER PANELS: ELECTRICAL/PLUMBING


<u>Unit #</u>	<u>Description</u>	<u>H</u>	<u>D</u>
PCIF06-E	Core Inner Filler, Electrical	16.5"	6"
PCIF06-P	Core Inner Filler Plumbing	16.5"	6"
PCIF12-E	Core Inner Filler, Electrical	16.5"	12"
PCIF12-P	Core Inner Filler, Plumbing	16.5"	12"

CORE, MIDDLE END FILLER


<u>Unit #</u>	<u>Description</u>	<u>D</u>
PCMEF12	Core Middle End Filler	12"
PCMEF3612	Core Middle End Filler	12"

UPRIGHT END FILLER

<u>Unit #</u>	<u>Description</u>	<u>H</u>	<u>D</u>
PUEF84-Core	Upright End Filler, Core Uprights	84"	3.25"
PUEF8406-Core	Upright End Filler, Upright	84"	6"
PUEF36-Core	Upright End Filler, Upright	36"	3.25"
PUEF3606-Core	Upright End Filler, Upright	36"	6"
PUEF78-Cart	Upright End Filler, Upright	78"	2.5"
PUEF36-Cart	Upright End Filler, Upright	36"	2.5"




PCIFXX-E




PCIFXX-P

PCIFF



PCMEF




FLEXCORE® - Covers & Panels

CORE, FLUSH PANELS

<u>Unit #</u>	<u>Description</u>	<u>W of Frame</u>	<u>H</u>	<u>REFERENCE LETTER</u>
PCFP2419	Core, Flush Half Panel	24"	19"	A
PCFP3019	Core, Flush Half Panel	30"	19"	B
PCFP3619	Core, Flush Half Panel	36"	19"	C
PCFP4219	Core, Flush Half Panel	42"	19"	D
PCFP4819	Core, Flush Half Panel	48"	19"	E
PCFP5419	Core, Flush Half Panel	54"	19"	F
PCFP6019	Core, Flush Half Panel	60"	19"	G
PCFP6619	Core, Flush Half Panel	66"	19"	H
PCFP7219	Core, Flush Half Panel	72"	19"	J
PCFP2448	Core, Flush Half Panel	24"	48"	K
PCFP3048	Core, Flush Half Panel	30"	48"	L
PCFP3648	Core, Flush Half Panel	36"	48"	M
PCFP4248	Core, Flush Half Panel	42"	48"	N
PCFP4848	Core, Flush Half Panel	48"	48"	P
PCFP5448	Core, Flush Half Panel	54"	48"	Q
PCFP6048	Core, Flush Half Panel	60"	48"	R
PCFP6648	Core, Flush Half Panel	66"	48"	S
PCFP7248	Core, Flush Half Panel	72"	48"	T




These assemblies reflect the panels required on each side; except wall cores which are one side only.

Wall cores cannot use panels at top, only cores listed below. (3.25", 6")



FLEXCORE® - Covers & Panels

*Example of wall
core unit that at-
taches to the wall.
One, single, full
flush panel.*



FLEXCORE® - Hardware


Connection Hardware

NOTE: Products with * are not available in Stainless Steel.

Lag Connector Hardware*



Note: Better illustration of lag connector hardware shown on page D-9

PLCH325-Kit B*
PLCH06-Kit B*
PLCH12-Kit B*





HARDWARE - Brackets

Use S in place of P (Painted) for T304 Stainless Steel. Example: SSB09R-A
PSB XX R where X is Nominal Shelf Depth; and, R or L is right hand or left hand.



Unit #	Depth	Description
PSB06R-A	6"	Shelf Bracket, Right Hand
PSB06L-A	6"	Shelf Bracket, Left Hand
PSB09R-A	9"	Shelf Bracket, Right Hand
PSB09L-A	9"	Shelf Bracket, Left Hand
PSB12R-A	12"	Shelf Bracket, Right Hand
PSB12L-A	12"	Shelf Bracket, Left Hand
PSB18R-A	18"	Shelf Bracket, Right Hand
PSB18L-A	18"	Shelf Bracket, Left Hand
PSB24R-A	24"	Shelf Bracket, Right Hand
PSB24L-A	24"	Shelf Bracket, Left Hand
PTSB06R-A	6"	Top Shelf Bracket, Right Hand, Inverted
PTSB06L-A	6"	Top Shelf Bracket, Left Hand, Inverted
PTSB12R-A	12"	Top Shelf Bracket, Right Hand, Inverted
PTSB12L-A	12"	Top Shelf Bracket, Left Hand, Inverted
PTSB24R-A	24"	Top Shelf Bracket, Right Hand, Inverted
PTSB24L-A	24"	Top Shelf Bracket, Left Hand, Inverted
PWSB06R-A	6"	Wall Shelf Bracket, Right Hand, Inside
PWSB06L-A	6"	Wall Shelf Bracket, Left Hand, Inside
PWSB875R-A	8.75"	Wall Shelf Bracket, Right Hand, Inside
PWSB875L-A	8.75"	Wall Shelf Bracket, Left Hand, Inside
PWSB24R-A	24"	Wall Shelf Bracket, Right Hand, Inside
PWSB24L-A	24"	Wall Shelf Bracket, Left Hand, Inside



PISB-A Inner Shelf Clips, Quantity of Four: 2 Each, Left Hand/Right Hand

FLEXCORE® - Hardware


Use S in place of P (Painted) for T304 Stainless Steel. Example: SWCH24
PWCH XX Where XX is Nominal Width of Core or Cart.

Notes:

1. Each kit contains two (2) hangers for mounting wall cabinets.
2. Offset hangers can be used to recess wall cabinets within 12" & 8.75" core frames.
3. Ends will be closed off with black caps.


HARDWARE – Hangers

Unit #	Width	Description
PWCH24	24" W	Wall Case Hanger
PWCH30	30" W	Wall Case Hanger
PWCH36	36" W	Wall Case Hanger
PWCH42	42" W	Wall Case Hanger
PWCH48	48" W	Wall Case Hanger
PWCH54	66" W	Wall Case Hanger
PWCH60	60" W	Wall Case Hanger
PWCH66	66" W	Wall Case Hanger
PWCH72	72" W	Wall Case Hanger



HARDWARE – Offset Hangers

Unit #	Width	Description
PWCH24-Offset	24" W	Wall Case Hanger
PWCH30-Offset	30" W	Wall Case Hanger
PWCH36-Offset	36" W	Wall Case Hanger
PWCH42-Offset	42" W	Wall Case Hanger
PWCH48-Offset	48" W	Wall Case Hanger
PWCH54-Offset	54" W	Wall Case Hanger
PWCH60-Offset	60" W	Wall Case Hanger
PWCH66-Offset	66" W	Wall Case Hanger
PWCH72-Offset	72" W	Wall Case Hanger




FLEXCORE® - Shelving

Use S in place of P (Painted) for T304 Stainless Steel, #4 grain finish. Example: SWS24875-A
To better understand our unit numbering system: PC[or SC] XX YY ZZ where X is Height; Y is Width; and Z is Depth of core.


INNER WALL CORE SHELVES, 8.75" DEPTH

Unit #	W	D
PWS24875-A	24"	8.75"
PWS30875-A	30"	8.75"
PWS36875-A	36"	8.75"
PWS42875-A	42"	8.75"
PWS48875-A	48"	8.75"
PWS54875-A	54"	8.75"
PWS60875-A	60"	8.75"
PWS66875-A	66"	8.75"
PWS72875-A	72"	8.75"




INNER/OUTER SHELVES 12" DEPTH

Unit #	W	D
PS2412-A	24"	12"
PS3012-A	30"	12"
PS3612-A	36"	12"
PS4212-A	42"	12"
PS4812-A	48"	12"
PS5412-A	54"	12"
PS6012-A	60"	12"
PS6612-A	66"	12"
PS7212-A	72"	12"




INNER/OUTER SHELVES 15" DEPTH

Unit #	W	D
PS2415-A	24"	15"
PS3015-A	30"	15"
PS3615-A	36"	15"
PS4215-A	42"	15"
PS4815-A	48"	15"
PS5415-A	54"	15"
PS6015-A	60"	15"
PS6615-A	66"	15"
PS7215-A	72"	15"



INNER/OUTER SHELVES 18" DEPTH

Unit #	W	D
PS2418-A	24"	18"
PS3018-A	30"	18"
PS3618-A	36"	18"
PS4218-A	42"	18"
PS4818-A	48"	18"
PS5418-A	54"	18"
PS6018-A	60"	18"
PS6618-A	66"	18"
PS7218-A	72"	18"



FLEXCORE® - Shelving

Use S in place of P (Painted) for T304 Stainless Steel, #4 grain finish. Example: SS2424-A
To better understand our unit numbering system: PC[or SC] XX YY ZZ where X is Height; Y is Width; and Z is Depth of core.

INNER/OUTER SHELVES 24" DEPTH


Unit #	W	D
PS2424-A	24"	24"
PS3024-A	30"	24"
PS3624-A	36"	24"
PS4224-A	42"	24"
PS4824-A	48"	24"
PS5424-A	54"	24"
PS6024-A	60"	24"
PS6624-A	66"	24"
PS7224-A	72"	24"

SHELF LIPS

Unit #	W
PSL24-A	24"
PSL30-A	30"
PSL36-A	36"
PSL42-A	42"
PSL48-A	48"
PSL54-A	54"
PSL60-A	60"
PSL66-A	66"
PSL72-A	72"

SHELF EXTENDERS

Unit #	W
PSE24325-A	24"
PSE30325-A	30"
PSE36325-A	36"
PSE42325-A	42"
PSE48325-A	48"
PSE54325-A	54"
PSE60325-A	60"
PSE66325-A	66"
PSE72325-A	72"




Shelf PWS24875-A shown with brackets PWSB875L-A & PWSB875R-A; and, SHELF EXTENDER PSE24325-A

Note: Shelf Extender does not increase load rating of shelf.

OUTRIGGER LEG ASSEMBLIES


Order Left or Right:

PLA20L 20" Deep
PLA20R 20" Deep




FLEXCORE® - Overhead Carriers

Use S in place of P (Painted) for T304 Stainless Steel. Example: SOHSC363624




Example shown:
POHSC723624 with both (must be specified, not standard)
plumbed (8 total fixtures) and electrical (total of 8) duplex outlets.

End View



Example:
PVSC361212



Accessories – Overhead Carriers

Unit #	W	H	D	
POHSC363624	36"	36"	24"	Overhead Carrier (No E,P)
POHSC483624	36"	48"	24"	Overhead Carrier (No E,P)
POHSC603624	36"	60"	24"	Overhead Carrier (No E,P)
POHSC723624	36"	72"	24"	Overhead Carrier (No E,P)
PVSC361212	36"	12"	12"	Overhead Carrier, Vertical (No E,P)
PVSC481212	48"	12"	12"	Overhead Carrier, Vertical (No E,P)
PVSC601212	60"	12"	12"	Overhead Carrier, Vertical (No E,P)

FLEXCORE® - Accessories/Special Options



NOTE: Accessories are outsourced from several suppliers; therefore, images are only representative & not specific of product provided.

MISCELLANEOUS ACCESSORIES

<u>Product</u>	<u>Order Unit #</u>
Keyboard Tray	KBT
Keyboard Tray with Mouse Pad	KBTMP
CPU Holder	CPUH
24" W Task Light	TL24
30" W Task Light	TL30
36" W Task Light	TL36



Typical CPU Holders




Typical Task Lighting Units




WHITE MARKER BOARDS

Unit #	W	H
PWMB2411	24"	11"
PWMB3011	30"	11"
PWMB3611	36"	11"
PWMB4211	42"	11"
PWMB4811	48"	11"
PWMB5411	54"	11"
PWMB6011	60"	11"
PWMB6611	66"	11"
PWMB7211	72"	11"
PWMB2424	24"	24"
PWMB3024	30"	24"
PWMB3624	36"	24"
PWMB4224	42"	24"
PWMB4824	48"	24"
PWMB5424	54"	24"
PWMB6024	60"	24"
PWMB6624	66"	24"
PWMB7224	72"	24"
PWMB2430	24"	30"
PWMB3030	30"	30"
PWMB3630	36"	30"
PWMB4230	42"	30"
PWMB4830	48"	30"
PWMB5430	54"	30"
PWMB6030	60"	30"
PWMB6630	66"	30"
PWMB7230	72"	30"



White Boards





TACK BOARDS

Unit #	W	H
PTB2411	24"	11"
PTB3011	30"	11"
PTB3611	36"	11"
PTB4211	42"	11"
PTB4811	48"	11"
PTB5411	54"	11"
PTB6011	60"	11"
PTB6611	66"	11"
PTB7211	72"	11"
PTB2424	24"	24"
PTB3024	30"	24"
PTB3624	36"	24"
PTB4224	42"	24"
PTB4824	48"	24"
PTB5424	54"	24"
PTB6024	60"	24"
PTB6624	66"	24"
PTB7224	72"	24"
PTB2430	24"	30"
PTB3030	30"	30"
PTB3630	36"	30"
PTB4230	42"	30"
PTB4830	48"	30"
PTB5430	54"	30"
PTB6030	60"	30"
PTB6630	66"	30"
PTB7230	72"	30"

FLEXCORE® - Suspended Cabinets


24 1/2" High x 22" Deep

Last two digits of catalog number indicate width. Example P125-18.
 Use **S** in place of **P** (painted) for Stainless Steel. Example **S**125-18
 Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example P125-18**R**.
 For Locking Cabinet add **L** to cabinet number. Example P12518**L**
 Example **S**125-18**RL** will order a stainless steel cabinet with recessed pulls and locks.
 You must specify lock keying preferences when ordering locks.
 Master keying and grand-master keying may incur additional costs.



Drawer & Door Heights			
Drawer Letter	Approx. Height	Door Letter	Approx. Height
A	3-1/2"	E	14-1/2"
B	7"	G	22"
C	10-1/2"	H	29"
D	14-1/2"		


Hanging Cabinet Detail



P817-30
P817-36
P817-42
P817-48




P818-15
P818-18
P818-21
P818-24



P819-30
P819-36
P819-42
P819-48



P820-15
P820-18
P820-21
P820-24



P821-15
P821-18
P821-21
P821-24




P822-15
P822-18
P822-21




P823-30
P823-36
P823-42
P823-48



P824-30
P824-36
P824-42
P824-48




P825-30
P825-36
P825-42
P825-48



P826-30
P826-36
P826-42
P826-48



P827-30
P827-36
P827-42
P827-48



P828-30
P828-36
P828-42
P828-48





P815-30
P815-36
P815-42
P815-48



P816-30
P816-36
P816-42
P816-48

FLEXCORE® - Suspended Cabinets

24 1/2" High x 22" Deep



Last two digits of catalog number indicate width. Example P125-18. Use **S** in place of **P** (painted) for Stainless Steel. Example **S**125-18. Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example P125-18R.


For Locking Cabinet add **L** to cabinet number. Example P125-18L

Example S125-18RL will order a stainless steel cabinet with recessed pulls and locks.


You must specify lock keying preferences when ordering locks.

Master keying and grand master keying may incur additional costs.


Drawer & Door Heights			
Drawer Letter	Approx. Height	Door Letter	Approx. Height
A	3-1/2"	E	14-1/2"
B	7"	G	22"
C	10-1/2"	H	29"
D	14-1/2"		




P829-32




P833-15
P833-18
P833-21
P833-24




P801-12 P801-30
P801-15 P801-36
P801-18 P801-42
P801-21 P801-48
P801-24




P802-12
P802-15
P802-18
P802-21
P802-24




P803-12
P803-15
P803-18
P803-21
P803-24




P804-30
P804-36
P804-42
P804-48




P805-15
P805-18
P805-21
P805-24




P806-15
P806-18
P806-21
P806-24



P807-30
P807-36
P807-42
P807-48




P808-30
P808-36
P808-42
P808-48



P809-30
P809-36
P809-42
P809-48




P810-30
P810-36
P810-42
P810-48



P811-30
P811-36
P811-42
P811-48



P812-30
P812-36
P812-42
P812-48



P813-30
P813-36
P813-42
P813-48




P814-30
P814-36
P814-42
P814-48



FLEXCORE® - Suspended Cabinets



31 3/4" High x 22" Deep

Last two digits of catalog number indicate width. Example P125-18.
 Use **S** in place of **P** (painted) for Stainless Steel. Example **S125-18**
 Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example P125-18R.
 For Locking Cabinet add **L** to cabinet number. Example P125-18L
 Example S125-18RL will order a stainless steel cabinet with recessed pulls and locks.
 You must specify lock keying preferences when ordering locks.
 Master keying and grand-master keying may incur additional costs.




Drawer & Door Heights			
Drawer Letter	Approx. Height	Door Letter	Approx. Height
A	3-1/2"	E	14-1/2"
B	7"	G	22"
C	10-1/2"	H	29"
D	14-1/2"		

Hanging Cabinet Detail




P840-12 P840-30
 P840-15 P840-36
 P840-18 P840-42
 P840-21 P840-48
 P840-24



P841-12
 P841-15
 P841-18
 P841-21
 P841-24



P842-12
 P842-15
 P842-18
 P842-21
 P842-24



P843-30
 P843-36
 P843-42
 P843-48



P844-15
 P844-18
 P844-21
 P844-24




P845-15
 P845-18
 P845-21
 P845-24




P846-30
 P846-36
 P846-42
 P846-48



P847-30
 P847-36
 P847-42
 P847-48



P848-30
 P848-36
 P848-42
 P848-48



P849-30
 P849-36
 P849-42
 P849-48




P850-30
 P850-36
 P850-42
 P850-48



P851-30
 P851-36
 P851-42
 P851-48




P852-30
 P852-36
 P852-42
 P852-48



P853-30
 P853-36
 P853-42
 P853-48

FLEXCORE® - Suspended Cabinets 31 3/4" High x 22" Deep



Drawer & Door Heights			
Drawer Letter	Approx. Height	Door Letter	Approx. Height
A	3-1/2"	E	14-1/2"
B	7"	G	22"
C	10-1/2"	H	29"
D	14-1/2"		

Last two digits of catalog number indicate width. Example P125-18.

Use **S** in place of **P** (painted) for Stainless Steel. Example S125-18

Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example P125-18R. For Locking Cabinet add **L** to cabinet number. Example P125-18L

Example S125-18RL will order a stainless steel cabinet with recessed pulls and locks.

You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.




P854-30
P854-36
P854-42
P854-48



P855-30
P855-36
P855-42
P855-48



P856-30
P856-36
P856-42
P856-48




P857-30
P857-36
P857-42
P857-48




P858-30
P858-36
P858-42
P858-48




P859-15
P859-18
P859-21
P859-24



P860-30
P860-36
P860-42
P860-48



P861-30
P861-36
P861-42
P861-48



P862-15
P862-18
P862-21
P862-24




P863-15
P863-18
P863-21
P863-24



P864-15
P864-18
P864-21
P864-24




P865-15
P865-18
P865-21
P865-24




P866-30
P866-36
P866-42
P866-48



P867-30
P867-36
P867-42
P867-48






P868-32 – Suspended Corner Cabinet
Right Hand Only



FLEXCORE® - Mobile Cart

Example:
PMC4878






FLEXCORE - MOBILE CART




PMC2478	24"W	78" Mobile Cart
PMC3078	30"W	78" Mobile Cart
PMC3678	36"W	78" Mobile Cart
PMC4278	42"W	78" Mobile Cart
PMC4878	48"W	78" Mobile Cart
PMC5478	54"W	78" Mobile Cart
PMC6078*	60"W	78" Mobile Cart
PMC6678*	66"W	78" Mobile Cart
PMC7278*	72"W	78" Mobile Cart

Add: "-HD" for casters plus levelers
Add: "-HDZ" for ZamBus (or equal) casters

* Note: Carts over 60"W, a center vertical post is standard.



Example:
PMC7278



FLEXCORE® - 22" Deep, Mobile Cabinets

Last two digits of catalog number indicate width. Example P1002-18.

Use **S** in place of **P** (painted) for Stainless Steel. Example **S**1002-18


Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example: P1002-18**R**.

For Locking Cabinet add **L** to cabinet number. Example P1002-18**L**


Example **S**1002-18**RL** will order a stainless steel cabinet with recessed pulls and locks.

You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs. Drawer stack cabinets are equipped with interlocking mechanism to allow one drawer open at a time.


Mobile cabinets include a counter weight system to prevent forward tipping when drawer or doors are open.




Unit #	W	H
P1002-18	18"	32"
P1002-24	24"	32"




Unit #	W	H
P1003-18	18"	32"
P1003-24	24"	32"




Unit #	W	H
P1003-30	30"	32"
P1003-36	36"	32"
P1003-42	42"	32"
P1003-48	48"	32"




Unit #	W	H
P1005-30	30"	32"
P1005-36	36"	32"
P1005-42	42"	32"




Unit #	W	H
P1018-18	18"	32"
P1018-24	24"	32"




Unit #	W	H
P1019-18	18"	32"
P1019-24	24"	32"




Unit #	W	H
P1021-18	18"	32"
P1021-24	24"	32"
P1021-30	30"	32"
P1021-36	36"	32"




Unit #	W	H
P1041-18	18"	22"
P1041-24	24"	22"




Unit #	W	H
P1042-18	18"	22"
P1042-24	24"	22"




Unit #	W	H
P1043-30	30"	22"
P1043-36	36"	22"



Unit #	W	H
P1044-24	24"	22"



Unit #	W	H
P1045-24	24"	22"



Unit #	W	H
P1046-30	30"	22"



Unit #	W	H
P1059-18	18"	22"
P1059-24	24"	22"
P1059-30	30"	22"
P1059-36	36"	22"

FLEXCORE® - 22" Deep, Mobile Cabinets

Last two digits of catalog number indicate width. Example P1059-18.

Use **S** in place of **P** (painted) for Stainless Steel. Example **S**1059-18


Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example: P1059-18R.

For Locking Cabinet add **L** to cabinet number. Example P1059-18L


Example S1059-18RL will order a stainless steel cabinet with recessed pulls and locks.

You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs. Drawer stack cabinets are equipped with interlocking mechanism to allow one drawer open at a time.


Mobile cabinets include a counter weight system to prevent forward tipping when drawer or doors are open.




Unit #	W	H
P1063-30	30"	28"
P1063-36	36"	28"




Unit #	W	H
P1065-30	30"	28"
P1065-36	36"	28"




Unit #	W	H
P1068-24	24"	28"




Unit #	W	H
P1069-24	24"	28"




Unit #	W	H
P1070-18	18"	28"
P1070-24	24"	28"




Unit #	W	H
P1071-18	18"	28"
P1071-24	24"	28"




Unit #	W	H
P1072-18	18"	28"
P1072-24	24"	28"
P1072-30	30"	28"
P1072-36	36"	28"



Unit #	W	H
P1074-18	18"	28"
P1074-24	24"	28"
P1074-30	30"	28"




Unit #	W	H
P1075-18	18"	28"
P1075-24	24"	28"



Unit #	W	H
P1076-18	18"	28"
P1076-24	24"	28"

FLEXCORE® - Wall Cabinets




Open Front Unit



Use **S** in place of **P** (painted) for Stainless Steel. Example **S268-18-FLEX**

All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.



Equipped With One Shelf




Equipped With Two Shelves

Unit #	W	H	D
P268-18-FLEX	18"	18"	12"
P268-1816-FLEX	18"	18"	16"
P268-24-FLEX	24"	18"	12"
P268-2416-FLEX	24"	18"	16"
P268-30-FLEX	30"	18"	12"
P268-3016-FLEX	30"	18"	16"
P268-36-FLEX	36"	18"	12"
P268-3616-FLEX	36"	18"	16"
P268-42-FLEX	42"	18"	12"
P268-4216-FLEX	42"	18"	16"
P268-48-FLEX	48"	18"	12"
P268-4816-FLEX	48"	18"	16"

Unit #	W	H	D
P228-18-FLEX	18"	24 1/2"	12"
P228-1816-FLEX	18"	24 1/2"	16"
P228-24-FLEX	24"	24 1/2"	12"
P228-2416-FLEX	24"	24 1/2"	16"
P228-30-FLEX	30"	24 1/2"	12"
P228-3016-FLEX	30"	24 1/2"	16"
P228-36-FLEX	36"	24 1/2"	12"
P228-3616-FLEX	36"	24 1/2"	16"
P228-42-FLEX	42"	24 1/2"	12"
P228-4216-FLEX	42"	24 1/2"	16"
P228-48-FLEX	48"	24 1/2"	12"
P228-4816-FLEX	48"	24 1/2"	16"


Unit #	W	H	D
P201-18-FLEX	18"	30"	12"
P201-1816-FLEX	18"	30"	16"
P201-24-FLEX	24"	30"	12"
P201-2416-FLEX	24"	30"	16"
P201-30-FLEX	30"	30"	12"
P201-3016-FLEX	30"	30"	16"
P201-36-FLEX	36"	30"	12"
P201-3616-FLEX	36"	30"	16"
P201-42-FLEX	42"	30"	12"
P201-4216-FLEX	42"	30"	16"
P201-48-FLEX	48"	30"	12"
P201-4816-FLEX	48"	30"	16"




Swing Door Unit
Hinged, Solid Door



No Shelf



Equipped With One Shelf



Equipped With Two Shelves

Use **S** in place of **P** (painted) for Stainless Steel. Example: **S221-18-FLEX**

Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example **P221-18R-FLEX**

For Locking Cabinet add **L** to cabinet number. Example **P221-18L-FLEX**

Example **S221-18RL-FLEX** will order a stainless steel cabinet with recessed pulls and locks.

You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.

All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.


Unit #	W	H	D
P260-18-FLEX	18"	18"	12"
P260-1816-FLEX	18"	18"	16"
P260-24-FLEX	24"	18"	12"
P260-2416-FLEX	24"	18"	16"

Unit #	W	H	D
P221-18-FLEX	18"	24 1/2"	12"
P221-1816-FLEX	18"	24 1/2"	16"
P221-24-FLEX	24"	24 1/2"	12"
P221-2416-FLEX	24"	24 1/2"	16"

Unit #	W	H	D
P217-18-FLEX	18"	30"	12"
P217-1816-FLEX	18"	30"	16"
P217-24-FLEX	24"	30"	12"
P217-2416-FLEX	24"	30"	16"




FLEXCORE® - Wall Cabinets




**Swing Door Unit
Hinged, Solid Door**


Use **S** in place of **P** (painted) for Stainless Steel. Example: **S261-18-FLEX**
 Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example **P261-18R-FLEX**
 For Locking Cabinet add **L** to cabinet number. Example **P261-18L-FLEX**
 Example **S261-18RL-FLEX** will order a stainless steel cabinet with recessed pulls and locks.
 You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.
 All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.



No Shelf



Equipped With One Shelf




Equipped With Two Shelves

Unit #	W	H	D
P261-18-FLEX	18"	18"	12"
P261-1816-FLEX	18"	18"	16"
P261-24-FLEX	24"	18"	12"
P261-2416-FLEX	24"	18"	16"


Unit #	W	H	D
P222-18-FLEX	18"	24 1/2"	12"
P222-1816-FLEX	18"	24 1/2"	16"
P222-24-FLEX	24"	24 1/2"	12"
P222-2416-FLEX	24"	24 1/2"	16"

Unit #	W	H	D
P218-18-FLEX	18"	30"	12"
P218-1816-FLEX	18"	30"	16"
P218-24-FLEX	24"	30"	12"
P218-2416-FLEX	24"	30"	16"




**Swing Door Unit
Hinged, Solid Doors**


Use **S** in place of **P** (painted) for Stainless Steel. Example: **S262-30-FLEX**
 Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example **P262-30R-FLEX**
 For Locking Cabinet add **L** to cabinet number. Example **P262-30L-FLEX**
 Example **S262-30RL-FLEX** will order a stainless steel cabinet with recessed pulls and locks.
 You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.
 All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.



No Shelf



Equipped With One Shelf




Equipped With Two Shelves

Unit #	W	H	D
P262-30-FLEX	30"	18"	12"
P262-3016-FLEX	30"	18"	16"
P262-36-FLEX	36"	18"	12"
P262-3616-FLEX	36"	18"	16"
P262-42-FLEX	42"	18"	12"
P262-4216-FLEX	42"	18"	16"
P262-48-FLEX	48"	18"	12"
P262-4816-FLEX	48"	18"	16"


Unit #	W	H	D
P220-30-FLEX	30"	24 1/2"	12"
P220-3016-FLEX	30"	24 1/2"	16"
P220-36-FLEX	36"	24 1/2"	12"
P220-3616-FLEX	36"	24 1/2"	16"
P220-42-FLEX	42"	24 1/2"	12"
P220-4216-FLEX	42"	24 1/2"	16"
P220-48-FLEX	48"	24 1/2"	12"
P220-4816-FLEX	48"	24 1/2"	16"

Unit #	W	H	D
P203-18-FLEX	30"	30"	12"
P203-1816-FLEX	30"	30"	16"
P203-36-FLEX	36"	30"	12"
P203-3616-FLEX	36"	30"	16"
P203-42-FLEX	42"	30"	12"
P203-4216-FLEX	42"	30"	16"
P203-48-FLEX	48"	30"	12"
P203-4816-FLEX	48"	30"	16"


FLEXCORE® - Wall Cabinets




**Sliding Door Unit; Flush Pulls;
Solid Door Panels**



No Shelf



Equipped With One Shelf




Equipped With Two Shelves


Unit #	W	H	D
P266-30-FLEX	30"	18"	12"
P266-3016-FLEX	30"	18"	16"
P266-36-FLEX	36"	18"	12"
P266-3616-FLEX	36"	18"	16"
P266-42-FLEX	42"	18"	12"
P266-4216-FLEX	42"	18"	16"
P266-48-FLEX	48"	18"	12"
P266-4816-FLEX	48"	18"	16"

Unit #	W	H	D
P226-30-FLEX	30"	24 1/2"	12"
P226-3016-FLEX	30"	24 1/2"	16"
P226-36-FLEX	36"	24 1/2"	12"
P226-3616-FLEX	36"	24 1/2"	16"
P226-42-FLEX	42"	24 1/2"	12"
P226-4216-FLEX	42"	24 1/2"	16"
P226-48-FLEX	48"	24 1/2"	12"
P226-4816-FLEX	48"	24 1/2"	16"


Unit #	W	H	D
P205-18-FLEX	30"	30"	12"
P205-1816-FLEX	30"	30"	16"
P205-36-FLEX	36"	30"	12"
P205-3616-FLEX	36"	30"	16"
P205-42-FLEX	42"	30"	12"
P205-4216-FLEX	42"	30"	16"
P205-48-FLEX	48"	30"	12"
P205-4816-FLEX	48"	30"	16"




**Sliding Door Unit; Frameless Glass Door;
1/4" Tempered Glass**



No Shelf



Equipped With One Shelf



Equipped With Two Shelves

Unit #	W	H	D
P267-30-FLEX	30"	18"	12"
P267-3016-FLEX	30"	18"	16"
P267-36-FLEX	36"	18"	12"
P267-3616-FLEX	36"	18"	16"
P267-42-FLEX	42"	18"	12"
P267-4216-FLEX	42"	18"	16"
P267-48-FLEX	48"	18"	12"
P267-4816-FLEX	48"	18"	16"


Unit #	W	H	D
P227-30-FLEX	30"	24 1/2"	12"
P227-3016-FLEX	30"	24 1/2"	16"
P227-36-FLEX	36"	24 1/2"	12"
P227-3616-FLEX	36"	24 1/2"	16"
P227-42-FLEX	42"	24 1/2"	12"
P227-4216-FLEX	42"	24 1/2"	16"
P227-48-FLEX	48"	24 1/2"	12"
P227-4816-FLEX	48"	24 1/2"	16"

Unit #	W	H	D
P219-18-FLEX	30"	30"	12"
P219-1816-FLEX	30"	30"	16"
P219-36-FLEX	36"	30"	12"
P219-3616-FLEX	36"	30"	16"
P219-42-FLEX	42"	30"	12"
P219-4216-FLEX	42"	30"	16"
P219-48-FLEX	48"	30"	12"
P219-4816-FLEX	48"	30"	16"




FLEXCORE® - Wall Cabinets

Use **S** in place of **P** (painted) for Stainless Steel. Example: **S263-18-FLEX**
 Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example **P263-18R-FLEX**
 For Locking Cabinet add **L** to cabinet number. Example **P263-18L-FLEX**
 Example **S263-18RL-FLEX** will order a stainless steel cabinet with recessed pulls and locks.
 You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.
 All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.




**Swing Door Unit; Hinged Glass Door;
1/4" Float Glass**




No Shelf

Unit #	W	H	D
P263-18-FLEX	18"	18"	12"
P263-1816-FLEX	18"	18"	16"
P263-24-FLEX	24"	18"	12"
P263-2416-FLEX	24"	18"	16"




Equipped With One Shelf

Unit #	W	H	D
P223-18-FLEX	18"	24 1/2"	12"
P223-1816-FLEX	18"	24 1/2"	16"
P223-24-FLEX	24"	24 1/2"	12"
P223-2416-FLEX	24"	24 1/2"	16"




Equipped With Two Shelves

Unit #	W	H	D
P210-18-FLEX	18"	30"	12"
P210-1816-FLEX	18"	30"	16"
P210-24-FLEX	24"	30"	12"
P210-2416-FLEX	24"	30"	16"




**Swing Door Unit; Hinged Glass Door;
1/4" Float Glass**




No Shelf

Unit #	W	H	D
P264-18-FLEX	18"	18"	12"
P264-1816-FLEX	18"	18"	16"
P264-24-FLEX	24"	18"	12"
P264-2416-FLEX	24"	18"	16"



Equipped With One Shelf


Unit #	W	H	D
P224-18-FLEX	18"	24 1/2"	12"
P224-1816-FLEX	18"	24 1/2"	16"
P224-24-FLEX	24"	24 1/2"	12"
P224-2416-FLEX	24"	24 1/2"	16"



Equipped With Two Shelves

Unit #	W	H	D
P211-18-FLEX	18"	30"	12"
P211-1816-FLEX	18"	30"	16"
P211-24-FLEX	24"	30"	12"
P211-2416-FLEX	24"	30"	16"

FLEXCORE® - Wall Cabinets



Use **S** in place of **P** (painted) for Stainless Steel. Example: **S265-30-FLEX**
Cabinets come standard with wire pull. To specify Recessed Pull add **R** to end of cabinet number. Example **P265-30R-FLEX**


For Locking Cabinet add **L** to cabinet number. Example **P265-30L-FLEX**

Example **S265-30RL-FLEX** will order a stainless steel cabinet with recessed pulls and locks.


You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.

All FlexCore® wall cabinets come with finished backs, bottoms and integral hanging brackets.


Swing Door Unit; Hinged Glass Doors; 1/4" Float Glass



No Shelf



Equipped With One Shelf




Equipped With Two Shelves


Unit #	W	H	D
P265-30-FLEX	30"	18"	12"
P265-3016-FLEX	30"	18"	16"
P265-36-FLEX	36"	18"	12"
P265-3616-FLEX	36"	18"	16"
P265-42-FLEX	42"	18"	12"
P265-4216-FLEX	42"	18"	16"
P265-48-FLEX	48"	18"	12"
P265-4816-FLEX	48"	18"	16"

Unit #	W	H	D
P225-30-FLEX	30"	24 1/2"	12"
P225-3016-FLEX	30"	24 1/2"	16"
P225-36-FLEX	36"	24 1/2"	12"
P225-3616-FLEX	36"	24 1/2"	16"
P225-42-FLEX	42"	24 1/2"	12"
P225-4216-FLEX	42"	24 1/2"	16"
P225-48-FLEX	48"	24 1/2"	12"
P225-4816-FLEX	48"	24 1/2"	16"


Unit #	W	H	D
P206-30-FLEX	30"	30"	12"
P206-3016-FLEX	30"	30"	16"
P206-36-FLEX	36"	30"	12"
P206-3616-FLEX	36"	30"	16"
P206-42-FLEX	42"	30"	12"
P206-4216-FLEX	42"	30"	16"
P206-48-FLEX	48"	30"	12"
P206-4816-FLEX	48"	30"	16"




Sliding Door Unit; Flush Panels; 1/4" Tempered Glass



No Shelf



Equipped With One Shelf



Equipped With Two Shelves

Unit #	W	H	D
P269-30-FLEX	30"	18"	12"
P269-3016-FLEX	30"	18"	16"
P269-36-FLEX	36"	18"	12"
P269-3616-FLEX	36"	18"	16"
P269-42-FLEX	42"	18"	12"
P269-4216-FLEX	42"	18"	16"
P269-48-FLEX	48"	18"	12"
P269-4816-FLEX	48"	18"	16"

Unit #	W	H	D
P229-30-FLEX	30"	24 1/2"	12"
P229-3016-FLEX	30"	24 1/2"	16"
P229-36-FLEX	36"	24 1/2"	12"
P229-3616-FLEX	36"	24 1/2"	16"
P229-42-FLEX	42"	24 1/2"	12"
P229-4216-FLEX	42"	24 1/2"	16"
P229-48-FLEX	48"	24 1/2"	12"
P229-4816-FLEX	48"	24 1/2"	16"

Unit #	W	H	D
P208-30-FLEX	30"	30"	12"
P208-3016-FLEX	30"	30"	16"
P208-36-FLEX	36"	30"	12"
P208-3616-FLEX	36"	30"	16"
P208-42-FLEX	42"	30"	12"
P208-4216-FLEX	42"	30"	16"
P208-48-FLEX	48"	30"	12"
P208-4816-FLEX	48"	30"	16"




FLEXCORE® - Standard Duty, Mobile or Standing, Process Table

Standard Duty MOBILE, ADJUSTABLE TABLES

(Height adjusts from 28" to 38" in 1" increments;
including 1" thick top.)


Unit #	W	D
PMAT3624	36"	24"
PMAT4224	42"	24"
PMAT4824	48"	24"
PMAT5424	54"	24"
PMAT6024	60"	24"
PMAT6624	66"	24"
PMAT7230	72"	24"
PMAT3630	36"	30"
PMAT4230	42"	30"
PMAT4830	48"	30"
PMAT5430	54"	30"
PMAT6030	60"	30"
PMAT6630	66"	30"
PMAT7230	72"	30"
PMAT3636	36"	36"
PMAT4236	42"	36"
PMAT4836	48"	36"
PMAT5436	54"	36"
PMAT6036	60"	36"
PMAT6636	66"	36"
PMAT7236	72"	36"



Standard Duty LEVELER, ADJUSTABLE TABLES

(Height adjusts from 28" to 38" in
1" increments; including 1" thick top.)



Unit #	W	D
PLAT3624	36"	24"
PLAT4224	42"	24"
PLAT4824	48"	24"
PLAT5424	54"	24"
PLAT6024	60"	24"
PLAT6624	66"	24"
PLAT7230	72"	24"
PLAT3630	36"	30"
PLAT4230	42"	30"
PLAT4830	48"	30"
PLAT5430	54"	30"
PLAT6030	60"	30"
PLAT6630	66"	30"
PLAT7230	72"	30"
PLAT3636	36"	36"
PLAT4236	42"	36"
PLAT4836	48"	36"
PLAT5436	54"	36"
PLAT6036	60"	36"
PLAT6636	66"	36"
PLAT7236	72"	36"



FLEXCORE® - Heavy Duty, Mobile or Standing, Process Table

Heavy Duty MOBILE, ADJUSTABLE TABLES (Height adjusts from 28" to 38" in 1" increments; including 1" thick top.)

Unit #	W	D
PMAT3624-HD	36"	24"
PMAT4224-HD	42"	24"
PMAT4824-HD	48"	24"
PMAT5424-HD	54"	24"
PMAT6024-HD	60"	24"
PMAT6624-HD	66"	24"
PMAT7230-HD	72"	24"
PMAT3630-HD	36"	30"
PMAT4230-HD	42"	30"
PMAT4830-HD	48"	30"
PMAT5430-HD	54"	30"
PMAT6030-HD	60"	30"
PMAT6630-HD	66"	30"
PMAT7230-HD	72"	30"
PMAT3636-HD	36"	36"
PMAT4236-HD	42"	36"
PMAT4836-HD	48"	36"
PMAT5436-HD	54"	36"
PMAT6036-HD	60"	36"
PMAT6636-HD	66"	36"
PMAT7236-HD	72"	36"



Heavy Duty LEVELER, ADJUSTABLE TABLES (Height adjusts from 28" to 38" in 1" increments; including 1" thick top.)

Unit #	W	D
PLAT3624-HD	36"	24"
PLAT4224-HD	42"	24"
PLAT4824-HD	48"	24"
PLAT5424-HD	54"	24"
PLAT6024-HD	60"	24"
PLAT6624-HD	66"	24"
PLAT7230-HD	72"	24"
PLAT3630-HD	36"	30"
PLAT4230-HD	42"	30"
PLAT4830-HD	48"	30"
PLAT5430-HD	54"	30"
PLAT6030-HD	60"	30"
PLAT6630-HD	66"	30"
PLAT7230-HD	72"	30"
PLAT3636-HD	36"	36"
PLAT4236-HD	42"	36"
PLAT4836-HD	48"	36"
PLAT5436-HD	54"	36"
PLAT6036-HD	60"	36"
PLAT6636-HD	66"	36"
PLAT7236-HD	72"	36"

FLEXCORE® - Pencil Drawer Aprons

Use **S** in place of **P** (painted) for Stainless Steel. Example: **SPD1522**

Drawers come standard with wire pull. To specify Recessed Pull add **R** to end of drawer number.

Example: **PPD1522R**

For Locking drawer add **L** to drawer number. Example **PPD1522L**

Example **SPD1522RL** will order a stainless steel drawer with recessed pulls and locks.

You must specify lock keying preferences when ordering locks. Master keying and grand master keying may incur additional costs.

PENCIL DRAWER APRONS

Unit #	W	H	D
PPD1522	15"	3.5"	22"
PPD1522L	15"	3.5"	22" L
PPD1522R	15"	3.5"	22" RP
PPD1522RL	15"	3.5"	22" RP,L
PPD1822	18"	3.5"	22"
PPD1822L	18"	3.5"	22" L
PPD1822R	18"	3.5"	22" RP
PPD1822RL	18"	3.5"	22" RP,L
PPD2122	21"	3.5"	22"
PPD2122L	21"	3.5"	22" L
PPD2122R	21"	3.5"	22" RP
PPD2122RL	21"	3.5"	22" RP,L
PPD2422	24"	3.5"	22"
PPD2422L	24"	3.5"	22" L
PPD2422R	24"	3.5"	22" RP
PPD2422RL	24"	3.5"	22" RP,L
PPD3022	30"	3.5"	22"
PPD3022L	30"	3.5"	22" L
PPD3022R	30"	3.5"	22" RP
PPD3022RL	30"	3.5"	22" RP,L

