

Seating & Lab Furniture Accessories



Working with the *INSTOCK*[®] Lab Team is Fast and Easy

Using this catalog

Each catalog focuses on a segment of the over 600 commonly used lab furnishing products. This format will help you to locate the products that you need quickly and easily.

Product Organization

Products have been clearly presented using pictures, specifications, descriptive information and performance data to assist with selection.

Next Steps

If you wish to place an order please CONTACTUS@LFSystems.com or use the Excel Order Form (link) that follows the list of catalogs. (Note: The order form link requires an Excel Spreadsheet app.)

Customizable Seating

Select from thousands of seating options, including chairs specifically designed for laboratory, clean room and ESD applications. Select the height, materials, features and colors that are most appropriate for your specific tasks or environment. Ergonomics are critical, so our chairs and stools are designed to allow user to make adjustments to seats and backs and to add arms and foot rings where appropriate to provide optimal comfort and support.

Laboratory



Industrial



Seating

Vinyl Chair - Desk Height



Shown in Burgundy

- Designed for use at desks that are 31" tall or under
- 19"-24" Adjustable height, measured from the top of the seat to the floor.
- Medium back height of 18"
- Highly durable molded polyurethane foam cushioning covered with easily cleaned antibacterial/antimicrobial vinyl.
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Does not include a foot ring.

Part Number	Vinyl Color
VDHCH-MB-RG-RC-8546	Blue
VDHCH-MB-RG-RC-8605	Gray
VDHCH-MB-RG-RC-8540	Black
VDHCH-MB-RG-RC-8569	Burgundy
VDHCH-MB-RG-RC-8582	Navy

Arm rests can be added to the model by including "A1" at the end of the part number

Polyurethane Chair - Desk Height



- Designed for use at desks that are 31" tall or under
- 17"-22" Adjustable height, measured from the top of the seat to the floor
- Standard back height of 10-1/4"
- Rugged polyurethane that is self-skinning, chemical- and puncture-resistant, easily cleaned, and soil resistant
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Does not include a foot ring

Part Number	Vinyl Color
PDHCH-RG-RC	Black

Arm rests can be added to the model by including "A1" at the end of the part number

Vinyl Stool - Desk Height



Shown in Blue

- Designed for use at desks that are 31" tall or under
- 18"-23" Adjustable height, measured from the top of the seat to the floor
- Backless stool
- Highly durable molded polyurethane foam cushioning covered with easily cleaned antibacterial/antimicrobial vinyl.
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Does not include foot ring

Part Number	Vinyl Color
VDHSO-RG-RC-8546	Blue
VDHSO-RG-RC-8605	Gray
VDHSO-RG-RC-8540	Black
VDHSO-RG-RC-8569	Burgundy
VDHSO-RG-RC-8582	Navy

Vinyl Chair - Medium Height



Shown in Blue

- Designed for use at work surfaces that are 32" - 36" tall
- 22"-29" Adjustable height, measured from the top of the seat to the floor
- Standard back height of 11-1/2"
- Highly durable molded polyurethane foam cushioning covered with easily cleaned antibacterial/antimicrobial vinyl.
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Includes 20" diameter chrome foot ring

Part Number	Vinyl Color
VMBCH-RG-CF-RC-8546	Blue
VMBCH-RG-CF-RC-8605	Gray
VMBCH-RG-CF-RC-8540	Black
VMBCH-RG-CF-RC-8569	Burgundy
VMBCH-RG-CF-RC-8582	Navy

Arm rests can be added to the model by including "A1" at the end of the part number

Polyurethane Chair - Medium Height



- Designed for use at work surfaces that are 32" - 36" tall
- 19-1/2" – 27-1/2" Adjustable height, measured from the top of the seat to the floor
- Standard back height of 10-1/4"
- Rugged polyurethane that is self-skinning, chemical- and puncture-resistant, easily cleaned, and soil resistant
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Includes 20" diameter chrome foot ring

Part Number	Vinyl Color
PMBCH-RG-CF-RC	Black

Arm rests can be added to the model by including "A1" at the end of the part number

Vinyl Stool - Medium Height



Shown in Black

- Designed for use at work surfaces that are 32" - 36" tall
- 20-1/2" – 28" Adjustable height, measured from the top of the seat to the floor
- Backless stool
- Highly durable molded polyurethane foam cushioning covered with easily cleaned antibacterial/antimicrobial vinyl.
- Black, non-marring casters suitable for both hard and carpeted floors
- 25" wide 5-leg nylon reinforced fiberglass base
- Weight capacity of 300 lbs.
- Includes 20" diameter chrome foot ring

Part Number	Vinyl Color
VMBSO-RG-CF-RC-8546	Blue
VMBSO-RG-CF-RC-8605	Gray
VMBSO-RG-CF-RC-8540	Black
VMBSO-RG-CF-RC-8569	Burgundy
VMBSO-RG-CF-RC-8582	Navy

Lab Furniture Accessories


Garment Racks - Stainless Steel



Upright

- Electro-polished, Type 304 Stainless Steel hangers are included. Hangers are spaced 3" (7.6 cm) intervals
- Open wire construction promotes laminar air flow
- Unique hanger capture mechanism provides theft deterrence
- Easy to assemble
- Adjustable stainless steel triangular foot plates provided for floor mounting
- Upright unit is non-conductive.

Wall Mount	Upright	Dimensions W x D	Number of Hangers
GRW2436S	GRU2436S	36" x 24" (91.4 x 61 cm)	11
GRW2448S	GRU2448S	48" x 24" (121.9 x 61 cm)	15



Wall Mount

Gowning Bench - Stainless Steel



- Heavy-duty, solid top bench provides a sturdy and comfortable gowning fixture. All benches are 18" (45.7 cm) tall
- Top is manufactured from 14 gauge, Type 304 stainless steel
- Adjustable stainless steel foot plates provided for floor mounting
- Unit is non-conductive

Part Number	Dimensions W x D
GB1636S	36" x 16" (91.4 x 40.6 cm)
GB1648S	48" x 16" (121.9 x 40.6 cm)
GB1660S	60" x 16" (152.4 x 40.6 cm)
GB1672S	72" x 16" (182.5 x 40.6 cm)

MetroMax Utility Cart



Three Shelf Model

- Corrosion proof shelves, posts and Type 304 stainless steel handle
- 5" (12.7 cm) swivel casters, polyurethane wheels, poly housing and stainless steel axles
- Donut bumpers included with casters
- Furnished complete as a 2 shelf or 3 shelf unit

Part Number	Description	Dimensions W x D x H
MXUC1830-25	2 Shelves	18" x 30" x 39" (45.7 x 76.2 x 99.1 cm)
MXUC2436-25	2 Shelves	24" x 36" x 39" (61 x 91.4 x 99.1 cm)
MXUC1830-35	3 Shelves	18" x 30" x 39" (45.7 x 76.2 x 99.1 cm)
MXUC2436-35	3 Shelves	24" x 36" x 39" (61 x 91.4 x 99.1 cm)

Security Units

- Durable chrome finish will not chip or flake
- Double doors each open 270° and can be secured along the sides of the unit
- Mobile units (4) 5" polyurethane swivel casters with bumpers
- Unit comes with top and bottom shelves and 2 internal wire shelves.
- Stationary Units are 67" tall. Mobile units are 68" tall.



Stationary Unit



Mobile Unit

Part Number	Dimensions W x D x H
JSEC53	36" x 24" x 67" (91.4 x 61 x 170.2cm)
JSEC55	48" x 24" x 67" (121.9 x 61 x 170.2 cm)
JSEC56	60" x 24" x 67" (152.4 x 61 x 170.2 cm)

Part Number	Dimensions W x D x H
MJSEC53	36" x 24" x 68" (91.4 x 61 x 172.7 cm)
MJSEC55	48" x 24" x 68" (121.9 x 61 x 172.7 cm)
MJSEC56	60" x 24" x 68" (152.4 x 61 x 172.7 cm)

Deep Ledge Polymer Utility Cart



- Specially designed with a 2 3/4" deep ledge to contain product and spills
- Polymer shelves are easy to clean and corrosion proof
- On units with 3 shelves the center shelf adjusts at 1" increments
- Weight capacity is 400 lbs
- Blue units have built-in Microban antimicrobial product protection

Grey	Black	Blue	Dimensions W x D x H
2 Shelves			
BC2030-2DG	BC2030-2DBL	BC2030-2DMB	21 1/2" x 33 3/4" x 33 1/4" (54.6 x 85.7 x 84.5 cm)
BC2636-2DG	BC2636-2DBL	BC2636-2DMB	27" x 39 1/2" x 33 1/4" (68.5 x 100.3 x 84.5 cm)
3 Shelves			
BC2030-3DG	BC2030-3DBL	BC2030-3DMB	21 1/2" x 33 3/4" x 33 1/4" (54.6 x 85.7 x 84.5 cm)
BC2636-3DG	BC2636-3DBL	BC2636-3DMB	27" x 39 1/2" x 33 1/4" (68.5 x 100.3 x 84.5 cm)

Lab Furniture Accessories

Polymer Utility Cart



- Each cart comes with two labels for easy identification
- All-polymer shelves will never corrode
- Impact resistant shelves are designed to withstand daily abuse
- 7/16" (1.1 cm) shelf's edge retains small spills and prevents items from sliding off during transport
- Blue units have built-in Microban antimicrobial product protection

Grey	Black	Blue	Dimensions W x L x H
2 Shelves			
MY1627-24G	MY1627-24BL	MY1627-24BU	18 5/16" x 31 1/2" x 35 1/2" (46.5 x 80 x 90.2 cm)
MY2030-24G	MY2030-24BL	MY2030-24BU	23 7/16" x 34 3/8" x 35 1/2" (59.5 x 87.3 x 90.2 cm)
MY2636-25G	MY2636-25BL	MY2636-25BU	27 11/16" x 40 1/4" x 36 7/8" (70.3 x 102.2 x 93.7 cm)
3 Shelves			
MY1627-34G	MY1627-34BL	MY1627-34BU	18 5/16" x 31 1/2" x 35 1/2" (46.5 x 80 x 90.2 cm)
MY2030-34G	MY2030-34BL	MY2030-34BU	23 7/16" x 34 3/8" x 35 1/2" (59.5 x 87.3 x 90.2 cm)
MY2636-35G	MY2636-35BL	MY2636-35BU	27 11/16" x 40 1/4" x 36 7/8" (70.3 x 102.2 x 93.7 cm)

Stainless Steel Work Tables with Bottom Shelf



- Seamless 14 gauge Type 304 stainless steel work surface and support structure
- Stationary work tables are 34" tall with stationary posts and leveling feet

Part Number	Dimensions D x L x H
WT305FS	30" x 48" x 34" (76.2 x 121.9 x 76 cm)
WT306FS	30" x 60" x 34" (76.2 x 152.4 x 76 cm)
WT307FS	30" x 72" x 34" (76.2 x 182.9 x 76 cm)
WT309FS	30" x 96" x 34" (76.2 x 243.8 x 76 cm)
WT366FS	36" x 60" x 34" (91.4 x 152.4 x 76 cm)
WT367FS	36" x 72" x 34" (91.4 x 182.9 x 76 cm)
WT369FS	36" x 96" x 34" (91.4 x 243.8 x 76 cm)
WT446FS	44" x 60" x 34" (111.8 x 152.4 x 76 cm)
WT447FS	44" x 72" x 34" (111.8 x 182.9 x 76 cm)
WT449FS	44" x 96" x 34" (111.8 x 243.8 x 76 cm)

Stainless Steel Work Tables with 3-sided Frame



- Seamless 14 gauge Type 304 stainless steel work surface and support structure
- Stationary work tables are 34" tall with stationary posts and leveling feet

Part Number	Dimensions D x L x H
WT305US	30" x 48" x 34" (76.2 x 121.9 x 76 cm)
WT306US	30" x 60" x 34" (76.2 x 152.4 x 76 cm)
WT307US	30" x 72" x 34" (76.2 x 182.9 x 76 cm)
WT309US	30" x 96" x 34" (76.2 x 243.8 x 76 cm)
WT366US	36" x 60" x 34" (91.4 x 152.4 x 76 cm)
WT367US	36" x 72" x 34" (91.4 x 182.9 x 76 cm)
WT369US	36" x 96" x 34" (91.4 x 243.8 x 76 cm)
WT446US	44" x 60" x 34" (111.8 x 152.4 x 76 cm)
WT447US	44" x 72" x 34" (111.8 x 182.9 x 76 cm)
WT449US	44" x 96" x 34" (111.8 x 243.8 x 76 cm)

Mobile Stainless Steel Work Tables



- Seamless 14 gauge Type 304 stainless steel work surface and support structure
- Mobile work tables are 34" tall with special posts and 4 poly casters (2 swivel/2 brake)

Part Number	Dimensions D x L x H
MWT305US	30" x 48" x 34" (76.2 x 121.9 x 76 cm)
MWT306US	30" x 60" x 34" (76.2 x 152.4 x 76 cm)
MWT307US	30" x 72" x 34" (76.2 x 182.9 x 76 cm)
MWT309US	30" x 96" x 34" (76.2 x 243.8 x 76 cm)

Balance Table



- Balance tables provide a stable and vibration resistant workspace for sensitive procedures
- Work top is 2" thick
- Top, sides and middle supports are all constructed from epoxy black resin material

Part Number	Dimensions W x D x H
BT3624	36" x 24" x 30" (91.4 x 61 x 76.2 cm)
BT4824	48" x 24" x 30" (121.9 x 61 x 76.2 cm)

Lab Furniture Accessories


Electrical Wire Raceways



- Pre-wired single channel aluminum wire raceway with 120V, 20 amp, standard outlets or with 120V, 20 amp, GFI outlets.
- Includes 8' black power cord with plug.
- Power plug available as NEMA 5-20P straight blade or NEMA L5-20 twist-to-lock

Raceway Length	Number of Outlets	GFCI Outlets with Straight Blade Plug	GFCI Outlets with Twist-to-Lock Plug	Standard Outlet with Straight Blade Plug	Standard Outlet with Twist-To-Lock Plug
48" (121.9 cm)	4	EWR48GFI-S	EWR48GFI-T	EWR48-S	EWR48-T
60" (152.4 cm)	6	EWR60GFI-S	EWR60GFI-T	EWR60-S	EWR60-T
72" (182.9 cm)	6	EWR72GFI-S	EWR72GFI-T	EWR72-S	EWR72-T
84" (213.4 cm)	8	EWR84GFI-S	EWR84GFI-T	EWR84-S	EWR84-T
96" (243.8 cm)	8	EWR96GFI-S	EWR96GFI-T	EWR96-S	EWR96-T

Task Lighting



- Features multiple, state of the art, energy saving components that include touch and hold continuous dimming and 10-hour automatic turnoff.
- Made with anodized aluminum and lasts up to 50,000 hours.
- **Starter Units** include 1 ea LED task light, magnetic angle mount that allows for up to 25 degrees of adjustment, 60 watt power supply with magnetic mount and 6' white cord.
- **Add On** units include 1 ea LED task light, magnetic angle mount and 1 ea interlink cord to connect to Starter Unit.
- Units for use with phenolic shelves will include a painted metal strip to attach to underside of the phenolic shelf to receive the magnet mounts.

Part Number		Actual Width of Light	For Use with
Starter Unit	Add On Unit		
LED-36S	LED-36AO	23.3" (59.2 cm)	36" Wide Metal Cabinet
LED-48S	LED-48AO	30.1" (76.5 cm)	48" Wide Metal Cabinet
LED-24S	LED-24AO	16.4" (41.7 cm)	24" Wide Phenolic Shelf
LED-3036S	LED-3036AO	23.3" (59.2 cm)	30" or 36" Wide Phenolic Shelf
LED-4248S	LED-4248AO	30.1" (76.5 cm)	42" or 48" Wide Phenolic Shelf
LED-60S	LED-60AO	43.7" (111 cm)	60" Wide Phenolic Shelf

Chase Support Assembly



- An adjustable height floor mounted, support assembly for work surfaces as well as drain line and a plumbing chase for piping

Part Number	Dimensions H x D
CSA3108	27"-31" x 8" (68.6-78.7 x 20.3 cm)
CSA3708	33"-37" x 8" (83.8-94 x 20.3 cm)

Cabinet Base Molding



- Base molding is installed directly on the toe-kick of a base cabinet and is the final step in installing a lab to create a finished look
- The base molding has a self-adhesive back for easy application

Part Number	Dimensions H x L
VBM48	4" x 48" (10.2 x 121.9 cm)

Wall Mounted Cylinder Restraints



- Cast aluminum, wall mounted cylinder restraint
- Includes mounting hardware and a nylon strap
- The restraints can be placed adjacent to each other to secure a group of cylinders

Part Number	Cylinder Diameter
CRWM	4"-14" (10.2 - 35.6 cm)

Free Standing Cylinder Restraints



- The free standing cylinder restraint is constructed from 2" x 2" tubular steel
- A fully welded design provides for the proper restraint of cylinders
- Includes security chains

Part Number	Number of Cylinders	Dimensions W x D x H
CRFM2X1 (2 Cylinders x 1 bay)	2	30" x 16" x 30" (76.2 x 40.6 x 76.2 cm)
CRFM2X2 (2 Cylinders x 2 bay)	4	30" x 32" x 30" (76.2 x 81.3 x 76.2 cm)
CRFM2X3 (2 Cylinders x 3 bay)	6	30" x 48" x 30" (76.2 x 121.9 x 76.2 cm)
CRFM3X1 (3 Cylinders x 1 bay)	3	45" x 16" x 30" (114.3 x 40.6 x 76.2 cm)
CRFM3X2 (3 Cylinders x 2 bay)	6	45" x 32" x 30" (114.3 x 81.3 x 76.2 cm)
CRFM3X3 (3 Cylinders x 3 bay)	9	45" x 48" x 30" (114.3 x 121.9 x 76.2 cm)



Quick Delivery Program

Quick Delivery Lab Furnishings



249 Old Churchmans Road
New Castle, Delaware 19720

PHONE: 302-322-0460
EMAIL: contactus@lfsystems.com
WEB: www.LFSYSTEMS.com

